

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

Client and Well Information

Company	Chevron
Well	KC 151 #3
Field	Keathley Canyon 151
County	Offshore Levels using shuttle #1 (top) of each 4-shot grouping
State	Louisiana
API Number	60-808-40009
Logging Date	17-May-2005

Survey Information

SRD	0.0 m	KB elevation	13.1 m	GL elevation	-1321.9 m
Source Type	Airgun				
Source Depth below KB	16.1 m				
Source Distance from Wellhead	21.3 m				
Source Azimuth from North	340.0 deg				
Velocity of Medium (Source to Sensor)	1524 m/s				
Velocity of Medium (Source to SRD)	1524 m/s				

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME +0 ms m	DEPTH AT TIME +1 ms m	DEPTH AT TIME +2 ms m	DEPTH AT TIME +3 ms m	DEPTH AT TIME +4 ms m	DEPTH AT TIME +5 ms m	DEPTH AT TIME +6 ms m	DEPTH AT TIME +7 ms m	DEPTH AT TIME +8 ms m	DEPTH AT TIME +9 ms m
0	0.0	0.8	1.5	2.3	3.0	3.8	4.6	5.3	6.1	6.9
10	7.6	8.4	9.1	9.9	10.5	11.3	12.0	12.8	13.6	14.3
20	15.1	15.8	16.6	17.4	18.1	18.9	19.7	20.4	21.2	21.9
30	22.7	23.5	24.2	25.0	25.8	26.5	27.3	28.0	28.8	29.6
40	30.3	30.9	31.7	32.5	33.2	34.0	34.7	35.5	36.3	37.0
50	37.8	38.6	39.3	40.1	40.8	41.6	42.4	43.1	43.9	44.7
60	45.4	46.2	46.9	47.7	48.5	49.2	50.0	50.7	51.4	52.1
70	52.9	53.6	54.4	55.2	55.9	56.7	57.5	58.2	59.0	59.7
80	60.5	61.3	62.0	62.8	63.6	64.3	65.1	65.8	66.6	67.4
90	68.1	68.9	69.6	70.4	71.2	71.8	72.5	73.3	74.1	74.8
100	75.6	76.4	77.1	77.9	78.6	79.4	80.2	80.9	81.7	82.4
110	83.2	84.0	84.7	85.5	86.3	87.0	87.8	88.5	89.3	90.1
120	90.8	91.6	92.2	93.0	93.7	94.5	95.2	96.0	96.8	97.5
130	98.3	99.1	99.8	100.6	101.3	102.1	102.9	103.6	104.4	105.2
140	105.9	106.7	107.4	108.2	109.0	109.7	110.5	111.3	112.0	112.6
150	113.4	114.1	114.9	115.7	116.4	117.2	118.0	118.7	119.5	120.2
160	121.0	121.8	122.5	123.3	124.1	124.8	125.6	126.3	127.1	127.9

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME
	+0 ms	+1 ms	+2 ms	+3 ms	+4 ms	+5 ms	+6 ms	+7 ms	+8 ms	+9 ms
	m	m	m	m	m	m	m	m	m	m
170	128.6	129.4	130.1	130.9	131.7	132.4	133.0	133.8	134.6	135.3
180	136.1	136.9	137.6	138.4	139.1	139.9	140.7	141.4	142.2	143.0
190	143.7	144.5	145.2	146.0	146.8	147.5	148.3	149.0	149.8	150.6
200	151.3	152.1	152.9	153.5	154.2	155.0	155.8	156.5	157.3	158.0
210	158.8	159.6	160.3	161.1	161.8	162.6	163.4	164.1	164.9	165.7
220	166.4	167.2	167.9	168.7	169.5	170.2	171.0	171.8	172.5	173.3
230	173.9	174.7	175.4	176.2	176.9	177.7	178.5	179.2	180.0	180.7
240	181.5	182.3	183.0	183.8	184.6	185.3	186.1	186.8	187.6	188.4
250	189.1	189.9	190.7	191.4	192.2	192.9	193.7	194.3	195.1	195.8
260	196.6	197.4	198.1	198.9	199.6	200.4	201.2	201.9	202.7	203.5
270	204.2	205.0	205.7	206.5	207.3	208.0	208.8	209.6	210.3	211.1
280	211.8	212.6	213.4	214.1	214.7	215.5	216.3	217.0	217.8	218.5
290	219.3	220.1	220.8	221.6	222.4	223.1	223.9	224.6	225.4	226.2
300	226.9	227.7	228.4	229.2	230.0	230.7	231.5	232.3	233.0	233.8
310	234.5	235.2	235.9	236.7	237.4	238.2	239.0	239.7	240.5	241.2
320	242.0	242.8	243.5	244.3	245.1	245.8	246.6	247.3	248.1	248.9
330	249.6	250.4	251.2	251.9	252.7	253.4	254.2	255.0	255.6	256.3
340	257.1	257.9	258.6	259.4	260.1	260.9	261.7	262.4	263.2	264.0
350	264.7	265.5	266.2	267.0	267.8	268.5	269.3	270.1	270.8	271.6
360	272.3	273.1	273.9	274.6	275.4	276.0	276.8	277.5	278.3	279.0
370	279.8	280.6	281.3	282.1	282.9	283.6	284.4	285.1	285.9	286.7
380	287.4	288.2	289.0	289.7	290.5	291.2	292.0	292.8	293.5	294.3
390	295.0	295.8	296.4	297.2	297.9	298.7	299.5	300.2	301.0	301.8
400	302.5	303.3	304.0	304.8	305.6	306.3	307.1	307.8	308.6	309.4
410	310.1	310.9	311.7	312.4	313.2	313.9	314.7	315.5	316.2	316.8
420	317.6	318.4	319.1	319.9	320.6	321.4	322.2	322.9	323.7	324.5
430	325.2	326.0	326.7	327.5	328.3	329.0	329.8	330.6	331.3	332.1
440	332.8	333.6	334.4	335.1	335.9	336.7	337.3	338.0	338.8	339.5

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME
	+0 ms	+1 ms	+2 ms	+3 ms	+4 ms	+5 ms	+6 ms	+7 ms	+8 ms	+9 ms
	m	m	m	m	m	m	m	m	m	m
450	340.3	341.1	341.8	342.6	343.4	344.1	344.9	345.6	346.4	347.2
460	347.9	348.7	349.5	350.2	351.0	351.7	352.5	353.3	354.0	354.8
470	355.5	356.3	357.1	357.7	358.4	359.2	360.0	360.7	361.5	362.3
480	363.0	363.8	364.5	365.3	366.1	366.8	367.6	368.4	369.1	369.9
490	370.6	371.4	372.2	372.9	373.7	374.4	375.2	376.0	376.7	377.5
500	378.1	378.9	379.6	380.4	381.2	381.9	382.7	383.4	384.2	385.0
510	385.7	386.5	387.2	388.0	388.8	389.5	390.3	391.1	391.8	392.6
520	393.3	394.1	394.9	395.6	396.4	397.2	397.9	398.5	399.3	400.1
530	400.8	401.6	402.3	403.1	403.9	404.6	405.4	406.1	406.9	407.7
540	408.4	409.2	410.0	410.7	411.5	412.2	413.0	413.8	414.5	415.3
550	416.1	416.8	417.6	418.3	418.9	419.7	420.5	421.2	422.0	422.8
560	423.5	424.3	425.0	425.8	426.6	427.3	428.1	428.9	429.6	430.4
570	431.1	431.9	432.7	433.4	434.2	434.9	435.7	436.5	437.2	438.0
580	438.8	439.4	440.1	440.9	441.7	442.4	443.2	443.9	444.7	445.5
590	446.2	447.0	447.8	448.5	449.3	450.0	450.8	451.6	452.3	453.1
600	453.8	454.6	455.4	456.1	456.9	457.7	458.4	459.2	459.8	460.6
610	461.3	462.1	462.8	463.6	464.4	465.1	465.9	466.6	467.4	468.2
620	468.9	469.7	470.5	471.2	472.0	472.7	473.5	474.3	475.0	475.8
630	476.6	477.3	478.1	478.8	479.6	480.2	481.0	481.7	482.5	483.3
640	484.0	484.8	485.5	486.3	487.1	487.8	488.6	489.4	490.1	490.9
650	491.6	492.4	493.2	493.9	494.7	495.5	496.2	497.0	497.7	498.5
660	499.3	500.0	500.6	501.4	502.2	502.9	503.7	504.4	505.2	506.0
670	506.7	507.5	508.3	509.0	509.8	510.5	511.3	512.1	512.8	513.6
680	514.4	515.1	515.9	516.6	517.4	518.2	518.9	519.7	520.4	521.1
690	521.8	522.6	523.3	524.1	524.9	525.6	526.4	527.2	527.9	528.7
700	529.4	530.2	531.0	531.7	532.5	533.2	534.0	534.8	535.5	536.3
710	537.1	537.8	538.6	539.3	540.1	540.9	541.5	542.2	543.0	543.8
720	544.5	545.3	546.0	546.8	547.6	548.3	549.1	549.9	550.6	551.4

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME
	+0 ms	+1 ms	+2 ms	+3 ms	+4 ms	+5 ms	+6 ms	+7 ms	+8 ms	+9 ms
	m	m	m	m	m	m	m	m	m	m
730	552.1	552.9	553.7	554.4	555.2	556.0	556.7	557.5	558.2	559.0
740	559.8	560.5	561.3	561.9	562.7	563.4	564.2	564.9	565.7	566.5
750	567.2	568.0	568.8	569.5	570.3	571.0	571.8	572.6	573.3	574.1
760	574.9	575.6	576.4	577.1	577.9	578.7	579.4	580.2	580.9	581.7
770	582.3	583.1	583.8	584.6	585.4	586.1	586.9	587.7	588.4	589.2
780	589.9	590.7	591.5	592.2	593.0	593.8	594.5	595.3	596.0	596.8
790	597.6	598.3	599.1	599.8	600.6	601.4	602.1	602.7	603.5	604.3
800	605.0	605.8	606.6	607.3	608.1	608.8	609.6	610.4	611.1	611.9
810	612.6	613.4	614.2	614.9	615.7	616.5	617.2	618.0	618.7	619.5
820	620.3	621.0	621.8	622.6	623.2	623.9	624.7	625.4	626.2	627.0
830	627.7	628.5	629.3	630.0	630.8	631.5	632.3	633.1	633.8	634.6
840	635.4	636.1	636.9	637.6	638.4	639.2	639.9	640.7	641.5	642.2
850	643.0	643.6	644.3	645.1	645.9	646.6	647.4	648.2	648.9	649.7
860	650.4	651.2	652.0	652.7	653.5	654.3	655.0	655.8	656.5	657.3
870	658.1	658.8	659.6	660.3	661.1	661.9	662.6	663.4	664.0	664.8
880	665.5	666.3	667.1	667.8	668.6	669.3	670.1	670.9	671.6	672.4
890	673.2	673.9	674.7	675.4	676.2	677.0	677.7	678.5	679.2	680.0
900	680.8	681.5	682.3	683.1	683.8	684.4	685.2	686.0	686.7	687.5
910	688.2	689.0	689.8	690.5	691.3	692.0	692.8	693.6	694.3	695.1
920	695.9	696.6	697.4	698.1	698.9	699.7	700.4	701.2	702.0	702.7
930	703.5	704.2	704.9	705.6	706.4	707.1	707.9	708.7	709.4	710.2
940	710.9	711.7	712.5	713.2	714.0	714.8	715.5	716.3	717.0	717.8
950	718.6	719.3	720.1	720.9	721.6	722.4	723.1	723.9	724.7	725.3
960	726.0	726.8	727.6	728.3	729.1	729.8	730.6	731.4	732.1	732.9
970	733.7	734.4	735.2	735.9	736.7	737.5	738.2	739.0	739.7	740.5
980	741.3	742.0	742.8	743.6	744.3	745.1	745.7	746.5	747.2	748.0
990	748.7	749.5	750.3	751.0	751.8	752.6	753.3	754.1	754.8	755.6
1000	756.4	757.1	757.9	758.6	759.4	760.2	760.9	761.7	762.5	763.2

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME
	+0 ms	+1 ms	+2 ms	+3 ms	+4 ms	+5 ms	+6 ms	+7 ms	+8 ms	+9 ms
	m	m	m	m	m	m	m	m	m	m
1010	764.0	764.7	765.5	766.1	766.9	767.6	768.4	769.2	769.9	770.7
1020	771.4	772.2	773.0	773.7	774.5	775.3	776.0	776.8	777.5	778.3
1030	779.1	779.8	780.6	781.4	782.1	782.9	783.6	784.4	785.2	785.8
1040	786.5	787.3	788.1	788.8	789.6	790.3	791.1	791.9	792.6	793.4
1050	794.2	794.9	795.7	796.4	797.2	798.0	798.7	799.5	800.3	801.0
1060	801.8	802.5	803.3	804.1	804.8	805.6	806.2	807.0	807.7	808.5
1070	809.2	810.0	810.8	811.5	812.3	813.1	813.8	814.6	815.3	816.1
1080	816.9	817.6	818.4	819.2	819.9	820.7	821.4	822.2	823.0	823.7
1090	824.5	825.2	826.0	826.6	827.4	828.1	828.9	829.7	830.4	831.2
1100	832.0	832.7	833.5	834.2	835.0	835.8	836.5	837.3	838.0	838.8
1110	839.6	840.3	841.1	841.9	842.6	843.4	844.1	844.9	845.7	846.4
1120	847.0	847.8	848.6	849.3	850.1	850.8	851.6	852.4	853.1	853.9
1130	854.7	855.4	856.2	856.9	857.7	858.5	859.2	860.0	860.8	861.5
1140	862.3	863.0	863.8	864.6	865.3	866.1	866.9	867.5	868.2	869.0
1150	869.7	870.5	871.3	872.0	872.8	873.6	874.3	875.1	875.8	876.6
1160	877.4	878.1	878.9	879.7	880.4	881.2	881.9	882.7	883.5	884.2
1170	885.0	885.7	886.5	887.3	887.9	888.6	889.4	890.2	890.9	891.7
1180	892.5	893.2	894.0	894.7	895.5	896.3	897.0	897.8	898.6	899.3
1190	900.1	900.8	901.6	902.4	903.1	903.9	904.6	905.4	906.2	906.9
1200	907.7	908.3	909.1	909.8	910.6	911.4	912.1	912.9	913.6	914.4
1210	915.2	915.9	916.7	917.4	918.2	919.0	919.7	920.5	921.3	922.0
1220	922.8	923.5	924.3	925.1	925.8	926.6	927.4	928.1	928.7	929.5
1230	930.2	931.0	931.8	932.5	933.3	934.1	934.8	935.6	936.3	937.1
1240	937.9	938.6	939.4	940.2	940.9	941.7	942.4	943.2	944.0	944.7
1250	945.5	946.3	947.0	947.8	948.5	949.1	949.9	950.7	951.4	952.2
1260	953.0	953.7	954.5	955.2	956.0	956.8	957.5	958.3	959.1	959.8
1270	960.6	961.3	962.1	962.9	963.6	964.4	965.1	965.9	966.7	967.4
1280	968.2	969.0	969.6	970.3	971.1	971.9	972.6	973.4	974.1	974.9

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME
	+0 ms	+1 ms	+2 ms	+3 ms	+4 ms	+5 ms	+6 ms	+7 ms	+8 ms	+9 ms
	m	m	m	m	m	m	m	m	m	m
1290	975.7	976.4	977.2	978.0	978.7	979.5	980.2	981.0	981.8	982.5
1300	983.3	984.0	984.8	985.6	986.3	987.1	987.9	988.6	989.4	990.0
1310	990.8	991.5	992.3	993.0	993.8	994.6	995.3	996.1	996.8	997.6
1320	998.4	999.1	999.9	1000.7	1001.4	1002.2	1002.9	1003.7	1004.5	1005.2
1330	1006.0	1006.8	1007.5	1008.3	1009.0	1009.8	1010.4	1011.2	1011.9	1012.7
1340	1013.5	1014.2	1015.0	1015.7	1016.5	1017.3	1018.0	1018.8	1019.6	1020.3
1350	1021.1	1021.8	1022.6	1023.4	1024.1	1024.9	1025.7	1026.4	1027.2	1027.9
1360	1028.7	1029.5	1030.2	1030.8	1031.6	1032.4	1033.1	1033.9	1034.6	1035.4
1370	1036.2	1036.9	1037.7	1038.5	1039.2	1040.0	1040.7	1041.5	1042.3	1043.0
1380	1043.8	1044.5	1045.3	1046.1	1046.8	1047.6	1048.4	1049.1	1049.9	1050.6
1390	1051.3	1052.0	1052.8	1053.5	1054.3	1055.1	1055.8	1056.6	1057.4	1058.1
1400	1058.9	1059.6	1060.4	1061.2	1061.9	1062.7	1063.4	1064.2	1065.0	1065.7
1410	1066.5	1067.3	1068.0	1068.8	1069.5	1070.3	1071.1	1071.7	1072.4	1073.2
1420	1074.0	1074.7	1075.5	1076.2	1077.0	1077.8	1078.5	1079.3	1080.1	1080.8
1430	1081.6	1082.3	1083.1	1083.9	1084.6	1085.4	1086.2	1086.9	1087.7	1088.4
1440	1089.2	1090.0	1090.7	1091.5	1092.1	1092.9	1093.6	1094.4	1095.1	1095.9
1450	1096.7	1097.4	1098.2	1099.0	1099.7	1100.5	1101.2	1102.0	1102.8	1103.5
1460	1104.3	1105.1	1105.8	1106.6	1107.3	1108.1	1108.9	1109.6	1110.4	1111.1
1470	1111.9	1112.5	1113.3	1114.0	1114.8	1115.6	1116.3	1117.1	1117.9	1118.6
1480	1119.4	1120.1	1120.9	1121.7	1122.4	1123.2	1124.0	1124.7	1125.5	1126.2
1490	1127.0	1127.8	1128.5	1129.3	1130.0	1130.8	1131.6	1132.3	1132.9	1133.7
1500	1134.5	1135.2	1136.0	1136.8	1137.5	1138.3	1139.0	1139.8	1140.6	1141.3
1510	1142.1	1142.8	1143.6	1144.4	1145.1	1145.9	1146.7	1147.4	1148.2	1148.9
1520	1149.7	1150.5	1151.2	1152.0	1152.8	1153.4	1154.1	1154.9	1155.6	1156.4
1530	1157.2	1157.9	1158.7	1159.5	1160.2	1161.0	1161.7	1162.5	1163.3	1164.0
1540	1164.8	1165.6	1166.3	1167.1	1167.8	1168.6	1169.4	1170.1	1170.9	1171.7
1550	1172.4	1173.2	1173.8	1174.5	1175.3	1176.1	1176.8	1177.6	1178.4	1179.1
1560	1179.9	1180.6	1181.4	1182.2	1182.9	1183.7	1184.5	1185.2	1186.0	1186.7

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME
	+0 ms	+1 ms	+2 ms	+3 ms	+4 ms	+5 ms	+6 ms	+7 ms	+8 ms	+9 ms
	m	m	m	m	m	m	m	m	m	m
1570	1187.5	1188.3	1189.0	1189.8	1190.5	1191.3	1192.1	1192.8	1193.6	1194.2
1580	1195.0	1195.7	1196.5	1197.3	1198.0	1198.8	1199.5	1200.3	1201.1	1201.8
1590	1202.6	1203.4	1204.1	1204.9	1205.6	1206.4	1207.2	1207.9	1208.7	1209.4
1600	1210.2	1211.0	1211.7	1212.5	1213.3	1214.0	1214.6	1215.4	1216.2	1216.9
1610	1217.7	1218.4	1219.2	1220.0	1220.7	1221.5	1222.2	1223.0	1223.8	1224.5
1620	1225.3	1226.1	1226.8	1227.6	1228.3	1229.1	1229.9	1230.6	1231.4	1232.2
1630	1232.9	1233.7	1234.4	1235.0	1235.8	1236.6	1237.3	1238.1	1238.9	1239.6
1640	1240.4	1241.1	1241.9	1242.7	1243.4	1244.2	1245.0	1245.7	1246.5	1247.2
1650	1248.0	1248.8	1249.5	1250.3	1251.1	1251.8	1252.6	1253.3	1254.1	1254.9
1660	1255.5	1256.2	1257.0	1257.8	1258.5	1259.3	1260.0	1260.8	1261.6	1262.3
1670	1263.1	1263.9	1264.6	1265.4	1266.1	1266.9	1267.7	1268.4	1269.2	1269.9
1680	1270.7	1271.5	1272.2	1273.0	1273.8	1274.5	1275.3	1275.9	1276.7	1277.4
1690	1278.2	1278.9	1279.7	1280.5	1281.2	1282.0	1282.8	1283.5	1284.3	1285.0
1700	1285.8	1286.6	1287.3	1288.1	1288.8	1289.6	1290.4	1291.1	1291.9	1292.7
1710	1293.4	1294.2	1294.9	1295.7	1296.3	1297.1	1297.8	1298.6	1299.4	1300.1
1720	1300.9	1301.6	1302.4	1303.2	1303.9	1304.7	1305.5	1306.2	1307.0	1307.7
1730	1308.5	1309.3	1310.0	1310.8	1311.6	1312.3	1313.1	1313.8	1314.6	1315.4
1740	1316.1	1316.7	1317.5	1318.3	1319.0	1319.8	1320.5	1321.3	1322.1	1322.8
1750	1323.6	1324.4	1325.1	1325.9	1326.6	1327.4	1328.2	1328.9	1329.7	1330.5
1760	1331.2	1332.0	1332.7	1333.5	1334.3	1335.0	1335.8	1336.5	1337.2	1337.9
1770	1338.7	1339.4	1340.2	1341.0	1341.7	1342.5	1343.3	1344.0	1344.8	1345.5
1780	1346.3	1347.1	1347.8	1348.6	1349.3	1350.1	1350.9	1351.6	1352.4	1353.2
1790	1353.9	1354.7	1355.4	1356.2	1357.0	1357.6	1358.3	1359.1	1359.9	1360.6
1800	1361.4	1362.2	1362.9	1363.7	1364.4	1365.2	1366.0	1366.7	1367.5	1368.2
1810	1369.0	1369.8	1370.5	1371.3	1372.1	1372.8	1373.6	1374.3	1375.1	1375.9
1820	1376.6	1377.4	1378.0	1378.8	1379.5	1380.3	1381.0	1381.8	1382.6	1383.3
1830	1384.1	1384.9	1385.6	1386.4	1387.1	1387.9	1388.7	1389.4	1390.2	1391.0
1840	1391.7	1392.5	1393.2	1394.0	1394.8	1395.5	1396.3	1397.1	1397.8	1398.4

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME	DEPTH AT TIME
	+0 ms	+1 ms	+2 ms	+3 ms	+4 ms	+5 ms	+6 ms	+7 ms	+8 ms	+9 ms
	m	m	m	m	m	m	m	m	m	m
1850	1399.2	1399.9	1400.7	1401.5	1402.2	1403.0	1403.8	1404.5	1405.3	1406.0
1860	1406.8	1407.6	1408.3	1409.1	1409.9	1410.6	1411.4	1412.1	1412.9	1413.7
1870	1414.4	1415.2	1415.9	1416.7	1417.5	1418.2	1418.8	1419.6	1420.4	1421.1
1880	1421.9	1422.7	1423.4	1424.2	1424.9	1425.7	1426.5	1427.2	1428.0	1428.8
1890	1429.5	1430.3	1431.0	1431.8	1432.6	1433.3	1434.1	1434.8	1435.6	1436.4
1900	1437.1	1437.9	1438.7	1439.3	1440.0	1440.8	1441.6	1442.3	1443.1	1443.8
1910	1444.6	1445.4	1446.3	1447.0	1447.8	1448.7	1449.5	1450.2	1451.2	1451.9
1920	1452.7	1453.4	1454.4	1455.1	1455.9	1456.6	1457.6	1458.3	1459.1	1459.8
1930	1460.6	1461.5	1462.4	1463.2	1464.0	1464.7	1465.6	1466.4	1467.2	1467.9
1940	1468.7	1469.6	1470.4	1471.1	1471.9	1472.6	1473.4	1474.3	1475.1	1476.0
1950	1476.8	1477.7	1478.6	1479.3	1480.1	1481.0	1481.8	1482.5	1483.3	1484.1
1960	1485.0	1485.7	1486.5	1487.4	1488.2	1488.9	1489.7	1490.5	1491.4	1492.1
1970	1492.9	1493.7	1494.6	1495.3	1496.1	1497.0	1497.8	1498.5	1499.5	1500.2
1980	1501.0	1501.9	1502.7	1503.6	1504.3	1505.3	1506.0	1506.9	1507.7	1508.6
1990	1509.4	1510.3	1511.0	1512.0	1512.7	1513.6	1514.4	1515.3	1516.2	1517.1
2000	1517.9	1518.8	1519.7	1520.6	1521.6	1522.5	1523.2	1524.2	1525.1	1526.0
2010	1526.9	1527.7	1528.6	1529.5	1530.4	1531.2	1532.1	1533.0	1533.9	1534.7
2020	1535.6	1536.5	1537.4	1538.2	1539.1	1540.0	1540.9	1541.8	1542.7	1543.7
2030	1544.6	1545.5	1546.4	1547.2	1548.1	1549.0	1549.9	1550.8	1551.7	1552.7
2040	1553.4	1554.3	1555.2	1556.2	1557.1	1558.0	1558.9	1559.8	1560.6	1561.5
2050	1562.4	1563.3	1564.2	1565.0	1565.9	1566.8	1567.7	1568.7	1569.6	1570.5
2060	1571.4	1572.2	1573.1	1574.0	1574.9	1575.8	1576.6	1577.5	1578.4	1579.2
2070	1580.1	1581.0	1581.9	1582.8	1583.6	1584.5	1585.4	1586.3	1587.1	1588.0
2080	1588.9	1589.8	1590.6	1591.5	1592.4	1593.2	1594.1	1595.0	1595.9	1596.7
2090	1597.6	1598.5	1599.4	1600.2	1601.1	1602.0	1602.9	1603.7	1604.6	1605.5
2100	1606.4	1607.2	1608.1	1609.0	1610.0	1610.7	1611.6	1612.5	1613.5	1614.2
2110	1615.1	1616.0	1617.0	1617.7	1618.6	1619.6	1620.5	1621.2	1622.1	1623.1
2120	1624.0	1624.7	1625.7	1626.6	1627.5	1628.2	1629.2	1630.1	1631.0	1631.9

Time to Depth Report

Company: Chevron
Well: KC 151 #3

Job Ref. No.
1232005

TWO WAY SONIC TIME FROM SRD ms	DEPTH AT TIME +0 ms m	DEPTH AT TIME +1 ms m	DEPTH AT TIME +2 ms m	DEPTH AT TIME +3 ms m	DEPTH AT TIME +4 ms m	DEPTH AT TIME +5 ms m	DEPTH AT TIME +6 ms m	DEPTH AT TIME +7 ms m	DEPTH AT TIME +8 ms m	DEPTH AT TIME +9 ms m
2130	1632.7	1633.6	1634.5	1635.4	1636.2	1637.1	1638.0	1638.9	1639.8	1640.6
2140	1641.5	1642.4	1643.2	1644.1	1645.0	1645.9	1646.7	1647.6	1648.5	1649.4
2150	1650.2	1651.1	1652.0	1652.9	1653.7	1654.6	1655.5	1656.4	1657.3	1658.3
2160	1659.2	1660.1	1661.0	1661.9	1662.8					