



GEOFRAME  
PROCESSED  
INTERPRETATION

BestDT\*  
QC Plot – MP3  
MH Leaky–P Processing

\*A Mark of Schlumberger

Using the following logs: MP3

COMPANY: Chevron U.S.A., Inc.  
WELL: JIP II AC 21 B  
FIELD: Alaminos Canyon  
County:   
State: Louisiana  
COUNTRY: U.S.A.  
Date Logged: 5–May–2009 Date Processed: 4–May–2009  
Well Location: NAD27 15N, ft  
X = 1023773.00 ft  
Elevations: KB: DF: 51ft GL:  
API Number: 608054007100 Job Number:

FOLD HERE The well name, location and borehole reference data were furnished by the customer.



All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretations made by any of our officers, agents or employees. These interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule.

|                   |                       |                            |                          |
|-------------------|-----------------------|----------------------------|--------------------------|
| Field Recording:  | Location: Mud Module  | Software Version: 20C0–999 | Engineer: N. Goura       |
| Office Recording: | ICS Center: Lafayette | Baseline:                  | Log Analyst: Bill Lawton |


Mud and Borehole Measurements:

|                                                |                          |                 |
|------------------------------------------------|--------------------------|-----------------|
| Rm @ Measured Temperature: 0.28ohm.m @ 46degF  | BHT: 46degF              | Bitsize: 6.75in |
| Rmf @ Measured Temperature: 0.28ohm.m @ 46degF | Type Fluid in Hole:      | WBM             |
| Rmc @ Measured Temperature: 0.28ohm.m @ 46degF | Mud Density: 8.53lbm/gal |                 |


Remarks:




5100




5150




5200



5250




5300




5350

(Depth = 5362.18 ft)




5400

(Depth = 5412.18 ft)





5450

(Depth = 5462.18 ft)



5500


(Depth = 5512.18 ft)






5550

( Depth = 5562.18 ft )




5600

( Depth = 5612.18 ft )




5650

( Depth = 5662.18 ft )




5700

( Depth = 5712.18 ft )




5750


( Depth = 5762.18 ft )




5800





5850



5900




5950





# Slowness Dispersion Plot


( Depth= 5100.02 ft)





# Slowness Dispersion Plot

( Depth = 5400.02 ft )



# Slowness Dispersion Plot

( Depth= 6000.02 ft)

