



GEOFRAME
PROCESSED
INTERPRETATION

SonicVISION BestDT Leaky-P DT

Well H : 6680-8490

*A Mark of Schlumberger

Using the following logs: SonicVISION


COMPANY:	Chevron U.S.A., Inc.		
WELL:	JIP II GC 955 H		
FIELD:	Green Canyon		
County:			
State:	Louisiana		
COUNTRY:	U.S.A.		
Date Logged:	24-Apr-2009	Date Processed:	29-Apr-2009
Well Location:	NAD27 15N, ft.		
	X = 2478317.00 ft		
Elevations:			
	KB:	DF: 52ft	GL: -6654ft
API Number:		Job Number:	

FOLD HERE The well name, location and borehole reference data were furnished by the customer.


All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretations made by any of our officers, agents or employees. These interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule.

Field Recording:	Location: Upper Module	Software Version: 20C0-999	Engineer:
Office Recording:	ICS Center: Lafayette	Baseline:	Log Analyst: Bill Lawton
Mud and Borehole Measurements:			
Rm @ Measured Temperature: 0.23ohm.m @ 57degF		BHT: 48degF	Bitsize: 8.5in
Rmf @ Measured Temperature: 0.15ohm.m @ 57degF		Type Fluid in Hole:	Sea Water
Rmc @ Measured Temperature: @ 57degF		Mud Density: 10lbm/gal	


Remarks:




MD
1 : 240
ft




6700




6750




6800




6850




6900




6950



7000




7050




(Depth = 7090.01 ft)




7100




7150





7200



7250



7300




7350


7400

7450


7500




7550





7600




7650




7700




7750




7800





7850



7900




7950




8000

(Depth = 7990.01 ft)




8050

(Depth = 8040.01 ft)




8100

(Depth = 8090.01 ft)




8150


(Depth = 8140.01 ft)




(Depth = 8190.01 ft)




8200




8250




8300



8350




8400




Slowness Dispersion Plot

(Depth = 7002.01 ft)




Slowness Dispersion Plot

(Depth= 7500.01 ft)



Slowness Dispersion Plot

(Depth = 8001.01 ft)



Slowness Dispersion Plot

(Depth= 8399.01 ft)

