



*Techlog Processed Interpretation

MicroScope Processed Image
(UHRI: High Resolution)
C0026A RT
7036.7 - 7395.6 m (MD 1:200)

* A Mark of Schlumberger

COMPANY: JAMSTEC
WELL: C0026A
FIELD: C0019/C0026
PREFECTURE: Miyagi
COUNTRY: Japan

Date Processed: 4-Oct-2024 Date Logged: 23-Sep-2024
Job Number: JPJ-2024-006 Processed at: JPJ
Well Location: C0019/C0026
Latitude: 37deg 55.6020' N Longitude: 143deg 04.1280' E
Elevation: KB: 0 DF: 28.50 m GL: -6928.5 m


FOLD HERE: The well name, location and borehole reference data were furnished by the customer.


Any interpretation, research, analysis, data, results, estimates, or recommendation furnished with the services or otherwise communicated by Schlumberger to the customer at any time in connection with the services are opinions based on inferences from measurements, empirical relationships, and/or assumptions; which, inferences, empirical relationships and/or assumptions are not infallible and with respect to which professionals in the industry may differ. Accordingly, Schlumberger cannot and does not warrant the accuracy, correctness, or completeness of any such interpretation, research, analysis, data, results, estimates, or recommendation. The customer acknowledges that it is accepting the services "as is," that Schlumberger makes no representation or warranty, express or implied, of any kind or description in respect thereto, and that such services are delivered with the explicit understanding and agreement that any action taken based on the services received shall be at its own risk and responsibility, and no claim shall be made against Schlumberger as a consequence thereof.


Svc. Order #:	Interpretation Center:	Analyst: Chiaki Morelli	
Location:	Techlog Vers: 2022.2		


Remarks:


- UHRI_IMG_RT is Real-time Ultra High Resolution Image.
- Full image processing was applied to UHRI_IMG_RT to estimate missing image data.
- Dynamic Normalization Window: 1m, Static Normalization Window: whole interval.
- The darker color on the image corresponds to lower resistivity.
- The orientation of the image is North reference.

















MD (m) 1:200	RPM			RES_BIT_RT_Linear_SHIFT			HeatedReversed					HeatedReversed				
	0	c/min	100	0.2	ohm.m	2000	14.31241.71					4.16239.96				
	ROP5			RES_BX_RT_Linear			UHRI_IMG_RT_ORIENTED_STATIC_FULL					UHRI_IMG_RT_ORIENTED_DYNAMIC_FULL				
	50	m/h	0	0.2	ohm.m	2000	0ohm.m2.6e+02					0ohm.m2.6e+02				
	GR_MI6_RT_Linear			RES_BM_RT_Linear			Image Orientation°					Image Orientation°				
	0	gAPI	100	0.2	ohm.m	2000										
	BS			RES_BS_RT_Linear			N	E	S	W	NN	E	S	W	NN	
6	in	16	0.2	ohm.m	2000	0	90	180	270	360	0	90	180	270	360	

COMPANY: JAMSTEC
WELL: C0026A
FIELD: C0019/C0026
PREFECTURE: Miyagi
COUNTRY: Japan



Date Logged: 23-Sep-2024
Date Processed: 4-Oct-2024
Surface Location: 37deg 55.6020' N 143deg 04.1280' E

Elevations: DF: 28.50 m GL: -6928.5 m

Elevations:

Left: 20100 m

Right: 30200 m

Job Number:

JPJ-2024-006