



*Techlog Processed Interpretation

SonicScope Monopole Low & Monopole High Signal C0026A 6933.1 - 7362 m (MD 1:500)

* A Mark of Schlumberger

COMPANY: JAMSTEC
WELL: C0026A
FIELD: C0019/C0026
PREFECTURE: Miyagi
COUNTRY: Japan

Date Processed: 4-Oct-2024 Date Logged: 23-Sep-2024

Job Number: JPJ-2024-006 Processed at: JPJ

Well Location: C0019/C0026

Latitude: 37° 56' 20.989" N Longitude: 143° 54' 47.844"

Elevation: KB: 0 DF: 28.50 m GL: -6898 m


FOLD HERE: The well name, location and borehole reference data were furnished by the customer.


Any interpretation, research, analysis, data, results, estimates, or recommendation furnished with the services or otherwise communicated by Schlumberger to the customer at any time in connection with the services are opinions based on inferences from measurements, empirical relationships, and/or assumptions; which, inferences, empirical relationships and/or assumptions are not infallible and with respect to which professionals in the industry may differ. Accordingly, Schlumberger cannot and does not warrant the accuracy, correctness, or completeness of any such interpretation, research, analysis, data, results, estimates, or recommendation. The customer acknowledges that it is accepting the services "as is," that Schlumberger makes no representation or warranty, express or implied, of any kind or description in respect thereto, and that such services are delivered with the explicit understanding and agreement that any action taken based on the services received shall be at its own risk and responsibility, and no claim shall be made against Schlumberger as a consequence thereof.


Svc. Order #: Location:	Interpretation Center: Techlog Vers: 2022.2.2	Analyst: Lingdan Xia
----------------------------	--	----------------------


Remarks:

- This is 8.5in section drilling pass processed SonicScope slowness.
- Data presented is Real Time data acquired while drilling.
- Permanent Datum: Mean Sea Level, Logging Measured from Drill Floor.
- The objective of SonicScope is to measure formation slowness.
- Final compressional slowness (DTCO_MHMLLP_relabeld) is merged from Monopole High RT signal (below 7344.16mMD) and Monopole Low Leaky-P RT signal (above 7344.16mMD)









				0.00 0.20 0.33 0.46 0.60 0.73 1.01	0.00 0.20 0.33 0.46 0.60 0.73 1.01	
RPM	ROP5	RES_BX_RT_Linear	ST_Projection_RT	ST_Projection_SCOPE	DTCO_MHMLLP_relabed	
0 c/min 200	0 m/h 100	0.2 ohm.m 2000	40 us/ft 240	40 us/ft 240	40 us/ft 240	
	GR_MI6_RT	RES_BS_RT_Linear	SPJ_LP_ML_RT	SPJ_MH_RT	DTCO_MH_DH_relabed	
0 gAPI 100	0 gAPI 100	0.2 ohm.m 2000	40 us/ft 240	40 us/ft 240	40 us/ft 240	
	BS	RES_BM_RT_Linear	DT_LP_ML_DH_relabed	DTCO_MH_DH_relabed	DT_LP_ML_DH_relabed	
1:500	6 in 16	0.2 ohm.m 2000	40 us/ft 240	40 us/ft 240	40 us/ft 240	

COMPANY: JAMSTEC

WELL: C0026A
FIELD: C0019/C0026
PREFECTURE: Miyagi
COUNTRY: Japan



Date Logged: 23-Sep-2024
Date Processed: 4-Oct-2024
Surface Location: 37° 56' 20.989" N 143° 54' 47.844" E

Elevations: DF: 28.50 m GL: -6898 m
API Number: