


Production String	(in)	(M)	Well Schematic	(M)	(in)	Casing String
	OD	ID		MD	MD	

Kelly Bushing Elevation
Derrick Floor Elevation

11.0
11.0

Mean Sea Level

0.0



3138 4.20

Sea Floor



3138 9.875

3257 3.80

Borehole Segment

Open Hole

3388

Output DLIS Files


DEFAULT	PI_LDL_NGS_009LUP	FN:13	PRODUCER	12-Oct-2009 00:34	3383.3 M	3103.3 M
DLISBACKUP	PI_LDL_NGS_009LUP	FN:14	PRODUCER	11-Oct-2009 15:35	3383.3 M	3103.3 M


OP System Version: 17C0-154


DIT-E	17C0-154	DTA-A	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154
DTC-H	17C0-154		


PIP SUMMARY


Time Mark Every 60 S














3275

-Caliper Closed

3300







PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value	
DIT-E: Dual Induction - E			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	100	DEGC
DGF1	Deep 10 kHz Gain Factor	0.968645	
DGF2	Deep 20 kHz Gain Factor	0.979119	
DGF4	Deep 40 kHz Gain Factor	0.990252	
DPH1	Deep 10 kHz Phase Shift	0.26358	DEG
DPH2	Deep 20 kHz Phase Shift	0.0159963	DEG
DPH4	Deep 40 kHz Phase Shift	-1.11256	DEG
DRE1	Deep Real 10 kHz Sonde Error Correction	39.5751	MM/M
DRE2	Deep Real 20 kHz Sonde Error Correction	17.0457	MM/M
DRE4	Deep Real 40 kHz Sonde Error Correction	5.15121	MM/M
DRIM	DIT-E Radial Invasion Mode	Rxo>Rt	
DSR1	Deep Sigma Reference (10 kHz)	7637	MM/M
DSR2	Deep Sigma Reference (20 kHz)	1843	MM/M
DSR4	Deep Sigma Reference (40 kHz)	405	MM/M
DSTA	DIT-E Transversal Standoff	0	IN
DXE1	Deep Quad 10 kHz Sonde Error Correction	245.841	MM/M
DXE2	Deep Quad 20 kHz Sonde Error Correction	136.154	MM/M
DXE4	Deep Quad 40 kHz Sonde Error Correction	78.4516	MM/M
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
IFRS	DIT-E Induction Frequency Selector	20	
IPHA	DIT-E Phasor Processing Mode	ALL	
IPRO	DIT-E Induction Processing Selector	PHASOR	
ISSBAR	Barite Mud Switch	NOBARITE	
ITEN	DIT-E Temperature Enable	ENABLE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MGF1	Medium 10 kHz Gain Factor	0.969585	
MGF2	Medium 20 kHz Gain Factor	0.974788	
MGF4	Medium 40 kHz Gain Factor	0.999842	
MPH1	Medium 10 kHz Phase Shift	0.0787021	DEG
MPH2	Medium 20 kHz Phase Shift	-0.199528	DEG
MPH4	Medium 40 kHz Phase Shift	-0.885081	DEG
MRE1	Medium Real 10 kHz Sonde Error Correction	31.1041	MM/M
MRE2	Medium Real 20 kHz Sonde Error Correction	11.3259	MM/M
MRE4	Medium Real 40 kHz Sonde Error Correction	3.5782	MM/M
MSR1	Medium Sigma Reference (10 kHz)	13520	MM/M
MSR2	Medium Sigma Reference (20 kHz)	3250	MM/M
MSR4	Medium Sigma Reference (40 kHz)	685	MM/M
MXE1	Medium Quad 10 kHz Sonde Error Correction	328.09	MM/M
MXE2	Medium Quad 20 kHz Sonde Error Correction	172.606	MM/M

MXE4	Medium Quad 40 kHz Spade Error Correction	112.808	MM/M
SBR	Shoulder Bed Resistivity Factor	1	OHMM
SFCR	SFL Channel Ratio	1000	
SFLE	SFL Enable	ENABLE	
SHT	Surface Hole Temperature	20	DEGC
SPAE	DIT-E SPARC Processing Enable	ENABLE	
SPNV	SP Next Value	0	MV
HLDS: Hostile Litho-Density Sonde			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.71	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	100	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.0017655	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.973357	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	0.976784	
System and Miscellaneous			
ALTDPCAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	9.875	IN
BSAL	Borehole Salinity	-50000.00	PPM
CSIZ	Current Casing Size	4.500	IN
CWEI	Casing Weight	0.00	LB/F
DFD	Drilling Fluid Density	1.26	G/C3
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	-50000.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	3390	M
TDD	Total Depth - Driller	3388.00	M
TDL	Total Depth - Logger	3388.00	M
TWS	Temperature of Connate Water Sample	7.00	DEGC

OP System Version: 17C0-154

DIT-E	17C0-154	DTA-A	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154

Output DLIS Files

DEFAULT	PI_LDL_NGS_009LUP	FN:13	PRODUCER	12-Oct-2009 00:34
DLISBACKUP	PI_LDL_NGS_009LUP	FN:14	PRODUCER	11-Oct-2009 15:35

Output DLIS Files

DEFAULT	PI_LDL_NGS_006LUP	FN:7	PRODUCER	11-Oct-2009 23:45	3383.3 M	3214.1 M
DLISBACKUP	PI_LDL_NGS_006LUP	FN:8	PRODUCER	11-Oct-2009 14:46	3383.3 M	3214.1 M


OP System Version: 17C0-154


DIT-E	17C0-154	DTA-A	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154
DTC-H	17C0-154		



PIP SUMMARY


Time Mark Every 60 S

HNGS Spectroscopy Gamma Ray (HSGR) 0 (GAPI) 100	SFL_QUAL From D3T to SFQE	
Area From HCGR to HSGR	IM_QUAL From SFQR to IMQF	SFL Unaveraged (SFLU) 0.2 (OHMM) 2000
HNGS Computed Gamma Ray (HCGR) 0 (GAPI) 100	ID_QUAL From IMQF to IDQF	0.2 Medium Induction Phasor-processed Resistivity (IMPH) (OHMM) 2000
HLDS Caliper (LCAL) 0 (IN) 20	Tension (TENS) (LBF) 10000 0	0.2 Deep Induction Phasor-processed Resistivity (DPH) (OHMM) 2000









<p>HLDS Caliper (LCAL) (IN)</p> <p>0 20</p>	<p>Tension (TENS) (LBF)</p> <p>10000 0</p>	<p>Deep Induction Phasor-processed Resistivity (IDPH) (OHMM)</p> <p>0.2 2000</p>
<p>HNGS Computed Gamma Ray (HCGR) (GAPI)</p> <p>0 100</p>	<p>ID_QUAL From IMQF to IDQF</p>	<p>Medium Induction Phasor-processed Resistivity (IMPH) (OHMM)</p> <p>0.2 2000</p>
<p>Area From HCGR to HSGR</p>	<p>IM_QUAL From SFQF to IMQF</p>	<p>SFL Unaveraged (SFLU) (OHMM)</p> <p>0.2 2000</p>
<p>HNGS Spectroscopy Gamma Ray (HSGR) (GAPI)</p> <p>0 100</p>	<p>SFL_QUAL From D3T to SFQF</p>	

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
-----------	-------------	-------

DIT-E: Dual Induction - E

BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	100	DEGC
DGF1	Deep 10 kHz Gain Factor	0.968645	
DGF2	Deep 20 kHz Gain Factor	0.979119	
DGF4	Deep 40 kHz Gain Factor	0.990252	
DPH1	Deep 10 kHz Phase Shift	0.26358	DEG
DPH2	Deep 20 kHz Phase Shift	0.0159963	DEG
DPH4	Deep 40 kHz Phase Shift	-1.11256	DEG
DRE1	Deep Real 10 kHz Sonde Error Correction	39.5751	MM/M
DRE2	Deep Real 20 kHz Sonde Error Correction	17.0457	MM/M
DRE4	Deep Real 40 kHz Sonde Error Correction	5.15121	MM/M
DRIM	DIT-E Radial Invasion Mode	Rxo>Rt	
DSR1	Deep Sigma Reference (10 kHz)	7637	MM/M
DSR2	Deep Sigma Reference (20 kHz)	1843	MM/M
DSR4	Deep Sigma Reference (40 kHz)	405	MM/M
DSTA	DIT-E Transversal Standoff	0	IN
DXE1	Deep Quad 10 kHz Sonde Error Correction	245.841	MM/M
DXE2	Deep Quad 20 kHz Sonde Error Correction	136.154	MM/M
DXE4	Deep Quad 40 kHz Sonde Error Correction	78.4516	MM/M
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
IFRS	DIT-E Induction Frequency Selector	20	
IPHA	DIT-E Phasor Processing Mode	ALL	
IPRO	DIT-E Induction Processing Selector	PHASOR	
ISSBAR	Barite Mud Switch	NOBARITE	
ITEN	DIT-E Temperature Enable	ENABLE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MGF1	Medium 10 kHz Gain Factor	0.969585	
MGF2	Medium 20 kHz Gain Factor	0.974788	
MGF4	Medium 40 kHz Gain Factor	0.999842	
MPH1	Medium 10 kHz Phase Shift	0.0787021	DEG
MPH2	Medium 20 kHz Phase Shift	-0.199528	DEG
MPH4	Medium 40 kHz Phase Shift	-0.885081	DEG
MRE1	Medium Real 10 kHz Sonde Error Correction	31.1041	MM/M
MRE2	Medium Real 20 kHz Sonde Error Correction	11.3259	MM/M
MRE4	Medium Real 40 kHz Sonde Error Correction	3.5782	MM/M
MSR1	Medium Sigma Reference (10 kHz)	13520	MM/M
MSR2	Medium Sigma Reference (20 kHz)	3250	MM/M
MSR4	Medium Sigma Reference (40 kHz)	685	MM/M
MXE1	Medium Quad 10 kHz Sonde Error Correction	328.09	MM/M
MXE2	Medium Quad 20 kHz Sonde Error Correction	172.606	MM/M
MXE4	Medium Quad 40 kHz Sonde Error Correction	112.808	MM/M
SBR	Shoulder Bed Resistivity Factor	1	OHMM
SFCR	SFL Channel Ratio	1000	
SFLE	SFL Enable	ENABLE	
SHT	Surface Hole Temperature	20	DEGC
SPAE	DIT-E SPARC Processing Enable	ENABLE	
SPNV	SP Next Value	0	MV

HLDS: Hostile Litho-Density Sonde

CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.71	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	

HNCS-BA: Hostile Natural Gamma Ray Sonde

BAR1	HNCS Detector 1 Barite Constant	1	
BAR2	HNCS Detector 2 Barite Constant	1	
BHK	HNCS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	100	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNCS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	BS	

GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.000789315	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	2.97515	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	2.1951	
System and Miscellaneous			
ALTDPCCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	9.875	IN
BSAL	Borehole Salinity	-50000.00	PPM
CSIZ	Current Casing Size	4.500	IN
CWEI	Casing Weight	0.00	LB/F
DFD	Drilling Fluid Density	1.26	G/C3
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	-50000.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	3390	M
TDD	Total Depth - Driller	3388.00	M
TDL	Total Depth - Logger	3388.00	M
TWS	Temperature of Connate Water Sample	7.00	DEGC

Format: DITE_LogPhasor Vertical Scale: 1:200 Graphics File Created: 11-Oct-2009 23:45

OP System Version: 17C0-154

DIT-E	17C0-154	DTA-A	17C0-154
HLDS	17C0-154	LDSC-B	17C0-154
HNGC-B	17C0-154	HNGS-BA	17C0-154
DTC-H	17C0-154		

Output DLIS Files

DEFAULT	PI_LDL_NGS_006LUP	FN:7	PRODUCER	11-Oct-2009 23:45
DLISBACKUP	PI_LDL_NGS_006LUP	FN:8	PRODUCER	11-Oct-2009 14:46

Calibration and Check Summary

Measurement	Nominal	Master	Before	After	Change	Limit	Units
Hostile Litho-Density Sonde Wellsite Calibration - Background Measurement							
Master: 18-Sep-2009 2:55 Before: 18-Sep-2009 5:19 After: 6-Oct-2009 5:12							
SS Cs Resolution Bkg	9.000	8.452	8.363	8.426	0.06246	1.800	%
LS Cs Resolution Bkg	9.000	8.580	8.651	8.599	-0.05205	1.800	%
LSW1 Background	100.0	76.04	75.16	74.56	-0.5994	0.03000	CPS
LSW2 Background	100.0	69.08	67.85	68.84	0.9836	0.03000	CPS
LSW3 Background	200.0	155.5	152.7	154.5	1.819	0.03000	CPS
LSW4 Background	250.0	187.6	187.4	187.2	-0.1870	0.03000	CPS
LSW5 Background	600.0	426.9	426.3	426.5	0.2204	0.03000	CPS
SSW1 Background	100.0	74.38	73.61	74.87	1.256	0.03000	CPS
SSW2 Background	200.0	130.0	127.5	128.7	1.249	0.03000	CPS
SSW3 Background	500.0	340.0	341.3	343.6	2.380	0.03000	CPS
SSW4 Background	270.0	181.2	184.1	184.1	-0.01787	0.03000	CPS
SSW5 Background	200.0	132.4	130.8	132.1	1.332	0.03000	CPS
Hostile Litho-Density Sonde Wellsite Calibration - Aluminum Measurement							
Master: 18-Sep-2009 4:05							
LSW1 Aluminum	600.0	539.9	N/A	N/A	N/A	N/A	CPS
LSW2 Aluminum	900.0	806.6	N/A	N/A	N/A	N/A	CPS
LSW3 Aluminum	1100	986.0	N/A	N/A	N/A	N/A	CPS

LSW4 Aluminum	580.0	501.1	N/A	N/A	N/A	N/A	CPS
LSW5 Aluminum	570.0	458.2	N/A	N/A	N/A	N/A	CPS
SSW1 Aluminum	2800	2369	N/A	N/A	N/A	N/A	CPS
SSW2 Aluminum	8000	6795	N/A	N/A	N/A	N/A	CPS
SSW3 Aluminum	11600	9808	N/A	N/A	N/A	N/A	CPS
SSW4 Aluminum	5000	4129	N/A	N/A	N/A	N/A	CPS
SSW5 Aluminum	660.0	554.7	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration – Lithology Measurement

Master: 18-Sep-2009 3:57

LSW1 Iron	400.0	366.5	N/A	N/A	N/A	N/A	CPS
LSW2 Iron	730.0	642.8	N/A	N/A	N/A	N/A	CPS
LSW3 Iron	1000	862.0	N/A	N/A	N/A	N/A	CPS
LSW4 Iron	520.0	447.6	N/A	N/A	N/A	N/A	CPS
LSW5 Iron	470.0	414.9	N/A	N/A	N/A	N/A	CPS
SSW1 Iron	2100	1749	N/A	N/A	N/A	N/A	CPS
SSW2 Iron	6800	5618	N/A	N/A	N/A	N/A	CPS
SSW3 Iron	10800	8869	N/A	N/A	N/A	N/A	CPS
SSW4 Iron	4600	3733	N/A	N/A	N/A	N/A	CPS
SSW5 Iron	580.0	484.8	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration – Caliper Calibration

Before: 18-Sep-2009 5:08

HLDS Caliper Small Ring	12.00	N/A	14.59	N/A	N/A	N/A	IN
HLDS Caliper Large Ring	15.19	N/A	18.14	N/A	N/A	N/A	IN

Hostile Natural Gamma Ray Sonde Wellsite Calibration – Detector 1 Check

Master: 9-Oct-2009 4:43 Before: 8-Oct-2009 23:44 After: 12-Oct-2009 2:55

Na 511 Peak Loc	40.00	39.53	39.52	39.54	0.02031	1.000	
Na 511 Peak Res	15.50	16.11	15.73	16.00	0.2734	2.000	%
High Voltage	1150	1193	1186	1167	-19.27	N/A	V
Na 1785 Peak Loc	142.6	142.3	142.4	142.7	0.2921	7.000	
Na 1785 Peak Res	8.500	8.575	7.584	7.915	0.3304	2.000	%
Temperature	15.50	26.63	26.50	24.57	-1.930	N/A	DEGC
Na Count Rate	45.00	35.40	35.94	34.92	-1.018	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration – Detector 2 Check

Master: 9-Oct-2009 4:43 Before: 8-Oct-2009 23:44 After: 12-Oct-2009 2:55

Na 511 Peak Loc	40.00	39.67	39.54	39.70	0.1535	1.000	
Na 511 Peak Res	15.50	15.41	16.53	15.27	-1.261	2.000	%
High Voltage	1150	1107	1102	1101	-0.5918	N/A	V
Na 1785 Peak Loc	142.6	141.8	141.6	142.2	0.5570	7.000	
Na 1785 Peak Res	8.500	8.703	8.533	7.984	-0.5492	2.000	%
Temperature	15.50	27.96	26.63	26.04	-0.5934	N/A	DEGC
Na Count Rate	45.00	35.24	35.85	34.42	-1.429	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration – Ratio Of Detector 1 To Detector 2

Master: 9-Oct-2009 4:43 Before: 8-Oct-2009 23:44 After: 12-Oct-2009 2:55

Coincidence Count Rate Ratio	1.000	1.005	1.001	1.014	0.01270	0.05000	
------------------------------	-------	-------	-------	-------	---------	---------	--

Hostile Natural Gamma Ray Sonde Master Calibration – Detector 1 Calibration

Master: 9-Oct-2009 3:42

Na 511 Peak Set Point	40.00	41.00	--	--	--	--	
Th Peak Loc	209.6	209.5	--	--	--	--	
Th Peak Res	7.000	6.995	--	--	--	--	%
Background Count Rate	142.5	19.73	--	--	--	--	CPS
Gain Ratio	1.000	1.008	--	--	--	--	

Hostile Natural Gamma Ray Sonde Master Calibration – Detector 2 Calibration

Master: 9-Oct-2009 3:42

Na 511 Peak Set Point	40.00	41.00	--	--	--	--	
Th Peak Loc	209.6	208.0	--	--	--	--	
Th Peak Res	7.000	6.910	--	--	--	--	%
Background Count Rate	142.5	19.88	--	--	--	--	CPS
Gain Ratio	1.000	0.9976	--	--	--	--	

Dual Induction – E / Equipment Identification

Primary Equipment:

Dual Induction Sonde	DIS – HB	129
Dual Induction Cartridge	DIC – EB	171

Auxiliary Equipment:

Mass Isolated Housing	MIH – ZA	342
-----------------------	----------	-----

Induction Electronics (10 kHz)

Phase	ID Elect Real Offset 10 kHz	MM/M	Value	Phase	ID Elect Real Gain 10 kHz	Value	Phase	ID Elect Phase 10 kHz	DEG	Value	
Before			31.39	Before		0.9358	Before			9.281	
	-267.4 (Minimum)	32.65 (Nominal)	332.6 (Maximum)		0.7960 (Minimum)	0.9460 (Nominal)	1.124 (Maximum)		-0.5967 (Minimum)	9.403 (Nominal)	19.40 (Maximum)
Phase	ID Elect Quad Offset 10 kHz	MM/M	Value	Phase	ID Elect Quad Gain 10 kHz	Value	Phase	IM Elect Phase 10 kHz	DEG	Value	
Before			23.30	Before		0.9522	Before			9.135	
	-278.5 (Minimum)	21.47 (Nominal)	321.5 (Maximum)		0.8109 (Minimum)	0.9609 (Nominal)	1.145 (Maximum)		-0.7277 (Minimum)	9.272 (Nominal)	19.27 (Maximum)
Phase	IM Elect Real Offset 10 kHz	MM/M	Value	Phase	IM Elect Real Gain 10 kHz	Value					
Before			83.78	Before		0.9447					
	-465.7 (Minimum)	84.34 (Nominal)	634.3 (Maximum)		0.8034 (Minimum)	0.9534 (Nominal)	1.134 (Maximum)				
Phase	IM Elect Quad Offset 10 kHz	MM/M	Value	Phase	IM Elect Quad Gain 10 kHz	Value					
Before			44.07	Before		0.9251					
	-505.4 (Minimum)	44.57 (Nominal)	594.6 (Maximum)		0.7864 (Minimum)	0.9364 (Nominal)	1.110 (Maximum)				

Before: 15-Sep-2009 3:59

Dual Induction - E Wellsite Calibration

Induction Electronics (20 kHz)

Phase	ID Elect Real Offset 20 kHz	MM/M	Value	Phase	ID Elect Real Gain 20 kHz	Value	Phase	ID Elect Phase 20 kHz	DEG	Value	
Before			12.45	Before		0.9640	Before			4.602	
	-112.1 (Minimum)	12.92 (Nominal)	137.9 (Maximum)		0.8195 (Minimum)	0.9695 (Nominal)	1.157 (Maximum)		-10.06 (Minimum)	4.941 (Nominal)	19.94 (Maximum)
Phase	ID Elect Quad Offset 20 kHz	MM/M	Value	Phase	ID Elect Quad Gain 20 kHz	Value	Phase	IM Elect Phase 20 kHz	DEG	Value	
Before			9.460	Before		0.9837	Before			4.998	
	-116.3 (Minimum)	8.664 (Nominal)	133.7 (Maximum)		0.8375 (Minimum)	0.9875 (Nominal)	1.182 (Maximum)		-9.662 (Minimum)	5.338 (Nominal)	20.34 (Maximum)
Phase	IM Elect Real Offset 20 kHz	MM/M	Value	Phase	IM Elect Real Gain 20 kHz	Value					
Before			34.42	Before		0.9893					
	-190.4 (Minimum)	34.62 (Nominal)	259.6 (Maximum)		0.8410 (Minimum)	0.9910 (Nominal)	1.187 (Maximum)				
Phase	IM Elect Quad Offset 20 kHz	MM/M	Value	Phase	IM Elect Quad Gain 20 kHz	Value					
Before			18.25	Before		0.9688					
	-206.6 (Minimum)	18.45 (Nominal)	243.4 (Maximum)		0.8231 (Minimum)	0.9731 (Nominal)	1.162 (Maximum)				

Before: 15-Sep-2009 4:00

Dual Induction - E Wellsite Calibration

Induction Electronics (40 kHz)

Phase	ID Elect Real Offset 40 kHz	MM/M	Value	Phase	ID Elect Real Gain 40 kHz	Value	Phase	ID Elect Phase 40 kHz	DEG	Value	
Before			8.186	Before		0.9540	Before			15.99	
	-76.50 (Minimum)	8.503 (Nominal)	93.50 (Maximum)		0.8112 (Minimum)	0.9612 (Nominal)	1.145 (Maximum)		-3.044 (Minimum)	16.96 (Nominal)	36.96 (Maximum)
Phase	ID Elect Quad Offset 40 kHz	MM/M	Value	Phase	ID Elect Quad Gain 40 kHz	Value	Phase	IM Elect Phase 40 kHz	DEG	Value	
Before			6.345	Before		0.9827	Before			15.77	
	-79.21 (Minimum)	5.786 (Nominal)	90.79 (Maximum)		0.8370 (Minimum)	0.9870 (Nominal)	1.182 (Maximum)		-3.281 (Minimum)	16.72 (Nominal)	36.72 (Maximum)
Phase	IM Elect Real Offset 40 kHz	MM/M	Value	Phase	IM Elect Real Gain 40 kHz	Value					
Before			22.30	Before		0.9962					
	-107.6 (Minimum)	22.42 (Nominal)	152.4 (Maximum)		0.8470 (Minimum)	0.9970 (Nominal)	1.196 (Maximum)				
Phase	IM Elect Quad Offset 40 kHz	MM/M	Value	Phase	IM Elect Quad Gain 40 kHz	Value					
Before			11.89	Before		0.9751					
	-118.0 (Minimum)	12.02 (Nominal)	142.0 (Maximum)		0.8285 (Minimum)	0.9785 (Nominal)	1.170 (Maximum)				

Before: 15-Sep-2009 4:01

Dual Induction - E Wellsite Calibration

SFL Electronics

Phase	SFL Voltage Offset MV	Value	Phase	SFL Voltage Gain	Value	
Before		0.1773	Before		0.9992	
	-15.00 (Minimum)	0 (Nominal)	15.00 (Maximum)	0.8500 (Minimum)	1.000 (Nominal)	1.200 (Maximum)

Phase	SFL Current Offset MA	Value	Phase	SFL Current Gain	Value
Before		0.03796	Before		1.011
	-0.6000 (Minimum) 0 (Nominal) 0.6000 (Maximum)			0.8500 (Minimum) 1.000 (Nominal) 1.200 (Maximum)	

Before: 15-Sep-2009 4:02

Dual Induction - E Wellsite Calibration									
Electronics Calibration Changes Files/Depth Intervals:									
Phase	ID (R > 27 OHM-M) MM/M	Value	Phase	ID (R < 27 OHM-M) %	Value	Phase	SFL (R < 1 OHM-M) OHMM	Value	
After		0.03865	After		0.0004785	After		0.0005999	
	0 (Minimum) 0 (Nominal) 0.7500 (Maximum)			0 (Minimum) 0 (Nominal) 2.000 (Maximum)			0 (Minimum) 0 (Nominal) 0.02000 (Maximum)		
Phase	IM (R > 27 OHM-M) MM/M	Value	Phase	IM (R < 27 OHM-M) %	Value				
After		0.04368	After		0.0005488				
	0 (Minimum) 0 (Nominal) 0.7500 (Maximum)			0 (Minimum) 0 (Nominal) 2.000 (Maximum)					
Phase	SFL (R > 27 OHM-M) MM/M	Value	Phase	SFL (R < 27 OHM-M) %	Value				
After		0.002960	After		0.0002720				
	0 (Minimum) 0 (Nominal) 0.7500 (Maximum)			0 (Minimum) 0 (Nominal) 2.000 (Maximum)					

After: 12-Oct-2009 1:06

Dual Induction - E Master Calibration									
Test Loop Calibration: Calibration of Internal Reference to Test Loop Standard									
Phase	Deep 10 kHz Gain Factor	Value	Phase	Deep 20 kHz Gain Factor	Value	Phase	Deep 40 kHz Gain Factor	Value	
Master		0.9686	Master		0.9791	Master		0.9903	
	0.9000 (Minimum) 1.000 (Nominal) 1.100 (Maximum)			0.9000 (Minimum) 1.000 (Nominal) 1.100 (Maximum)			0.9000 (Minimum) 1.000 (Nominal) 1.100 (Maximum)		
Phase	Medium 10 kHz Gain Factor	Value	Phase	Medium 20 kHz Gain Factor	Value	Phase	Medium 40 kHz Gain Factor	Value	
Master		0.9696	Master		0.9748	Master		0.9998	
	0.9000 (Minimum) 1.000 (Nominal) 1.100 (Maximum)			0.9000 (Minimum) 1.000 (Nominal) 1.100 (Maximum)			0.9000 (Minimum) 1.000 (Nominal) 1.100 (Maximum)		
Phase	Deep 10 kHz Phase Shift	Value	Phase	Deep 20 kHz Phase Shift	Value	Phase	Deep 40 kHz Phase Shift	Value	
Master		0.2636	Master		0.01600	Master		-1.113	
	-1.500 (Minimum) 0 (Nominal) 1.500 (Maximum)			-2.000 (Minimum) 0 (Nominal) 2.000 (Maximum)			-4.000 (Minimum) -1.000 (Nominal) 2.000 (Maximum)		
Phase	Medium 10 kHz Phase Shift	Value	Phase	Medium 20 kHz Phase Shift	Value	Phase	Medium 40 kHz Phase Shift	Value	
Master		0.07870	Master		-0.1995	Master		-0.8851	
	-1.500 (Minimum) 0 (Nominal) 1.500 (Maximum)			-3.000 (Minimum) -1.000 (Nominal) 1.000 (Maximum)			-5.000 (Minimum) -2.000 (Nominal) 1.000 (Maximum)		

Master: Calibration out of date 30-Apr-2008 14:59

Dual Induction - E Master Calibration									
Sonde Error Corrections: Correction for sonde response in zero conductivity environment. (Normalized to 25C).									
Phase	Real Deep 10 kHz S.E. Corr.	Value	Phase	Real Deep 20 kHz S.E. Corr.	Value	Phase	Real Deep 40 kHz S.E. Corr.	Value	
Master		39.58	Master		17.05	Master		5.151	
	-50.00 (Minimum) 0 (Nominal) 125.0 (Maximum)			-30.00 (Minimum) 0 (Nominal) 30.00 (Maximum)			-15.00 (Minimum) 0 (Nominal) 15.00 (Maximum)		
Phase	Quad Deep 10 kHz S.E. Corr.	Value	Phase	Quad Deep 20 kHz S.E. Corr.	Value	Phase	Quad Deep 40 kHz S.E. Corr.	Value	
Master		245.8	Master		136.2	Master		78.45	
	-250.0 (Minimum) 0 (Nominal) 350.0 (Maximum)			-125.0 (Minimum) 0 (Nominal) 200.0 (Maximum)			-75.00 (Minimum) 0 (Nominal) 125.0 (Maximum)		
Phase	Real Medium 10 kHz S.E. Corr.	Value	Phase	Real Medium 20 kHz S.E. Corr.	Value	Phase	Real Medium 40 kHz S.E. Corr.	Value	
Master		31.10	Master		11.33	Master		3.578	
	-50.00 (Minimum) 0 (Nominal) 140.0 (Maximum)			-50.00 (Minimum) 0 (Nominal) 50.00 (Maximum)			-30.00 (Minimum) 0 (Nominal) 30.00 (Maximum)		
Phase	Quad Medium 10 kHz S.E. Corr.	Value	Phase	Quad Medium 20 kHz S.E. Corr.	Value	Phase	Quad Medium 40 kHz S.E. Corr.	Value	
Master		328.1	Master		172.6	Master		112.8	
	-1300 (Minimum) 0 (Nominal) 1300 (Maximum)			-650.0 (Minimum) 0 (Nominal) 650.0 (Maximum)			-350.0 (Minimum) 0 (Nominal) 350.0 (Maximum)		

Master: Calibration out of date 30-Apr-2008 15:24

Primary Equipment:		
Hostile Litho Density Sonde	HLDS - D	35
Hostile Litho Density High Voltage	HLDV - D	35
Gamma Source Radioactive	GSR - Z	2397
Auxiliary Equipment:		
Hostile Litho Density Pad	HLDP - C	35
Hostile Litho Density High Voltage Housi	HEH - H	35

Litho-Density Spectroscopy Cartridge - B / Equipment Identification

Primary Equipment:		
LDSC Cartridge	LDSC - B	521
Auxiliary Equipment:		
LDSC Housing	LDSH - A	126

Hostile Natural Gamma Ray Cartridge - B / Equipment Identification

Primary Equipment:		
HNGC Cartridge	HNGC - B	300
Auxiliary Equipment:		
HNGC Housing	HNGH - A	115

Hostile Natural Gamma Ray Sonde / Equipment Identification

Primary Equipment:		
HNGS Sonde	HNGS - BA	194
Auxiliary Equipment:		
HNGS Sonde Housing	HNSH - BA	205
Gamma Source Radioactive	GSR - U	616008

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 1 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value
Master		39.53	Master		16.11	Master		1193
Before		39.52	Before		15.73	Before		1186
After		39.54	After		16.00	After		1167
	37.50 (Minimum) 40.00 (Nominal) 43.50 (Maximum)			12.00 (Minimum) 15.50 (Nominal) 19.00 (Maximum)			900.0 (Minimum) 1150 (Nominal) 1600 (Maximum)	
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value
Master		142.3	Master		8.575	Master		26.63
Before		142.4	Before		7.584	Before		26.50
After		142.7	After		7.915	After		24.57
	135.0 (Minimum) 142.6 (Nominal) 150.3 (Maximum)			7.000 (Minimum) 8.500 (Nominal) 11.00 (Maximum)			-28.89 (Minimum) 15.50 (Nominal) 60.00 (Maximum)	
Phase	Na Count Rate CPS	Value						
Master		35.40						
Before		35.94						
After		34.92						
	10.00 (Minimum) 45.00 (Nominal) 100.0 (Maximum)							
Master: 9-Oct-2009 4:43			Before: 8-Oct-2009 23:44			After: 12-Oct-2009 2:55		

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 2 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value
Master		39.67	Master		15.41	Master		1107

Before		39.54	Before		16.53	Before		1102						
After		39.70	After		15.27	After		1101						
		37.50 (Minimum)	40.00 (Nominal)	43.50 (Maximum)			12.00 (Minimum)	15.50 (Nominal)	19.00 (Maximum)			900.0 (Minimum)	1150 (Nominal)	1600 (Maximum)
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value						
Master		141.8	Master		8.703	Master		27.96						
Before		141.6	Before		8.533	Before		26.63						
After		142.2	After		7.984	After		26.04						
		135.0 (Minimum)	142.6 (Nominal)	150.3 (Maximum)			7.000 (Minimum)	8.500 (Nominal)	11.00 (Maximum)			-28.89 (Minimum)	15.50 (Nominal)	60.00 (Maximum)
Phase	Na Count Rate CPS	Value												
Master		35.24												
Before		35.85												
After		34.42												
		10.00 (Minimum)	45.00 (Nominal)	100.0 (Maximum)										
Master: 9-Oct-2009 4:43			Before: 8-Oct-2009 23:44			After: 12-Oct-2009 2:55								

Hostile Natural Gamma Ray Sonde Wellsite Calibration				
Ratio Of Detector 1 To Detector 2				
Phase	Coincidence Count Rate Ratio	Value		
Master		1.005		
Before		1.001		
After		1.014		
		0.9500 (Minimum)	1.000 (Nominal)	1.050 (Maximum)
Master: 9-Oct-2009 4:43				
Before: 8-Oct-2009 23:44				
After: 12-Oct-2009 2:55				

Hostile Natural Gamma Ray Sonde Master Calibration														
Detector 1 Calibration														
Phase	Na 511 Peak Set Point	Value	Phase	Th Peak Loc	Value	Phase	Th Peak Res %	Value						
Master		41.00	Master		209.5	Master		6.995						
		38.00 (Minimum)	40.00 (Nominal)	43.00 (Maximum)			201.0 (Minimum)	209.6 (Nominal)	218.3 (Maximum)			5.000 (Minimum)	7.000 (Nominal)	9.000 (Maximum)
Phase	Background Count Rate CPS	Value	Phase	Gain Ratio	Value									
Master		19.73	Master		1.008									
		10.00 (Minimum)	142.5 (Nominal)	265.0 (Maximum)			0.9400 (Minimum)	1.000 (Nominal)	1.060 (Maximum)					
Master: 9-Oct-2009 3:42														

Hostile Natural Gamma Ray Sonde Master Calibration														
Detector 2 Calibration														
Phase	Na 511 Peak Set Point	Value	Phase	Th Peak Loc	Value	Phase	Th Peak Res %	Value						
Master		41.00	Master		208.0	Master		6.910						
		38.00 (Minimum)	40.00 (Nominal)	43.00 (Maximum)			201.0 (Minimum)	209.6 (Nominal)	218.3 (Maximum)			5.000 (Minimum)	7.000 (Nominal)	9.000 (Maximum)
Phase	Background Count Rate CPS	Value	Phase	Gain Ratio	Value									
Master		19.88	Master		0.9976									
		10.00 (Minimum)	142.5 (Nominal)	265.0 (Maximum)			0.9400 (Minimum)	1.000 (Nominal)	1.060 (Maximum)					
Master: 9-Oct-2009 3:42														

DTS Telemetry Tool / Equipment Identification

Primary Equipment:

DTC-H Auxiliary Cartridge
DTC-H Telemetry Cartridge

DTCH - A
DTCH - A

Auxiliary Equipment:

DTCH Telemetry Cartridge Housing

ECH - KC

Company: **Lamont Doherty**

Schlumberger

Well: **Expedition 324 Site U1349A**

Field: **Shatsky Rise**

Rig: **JOIDES Resolution**

Ocean: **Pacific**

Phasor Induction (DITE)

Natural Gamma Ray (HNGS)