

# Processed FMS Images Depth Reference: m WMSF

\* A Mark of Schlumberger

Using the following logs: FMS/HNGS/GPIT

**COMPANY:** Lamont Doherty Earth Observatory  
**WELL:** Expedition 329 Site U1368F  
**FIELD:** South Pacific Gyre  
**Rig:** JOIDES Resolution  
**Ocean:** Pacific  
**COUNTRY:** USA  
**Date Logged:** 17-Nov-2010 **Date Processed:**  
**Well Location:** Latitude: S 27.9167\*  
 Longitude: W 123 \* 9.6433'  
**Elevations:** KB: 11m DF: 11m GL: -3751.9m  
**API Number:** Job Number:

FOLD HERE The well name, location and borehole reference data were furnished by the customer.

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretations made by any of our officers, agents or employees. These interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule.

Field Recording:	Location: Houston	Software Version: 17C0-154	Engineer: C. Furman
------------------	-------------------	----------------------------	---------------------

Office Recording:	ICS Center:	Baseline:	Log Analyst:
-------------------	-------------	-----------	--------------

**Mud and Borehole Measurements:**



Rm @ Measured Temperature: @	BHT: 100degC	Bitsize: 11.438in
Rmf @ Measured Temperature: @	Type Fluid in Hole:	Seawater
Rmc @ Measured Temperature: @	Mud Density: 1.03g/cm3	

**Remarks:**


Data depth-shifted and depth-matched. Depth reference: m WMSF. Drill pipe at 34 m WMSF. Water depth at 3751.9 m WMSF. Average peak-to-peak heave: 0.4-2 m. Wireline heave compensator used during the logging operation.

MD  
1 : 20  
m  
52

C2_p1 -16 (in) 16	HSGR_p1 0 (gAPI) 20	
C1_p1 16 (in) -16	HCGR_p1 0 (gAPI) 20	IMPH_p2 0.3 (ohm.m) 300
lgp_Area_	lgp_Area_	IDPH_p2 0.3 (ohm.m) 300





54



56



58

60



62


64



66



68

70



72


74



76


78

80



82

84






86


88

90



92


94




96

98

100



102



MD  
1 : 20  
m

lgp_Area_	lgp_Area_	IDPH_p2 0.3 ohm.m 300
C1_p1 16 (in) -16	HCGR_p1 0 (gAPI) 20	IMPH_p2 0.3 ohm.m 300
C2_p1 -16 (in) 16	HSGR_p1 0 (gAPI) 20	

