



GEOFRAME  
PROCESSED  
INTERPRETATION

# Processed Data

## Depth Reference: m WMSF

\* A Mark of Schlumberger

Using the following logs: FMS/HLDS/HNGS

COMPANY: Lamont Doherty Earth Observatory  
WELL: Expedition 336 Hole U1382A  
FIELD: Mid Atlantic Ridge  
Rig: JOIDES Resolution  
Ocean: Atlantic  
COUNTRY: USA  
Date Logged: 9-Oct-2011 Date Processed:  
Well Location: Latitude: 22° 45.3531' N Longitude: 46° 4.8911' W  
Longitude: W 46° 4.8911'  
Elevations: KB: 11m DF: 11m GL: -4497m  
API Number: Job Number:

FOLD HERE The well name, location and borehole reference data were furnished by the customer.

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretations made by any of our officers, agents or employees. These interpretations are also subject to Clause 4 of our General Terms and Conditions as set out in our current Price Schedule.


Field Recording:	Location:	Software Version:	Engineer:
Office Recording:	ICS Center:	Baseline:	Log Analyst:

### Mud and Borehole Measurements:

Rm @ Measured Temperature:	@	BHT:	Bitsize:
Rmf @ Measured Temperature:	@	Type Fluid in Hole:	
Rmc @ Measured Temperature:	@	Mud Density:	


### Remarks:

Data depth-shifted and depth-matched to FMS pass 2. Water depth: 4497 mWRF.  
Casing shoe at 97 m WMSF. No wireline heave compensator used.




50

75




100

125




150

175



200



MD 1 : 200 m	<u>HCGR_FMS_p2</u> 0 (gAPI) 25	<u>RT_up</u> 2 (ohm.m) 200	<u>RHOM_up</u> 1.5 (g/cm3) 3	<u>HURA_FMS_p2</u> 0 (ppm) 2
	<u>HSGR_FMS_p2</u> 0 (gAPI) 25			<u>HTHO_FMS_p2</u> -2.5 (ppm) 2.5