



Company: Lamont Doherty Earth Observatory

Well: Expedition 340T, Site U1309D

Field: Atlantis Massif

Rig: JOIDES Resolution Country: USA

Dipole Shear Sonic Tool
Stoneley

JOIDES Resolution
Atlantis Massif
Latitude: N 30° 10.1195'
Expedition 340T, Site U1309D
Lamont Doherty Earth Observatory

LOCATION	Latitude: N 30° 10.1195'	Elev.: K.B. 11.00 m
	Longitude: W 42° 7.1131'	G.L. -1656.00 m
		D.F. 11.00 m
	Permanent Datum: Mean Sea Level	Elev.: 0.00 m
	Log Measured From: Drill Floor	11.00 m above Perm. Datum
	Drilling Measured From: Drill Floor	

Ocean: Atlantic	Max. Well Deviation 0 deg	Longitude N 30° 10.1195'	Latitude W 42° 7.1131'
-----------------	------------------------------	-----------------------------	---------------------------

Logging Date	25-Feb-2012
Run Number	5
Depth Driller	3071.5 m
Schlumberger Depth	3043 m
Bottom Log Interval	3032 m
Top Log Interval	2354.2 m
Casing Driller Size @ Depth	11.750 in @ 2356 m
Casing Schlumberger	2354.2 m
Bit Size	9.875 in
Type Fluid In Hole	Seawater
MUD Density	1.05 g/cm3
MUD Viscosity	
MUD Fluid Loss	PH
MUD Source Of Sample	N/A
RM @ Measured Temperature	@ @
RMF @ Measured Temperature	@ @
RMC @ Measured Temperature	@ @
Source RMF	N/A
RMC	N/A
RM @ MRT	@ 149
RMF @ MRT	@ 149
Maximum Recorded Temperatures	149 degC
Circulation Stopped	Time 31-Jan-2005 12:00
Logger On Bottom	Time 25-Feb-2012 0:30
Unit Number	Location 625003 Houston
Recorded By	C. Furman
Witnessed By	A. Slagle, G. Guerrin

	Run 1	Run 2	R
Logging Date			
Run Number			
Depth Driller			
Schlumberger Depth			
Bottom Log Interval			
Top Log Interval			
Casing Driller Size @ Depth		@	
Casing Schlumberger			
Bit Size			
Type Fluid In Hole			
MUD Density			
MUD Viscosity			
MUD Fluid Loss			
MUD Source Of Sample			
RM @ Measured Temperature		@	
RMF @ Measured Temperature		@	
RMC @ Measured Temperature		@	
Source RMF			
RMC			
RM @ MRT		@	
RMF @ MRT		@	
Maximum Recorded Temperatures			
Circulation Stopped			
Logger On Bottom			
Unit Number			
Recorded By			
Witnessed By			

DISCLAIMER

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES1

- OS1: HRLA
- OS2: HLDS
- OS3: MTT
- OS4: MSS
- OS5: VSI


REMARKS: RUN NUMBER 1


Hole U1309D was originally drilled during ODP Leg 304 in 2004 and deepened during Leg 305 in 2005.
 Log data recorded on expeditions 304 and 305 provides sonic measurements to approximately 2450mbrf.
 After the first run in hole on this expedition, it was discovered that the MCD centralizer arms suffered extreme wear, so to avoid this problem on the DSI run, the pipe was lowered to 2356mbrf and only the lower section of the hole where sonic data had not previously been recorded was logged.
 Logs were correlated to the "Dual-Laterolog Tool" log recorded by Schlumberger on 31 JAN 05.
 The DSI was run with the following modes:
 Upper Dipole in Standard Frequency (Odd Receiver Array)
 Lower Dipole in Standard Frequency (Even Receiver Array)
 Stoneley (Even)
 Monopole P&S in Standard Frequency (Odd array, DDBHC mode)
 Both Cross Dipole (BCR)
 Tools hung up on an apparent ledge at 3043m; up log was recorded from that depth.
 Dipole STC processing windows adjusted to 60uS to 360uS range at client request based on down-log observations.
 Downlog flipped and reprocessed using same processing parameters as uplog in lieu of a repeat pass to prevent centralizer wear.

RUN 1			RUN 2		
SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:			SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:		
	19C0-187				
LOGGED INTERVAL	START	STOP	LOGGED INTERVAL	START	STOP

EQUIPMENT DESCRIPTION

RUN 1	RUN 2
SURFACE EQUIPMENT WITM (EDTS)-A	

RUN 1	RUN 2
DOWNHOLE EQUIPMENT	
LEH-MT LEH-MT 101 EDTC-B EDTH-B 8528 EDTC-B 8529	25.62 24.66 24.66
MDSB_EDTC Mud Tempe CTEM Gamma Ray EFTB DIAG	



Production String	(in)	(m)	Well Schematic	(m)	(in)	Casing String
	OP	ID		MD	MD	

CD ID MD

MD CD ID

Kelly Bushing Elevation

0.0

Derrick Floor Elevation


0.0

Mean Sea Level

11.0

Seismic Gun depth below MSL

7.0



1650.0

Top of Re-entry Cone
Sea Bed

1656.0 9.875

1676.0 13.375


Casing Shoe

1711.0 8.000

Drill Pipe (Driller's Depth)
1711mbrf for Triple-Combo
1759mbrf for VSI & MSS
2356mbrf for DSI

3071.5 9.875

Driller's Total Depth



4717 Points Plotted

25-FEB-2012 6:19

Schlumberger

Down Log

MAXIS Field Log

Company: Lamont Doherty

Well: Expedition 340T, Site U1309D

Input DLIS Files

DEFAULT	Flip_DSI_026LUP	PRODUCER	25-Feb-2012 06:12	3040.5 M	2308.7 M
---------	-----------------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	DSI_027PUP	FN:14	PRODUCER	25-Feb-2012 06:14	3043.6 M	2311.8 M
---------	------------	-------	----------	-------------------	----------	----------

OP System Version: 19C0-187


GPIT-A/B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	EDTC-B	19C0-187


PIP SUMMARY


Time Mark Every 60 S


Waveform Data Copy Indicator 3 - Monopole Stoneley (WCI3)		
0	(----)	10

Delta-T Stoneley (DTST)		
440	(US/F)	40












2475

2500

2525











2650


2675

















SAM3 Waveform Gain (WFG3) 0 (----) 1000	Tension (TENS) (LBF) 0 5000	Peak Coherence / RA - Stoneley (CHR3) 0 (----) 10	Delta-T Stoneley / RA (DT3R) 180 (US/F) 780
Gamma Ray (GR_EDTC) (GAPI) 0 15		Delta-T Stoneley / RA (DT3R) 440 (US/F) 40	Min Amplitude Max Rec.Array Stoneley Slow Proj. CVDL (SPR3) (US/F) 180 780
Waveform Data Copy Indicator 3 - Monopole Stoneley (WCI3) 0 (----) 10		Delta-T Stoneley (DTST) 440 (US/F) 40	

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
DSST-B: Dipole Shear Imager - B		
DDE3	Digitizing Delay 3	0 US
DDEX	Digitizing Delay X	0 US
DSI3	Digitizer Sample Interval 3	40 US
DSIX	Digitizer Sample Interval X	40 US
DTCS	Compressional Delta-T Source for DTCO Channel	PS_COMP
DWC3	Digitizer Word Count 3	512
DWCX	Digitizer Word Count X	512
MTXG	Monopole Transmitter Geometry	186 IN
NWI3	Number Waveform Items 3	8
NWIX	Number Waveform Items X	32
RX1G	Receiver 1 Geometry	294 IN
RX2G	Receiver 2 Geometry	300 IN
RX3G	Receiver 3 Geometry	306 IN
RX4G	Receiver 4 Geometry	312 IN
RX5G	Receiver 5 Geometry	318 IN
RX6G	Receiver 6 Geometry	324 IN
RX7G	Receiver 7 Geometry	330 IN
RX8G	Receiver 8 Geometry	336 IN
SAM3	DSST Sonic Acquisition Mode 3 - Monopole Mode for Stoneley	EVEN
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	BCR
SAS3	STC Sonic Array Status - Monopole Stoneley	255
SBO3	STC Search Band Offset - Monopole Stoneley	2000 US
SBW3	STC Search Bandwidth - Monopole Stoneley	6000 US
SFC3	STC Formation Character - Monopole Stoneley	SELECTABLE
SFM3	STC Filter - Monopole Stoneley	B.5-1.5K
SLL3	STC Slowness Lower Limit - Monopole Stoneley	180 US/F
SST3	STC Slowness Step - Monopole Stoneley	4 US/F
SSW3	STC Source Waveform - Monopole Stoneley	WF_SAM3
STLL	Label Slowness Lower Limit - Monopole Stoneley	180 US/F
STUL	Label Slowness Upper Limit - Monopole Stoneley	780 US/F
SUL3	STC Slowness Upper Limit - Monopole Stoneley	780 US/F
SWD3	STC Slowness Width - Monopole Stoneley	40 US/F
TBF3	STC Time for Baseline Fill - Monopole Stoneley	0 US
TLL3	STC Time Lower Limit - Monopole Stoneley	620 US
TST3	STC Time Step - Monopole Stoneley	200 US
TUL3	STC Time Upper Limit - Monopole Stoneley	12020 US

TWD3	STC Time Width - Monopole Stoneley	2000	US
TWI3	STC Integration Time Window - Monopole Stoneley	1600	US
TWSX	Transmitter Waveform Select X	0	
WFM3	Waveform Mode 3	W1	
System and Miscellaneous			
DO	Depth Offset for Playback	3.0	M
PP	Playback Processing	RECOMPUTE	

Format: DSST_STONELEY_VDL_COLOR Vertical Scale: 1:200 Graphics File Created: 25-Feb-2012 06:14

OP System Version: 19C0-187

GPIT-A/B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	EDTC-B	19C0-187

Input DLIS Files

DEFAULT	Flip_DSI_026LUP	PRODUCER	25-Feb-2012 06:12	3040.5 M	2308.7 M
---------	-----------------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	DSI_027PUP	FN:14	PRODUCER	25-Feb-2012 06:14	
---------	------------	-------	----------	-------------------	--



Up Log

MAXIS Field Log

Company: Lamont Doherty Well: Expedition 340T, Site U1309D

Input DLIS Files

DEFAULT	DSI_037LUP	FN:36	PRODUCER	25-Feb-2012 05:42	3040.5 M	2321.8 M
---------	------------	-------	----------	-------------------	----------	----------


Output DLIS Files


DEFAULT	DSI_028PUP	FN:15	PRODUCER	25-Feb-2012 06:18	3045.0 M	2326.2 M
---------	------------	-------	----------	-------------------	----------	----------


OP System Version: 19C0-187


GPIT-A/B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	EDTC-B	19C0-187


PIP SUMMARY






































SAM3 Waveform Gain (WFG3) (----) 0 1000	Tension (TENS) (LBF) 0 5000	Peak Coherence / RA - Stoneley (CHR3) (----) 0 10	Delta-T Stoneley / RA (DT3R) (US/F) 180 780
--	--------------------------------	--	--

Gamma Ray (GR_EDTC) (GAPI) 0 15		Delta-T Stoneley / RA (DT3R) (US/F) 440 40	Min Amplitude Max Rec.Array Stoneley Slow Proj. CVDL (SPR3) (US/F) 180 780
------------------------------------	--	---	---

Waveform Data Copy Indicator 3 -		Delta-T Stoneley (DTST)	
----------------------------------	--	-------------------------	--

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
DSST-B: Dipole Shear Imager - B		
DDE3	Digitizing Delay 3	0 US
DDEX	Digitizing Delay X	0 US
DSI3	Digitizer Sample Interval 3	40 US
DSIX	Digitizer Sample Interval X	40 US
DTCS	Compressional Delta-T Source for DTCO Channel	PS_COMP
DWC3	Digitizer Word Count 3	512
DWCX	Digitizer Word Count X	512
MTXG	Monopole Transmitter Geometry	186 IN
NWI3	Number Waveform Items 3	8
NWIX	Number Waveform Items X	32
RX1G	Receiver 1 Geometry	294 IN
RX2G	Receiver 2 Geometry	300 IN
RX3G	Receiver 3 Geometry	306 IN
RX4G	Receiver 4 Geometry	312 IN
RX5G	Receiver 5 Geometry	318 IN
RX6G	Receiver 6 Geometry	324 IN
RX7G	Receiver 7 Geometry	330 IN
RX8G	Receiver 8 Geometry	336 IN
SAM3	DSST Sonic Acquisition Mode 3 - Monopole Mode for Stoneley	EVEN
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	BCR
SAS3	STC Sonic Array Status - Monopole Stoneley	255
SBO3	STC Search Band Offset - Monopole Stoneley	2000 US
SBW3	STC Search Bandwidth - Monopole Stoneley	6000 US
SFC3	STC Formation Character - Monopole Stoneley	SELECTABLE
SFM3	STC Filter - Monopole Stoneley	B.5-1.5K
SLL3	STC Slowness Lower Limit - Monopole Stoneley	180 US/F
SST3	STC Slowness Step - Monopole Stoneley	4 US/F
SSW3	STC Source Waveform - Monopole Stoneley	WF_SAM3
STLL	Label Slowness Lower Limit - Monopole Stoneley	180 US/F
STUL	Label Slowness Upper Limit - Monopole Stoneley	780 US/F
SUL3	STC Slowness Upper Limit - Monopole Stoneley	780 US/F
SWD3	STC Slowness Width - Monopole Stoneley	40 US/F
TBF3	STC Time for Baseline Fill - Monopole Stoneley	0 US
TLL3	STC Time Lower Limit - Monopole Stoneley	620 US
TST3	STC Time Step - Monopole Stoneley	200 US
TUL3	STC Time Upper Limit - Monopole Stoneley	12020 US
TWD3	STC Time Width - Monopole Stoneley	2000 US
TWI3	STC Integration Time Window - Monopole Stoneley	1600 US
TWSX	Transmitter Waveform Select X	0
WFM3	Waveform Mode 3	W1
System and Miscellaneous		
DO	Depth Offset for Playback	4.4 M
PP	Playback Processing	NORMAL

Format: DSST_STONELEY_VDL_COLOR Vertical Scale: 1:200 Graphics File Created: 25-Feb-2012 06:18

OP System Version: 19C0-187

GPIT-A/B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	EDTC-B	19C0-187

Input DLIS Files

DEFAULT	DSI_037LUP	FN:36	PRODUCER	25-Feb-2012 05:42	3040.5 M	2321.8 M
---------	------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	DSI_028PUP	FN:15	PRODUCER	25-Feb-2012 06:18
---------	------------	-------	----------	-------------------

MAXIS Field Log

Calibration and Check Summary


Measurement	Nominal	Master	Before	After	Change	Limit	Units
Enhanced DTS Cartridge Wellsite Calibration – EDTC Accelerometer Calibration							
Before: 23-Feb-2012 11:41							
EDTC Z-Axis Acceleration	9.810	N/A	9.784	N/A	N/A	N/A	M/S2
Enhanced DTS Cartridge Wellsite Calibration – Detector Calibration							
Before: 23-Feb-2012 11:36 After: 25-Feb-2012 12:59							
Gamma Ray (Jig – Bkg)	156.5	N/A	156.5	158.5	2.013	14.23	GAPI
Gamma Ray (Calibrated)	165.0	N/A	165.0	167.1	2.122	15.00	GAPI

Enhanced DTS Cartridge / Equipment Identification

Primary Equipment:		
EDTC Gamma Ray Detector	EDTG – A/B	77693
Enhanced DTS Cartridge	EDTC – B	8529
Auxiliary Equipment:		
EDTC Housing	EDTH – B	8528







Enhanced DTS Cartridge Wellsite Calibration

EDTC Accelerometer Calibration

Phase	EDTC Z-Axis Acceleration M/S2	Value
Before		9.784
	9.610 (Minimum) 9.810 (Nominal) 10.01 (Maximum)	
Before: 23-Feb-2012 11:41		

Enhanced DTS Cartridge Wellsite Calibration

Detector Calibration

Phase	Gamma Ray Background GAPI	Value	Phase	Gamma Ray (Jig – Bkg) GAPI	Value	Phase	Gamma Ray (Calibrated) GAPI	Value
Before		3.372	Before		156.5	Before		165.0
After		2.808	After		158.5	After		167.1
	0 (Minimum) 30.00 (Nominal) 120.0 (Maximum)			142.3 (Minimum) 156.5 (Nominal) 170.8 (Maximum)			150.0 (Minimum) 165.0 (Nominal) 180.0 (Maximum)	
Before: 23-Feb-2012 11:36			After: 25-Feb-2012 12:59					

Company: Lamont Doherty Earth Observatory

Schlumberger

Well: Expedition 340T, Site U1309D

Field: Atlantis Massif

Rig: JOIDES Resolution

Country: USA

Dipole Shear Sonic Tool
Stoneley