



Company: **Lamont Doherty Earth Observatory**
 Well: **Expedition 349, Site U1431E**
 Field: **South China Sea Tectonics**
 Rig: **JOIDES Resolution** Ocean: **South China Sea**

JOIDES Resolution South China Sea Tectonics Latitude: N 15.375633* Expedition 349, Site U1431E Lamont Doherty Earth Observatory	High Resolution Laterolog Array (HRLA) Hostile Litho Density Sonde (HLDS)/APS Natural Gamma Ray			
	Latitude: N 15.375633* Longitude: E 116.999838*		Elev.: K.B. -4251.00 m G.L. 0.00 m D.F. -4251.00 m	
	Permanent Datum: Sea Floor		Elev.: 0.00 m	
	Log Measured From: Sea Floor		0.00 m above Perm. Datum	
Drilling Measured From: Sea Floor				
API Serial No.		N 15.375633	E 116.999838	

Logging Date	14-Feb-2014		
Run Number	1		
Depth Driller	1008 m		
Schlumberger Depth	471 m		
Bottom Log Interval	471 m		
Top Log Interval	0 m		
Casing Driller Size @ Depth	13.375 in	@	149 m
Casing Schlumberger	155 m		
Bit Size	9.875 in		
Type Fluid In Hole	Seawater-Sepiolite		
MUD	Density	Viscosity	1.029 g/cm3
	Fluid Loss	PH	
	Source Of Sample		
RM @ Measured Temperature	@		@
RMF @ Measured Temperature	@		@
RMC @ Measured Temperature	@		@
Source RMF	RMC	N/A	N/A
RM @ MRT	RMF @ MRT	@ 7	@ 7
Maximum Recorded Temperatures	7 degC		
Circulation Stopped	Time	14-Feb-2014	3:00
Logger On Bottom	Time	14-Feb-2014	18:12
Unit Number	Location	625003	Houston
Recorded By	K. Swain		
Witnessed By	T. Williams		

	Run 1	Run 2	Run 3
Logging Date			
Run Number			
Depth Driller			
Schlumberger Depth			
Bottom Log Interval			
Top Log Interval			
Casing Driller Size @ Depth		@	
Casing Schlumberger			
Bit Size			
Type Fluid In Hole			
Density			
Viscosity			
Fluid Loss			
PH			
Source Of Sample			
RM @ Measured Temperature		@	
RMF @ Measured Temperature		@	
RMC @ Measured Temperature		@	
Source RMF			
RMC			
RM @ MRT		@	
RMF @ MRT		@	
Maximum Recorded Temperatures			
Circulation Stopped			
Time			
Logger On Bottom			
Time			
Unit Number			
Location			
Recorded By			
Witnessed By			

DISCLAIMER

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES1
 OS1: FMS/DSI
 OS2: MSS
 OS3: HRLA/HLDS/APS/HNGS
 OS4:
 OS5:

OTHER SERVICES2
 OS1:
 OS2:
 OS3:
 OS4:
 OS5:

REMARKS: RUN NUMBER 1
 Hole drilled with RCB coring bit and bottom hole assembly (BHA). 9 7/8 " BS
 Sea floor depth reference used for this presented log. Original log files recorded were taken with depth reference at drill floor.
 Borehole correction utilizing bit size (BS) as requested.
 Original log files acquired for barite 11.5 lb/gal mud but later reprocessed for sea water 1.03 g/cc and no barite per client request due to mud absent.
 2 MCD (mechanical Caliper Device) centralizers run with HRLA. 2 knuckle joints and 1 thru wired extension separates the centralized HRLA from the eccentered HLDS/APS.
 Active Heave Compensator in use for all open hole logs.
 The RCB bit was dropped at the bottom of the hole prior to logging.
Calibration out of date warning due to Summary Listing created later.
 Heavy mud was pumped into hole but due to hole washouts, logging tools never immersed in heavy mud as logging tools bridged out before getting into the heavy mud volume.
 HLDS calibration counts are lower than specified due to age of gamma source.
 Actual density measurement is not effected.

REMARKS: RUN NUMBER 2

RUN 1

SERVICE ORDER #: _____
 PROGRAM VERSION: 19C0-187
 FLUID LEVEL: _____

LOGGED INTERVAL	START	STOP

RUN 2

SERVICE ORDER #: _____
 PROGRAM VERSION: _____
 FLUID LEVEL: _____

LOGGED INTERVAL	START	STOP






EQUIPMENT DESCRIPTION

RUN 1


SURFACE EQUIPMENT

SFT-281 1
 SFT-178 1
 GSR-U 616008
 WITM (EDTS)-A

DOWNHOLE EQUIPMENT

LEH-MT 101	MDSB_EDTC		39.93
	Mud Tempe		38.54
AH-369	CTEM		37.47
	Gamma Ray		36.90
EDTC-B	EFTB DIAG		38.54
EDTH-B 8303	TelStatus		36.56
EDTC-B 8317	EDTCB Ele		35.86
	Inner 1		

RUN 2




Production String	(in)	(M)	Well Schematic	(M)	(in)	Casing String
	OD	ID		MD	MD	

Kelly Bushing Elevation
Derrick Floor Elevation

Mean Sea Level

-425
-425

-4240



4.1



0 4.1
149.6 9.875

1008.8

Sea Floor

Open Hole

Total Depth

Input DLIS Files

DEFAULT MSS_LDEO_HRLA_LDL_028PUP FN:50 PRODUCER 16-Feb-2014 05:20 4725.2 M 4201.1 M

Output DLIS Files

DEFAULT MSS_LDEO_HRLA_LDL_046PUP FN:66 PRODUCER 01-Mar-2014 12:26 473.2 M -50.9 M

OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

PIP SUMMARY

Time Mark Every 60 S

HRLT True Resistivity (RT_HRLT)		
0.2	(OHMM)	20
HRLT Resistivity 1 (RLA1)		
0.2	(OHMM)	20
HRLT Resistivity 2 (RLA2)		HLDS Long Spaced Photoelectric Effect (PEFL)
0.2	(OHMM)	0 ----- 10
HRLT Resistivity 3 (RLA3)		HLDS HR Bulk Density Correction (HBDC)

Main Log

See Floor Depth Reference

HNGS Spectroscopy Gamma Ray (HSGR)
 (GAPI) 0 100

Calibrated Downhole Force (CDF) (LBF)
 3000 0

HRLT Resistivity 5 (RLA5)
 (OHMM) 0.2 20


HLDS HR Bulk Density (HROM)
 (G/C3) 0 4


HLDS Caliper (LCAL)
 (IN) 0 20


Tension (TENS) (LBF)
 10000 0


HRLT Resistivity 4 (RLA4)
 (OHMM) 0.2 20


APS HR Near/Far Corrected Limestone Porosity (HFLC)
 (PU) 100 0



























<p>HLDS Caliper (LCAL) (IN)</p> <p>0 20</p>	<p>Tension (TENS) (LBF)</p> <p>10000 0</p>	<p>HRLT Resistivity 4 (RLA4) (OHMM)</p> <p>0.2 20</p>	<p>APS HR Near/Far Corrected Limestone Porosity (HFLC) (PU)</p> <p>100 0</p>
<p>HNGS Spectroscopy Gamma Ray (HSGR) (GAPI)</p> <p>0 100</p>	<p>Calibrated Downhole Force (CDF) (LBF)</p> <p>3000 0</p>	<p>HRLT Resistivity 5 (RLA5) (OHMM)</p> <p>0.2 20</p>	<p>HLDS HR Bulk Density (HROM) (G/C3)</p> <p>0 4</p>
<p>Main Log</p> <p>Sea Floor Depth Reference</p>	<p>HRLT Resistivity 3 (RLA3) (OHMM)</p> <p>0.2 20</p>	<p>HLDS HR Bulk Density Correction (HBDC) (G/C3)</p> <p>-0.25 0.25</p>	
	<p>HRLT Resistivity 2 (RLA2) (OHMM)</p> <p>0.2 20</p>	<p>HLDS Long Spaced Photoelectric Effect (PEFL) (-----)</p> <p>0 10</p>	
	<p>HRLT Resistivity 1 (RLA1) (OHMM)</p> <p>0.2 20</p>		
	<p>HRLT True Resistivity (RT_HRLT) (OHMM)</p> <p>0.2 20</p>		

PIP SUMMARY

Time Mark Every 60 S

Parameters

PLS Name

Description

Value

DLIS Name	Description	Value	
HRLT-B: High Resolution Laterolog Array - B			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	6.5	DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE	
CALTEMP	HRLTB Calibration Temperature	9.22677	DEGC
FREQ0	HRLT Frequency Index for Mode 0	32	
FREQ1	HRLT Frequency Index for Mode 1	128	
FREQ2	HRLT Frequency Index for Mode 2	104	
FREQ3	HRLT Frequency Index for Mode 3	86	
FREQ4	HRLT Frequency Index for Mode 4	56	
FREQ5	HRLT Frequency Index for Mode 5	44	
FREQ6	HRLT Frequency Index for Mode 6	116	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	Barite Mud Switch	NOBARITE	
KFAC_HRLT	HRLT K Factor Option	SONDE	
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW	
LOOPMOD0	HRLT Mode 0 Loop Mode	OFF	
LOOPMOD1	HRLT Mode 1 Loop Mode	OFF	
LOOPMOD2	HRLT Mode 2 Loop Mode	OFF	
LOOPMOD3	HRLT Mode 3 Loop Mode	OFF	
LOOPMOD4	HRLT Mode 4 Loop Mode	OFF	
LOOPMOD5	HRLT Mode 5 Loop Mode	OFF	
LOOPMOD6	HRLT Mode 6 Loop Mode	OFF	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
PROCINV	Inversion Selection	ON	
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO	
PROCMSO	Mechanical Standoff Fin Size	0	IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute	
PROCSPO	Sonde Position	Centered	
SHT	Surface Hole Temperature	20	DEGC
HLDS: Hostile Litho-Density Sonde			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.71	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
APS-C: Accelerator-Porosity Tool			
AASD	APS Software Version	0	
ADSO	APS Thermal and Array Detectors High Voltage Setting	1962.57	V
AFSD	APS Array Detectors Data Source Switch	Both	
AHCS	APS Far Detector High Voltage Setting	2079.08	V
AHSS	APS Holesize Correction Source	BS	
AMTY	APS Holesize Correction Switch	ON	
ANSD	APS Environmental Corrections Mud Type	WaterBaseBarite	
ASOS	APS Near Detector High Voltage Setting	1732.09	V
ATSS	APS Standoff Correction Switch	OFF	
BHFL_APS	APS Temperature-Pressure-Salinity Correction Switch	OFF	
BHS	APS TNPH Borehole Fluid Type	WATER	
BHT	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	6.5	DEGC
BSCO_APS	APS TNPH Borehole Salinity Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
DSCO_APS	APS TNPH Density Source Correction Option	MEASURED	
FSAL	Formation Salinity	-50000	PPM
FSCO_APS	APS TNPH Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO_APS	APS TNPH Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO_APS	APS TNPH Mud Cake Correction Option	NO	
MCOR_APS	APS TNPH Mud Correction	NATU	

MWCO_APS	APS TNPH Mud Weight Correction Option		
NARC	APS Near/Array Calibration Ratio	1.06588	
NFRC	APS Near/Far Calibration Ratio	0.886605	
PTCO_APS	APS TNPH Pressure/Temperature Correction Option	NO	
SHT	Surface Hole Temperature	20	DEGC
TNCO_APS	APS TNPH Computation Option	YES	
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	6.5	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00263053	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.248452	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	1.13597	
EDTC-B: Enhanced DTS Cartridge			
BHFL	Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	6.5	DEGC
BSCO	Borehole Salinity Correction Option	NO	
CCCO	Casing & Cement Thickness Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
FSAL	Formation Salinity	-50000	PPM
FSCO	Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO	Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO	Mud Cake Correction Option	NO	
MCOR	Mud Correction	BARI	
MWCO	Mud Weight Correction Option	YES	
PTCO	Pressure/Temperature Correction Option	NO	
SDAT	Standoff Data Source	SOCN	
SHT	Surface Hole Temperature	20	DEGC
SOCN	Standoff Distance	0.5	IN
SOCO	Standoff Correction Option	NO	
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered	
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS	
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS	
System and Miscellaneous			
ALTDPCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	9.875	IN
BSAL	Borehole Salinity	-50000.00	PPM
CSIZ	Current Casing Size	13.375	IN
CWEI	Casing Weight	168.00	LB/F
DFD	Drilling Fluid Density	1.03	G/C3
DO	Depth Offset for Playback	-4252.0	M
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	-50000.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
PP	Playback Processing	NORMAL	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	471	M
TDD	Total Depth - Driller	1008.00	M
TDL	Total Depth - Logger	471.00	M
TWC	Temperature of Connate Water Sample	27.38	DEGC

OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

Input DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_028PUP	FN:50	PRODUCER	16-Feb-2014 05:20	4725.2 M	4201.1 M
---------	--------------------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_046PUP	FN:66	PRODUCER	01-Mar-2014 12:26		
---------	--------------------------	-------	----------	-------------------	--	--

Input DLIS Files

DEFAULT	Flip_MSS_LDEO_HRLA_040PUP		PRODUCER	25-Feb-2014 15:38	4719.8 M	4185.7 M
---------	---------------------------	--	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_045PUP	FN:65	PRODUCER	01-Mar-2014 12:23	473.8 M	-60.4 M
---------	--------------------------	-------	----------	-------------------	---------	---------


OP System Version: 19C0-187


MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB


PIP SUMMARY


Time Mark Every 60 S


<p>CALIPER NOT OPENED ON DOWNLOG</p> <p>FLIPPED DOWNLOG</p> <p>Sea Floor Depth Reference</p>		<p>HRLT True Resistivity (RT_HRLT)</p> <p>0.2 (OHMM) 20</p>		<p>HLDS Long Spaced Photoelectric Effect (PEFL)</p> <p>0 (----) 10</p> <p>HLDS HR Bulk Density Correction (HBDC)</p> <p>-0.25 (G/C3) 0.25</p>
		<p>HRLT Resistivity 1 (RLA1)</p> <p>0.2 (OHMM) 20</p>		
		<p>HRLT Resistivity 2 (RLA2)</p> <p>0.2 (OHMM) 20</p>		
		<p>HRLT Resistivity 3 (RLA3)</p> <p>0.2 (OHMM) 20</p>		
		<p>HRLT Resistivity 5 (RLA5)</p> <p>0.2 (OHMM) 20</p>		
<p>HNGS Spectroscopy Gamma Ray (HSGR)</p> <p>0 (GAPI) 100</p>		<p>Calibrated Downhole Force (CDF) (LBF)</p> <p>3000 0</p>	<p>HLDS HR Bulk Density (HROM)</p> <p>0 (G/C3) 4</p>	
<p>HLDS Caliper (LCAL)</p> <p>0 (IN) 20</p>		<p>Tension (TENS) (LBF)</p> <p>10000 0</p>	<p>APS HR Near/Far Corrected Limestone Porosity (HFLC)</p> <p>100 (PU) 0</p>	





























<p>HLDS Caliper (LCAL) (IN)</p> <p>0 20</p>	<p>Tension (TENS) (LBF)</p> <p>10000 0</p>	<p>HRLT Resistivity 4 (RLA4) (OHMM)</p> <p>0.2 20</p>	<p>APS HR Near/Far Corrected Limestone Porosity (HFLC) (PU)</p> <p>100 0</p>
<p>HNGS Spectroscopy Gamma Ray (HSGR) (GAPI)</p> <p>0 100</p>	<p>Calibrated Downhole Force (CDF) (LBF)</p> <p>3000 0</p>	<p>HRLT Resistivity 5 (RLA5) (OHMM)</p> <p>0.2 20</p>	<p>HLDS HR Bulk Density (HROM) (G/C3)</p> <p>0 4</p>
<p>Sea Floor Depth Reference</p> <p>Flipped Downlog</p> <p>CALIPER NOT OPENED ON DOWNLOG</p>	<p>HRLT Resistivity 3 (RLA3) (OHMM)</p> <p>0.2 20</p>	<p>HLDS HR Bulk Density Correction (HBDC) (G/C3)</p> <p>-0.25 0.25</p>	
	<p>HRLT Resistivity 2 (RLA2) (OHMM)</p> <p>0.2 20</p>	<p>HLDS Long Spaced Photoelectric Effect (PEFL) (----)</p> <p>0 10</p>	
	<p>HRLT Resistivity 1 (RLA1) (OHMM)</p> <p>0.2 20</p>		
	<p>HRLT True Resistivity (RT_HRLT) (OHMM)</p> <p>0.2 20</p>		

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
HRLT-B: High Resolution Laterolog Array - B		
BHS	Borehole Status	OPEN
BHT	Bottom Hole Temperature (used in calculations)	100 DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE
CALTEMP	HRLTB Calibration Temperature	9.22677 DEGC
FREQ0	HRLT Frequency Index for Mode 0	32

FREQ1	HRLT Frequency Index for Mode 1	128	
FREQ2	HRLT Frequency Index for Mode 2	104	
FREQ3	HRLT Frequency Index for Mode 3	86	
FREQ4	HRLT Frequency Index for Mode 4	56	
FREQ5	HRLT Frequency Index for Mode 5	44	
FREQ6	HRLT Frequency Index for Mode 6	116	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	Barite Mud Switch	NOBARITE	
KFAC_HRLT	HRLT K Factor Option	SONDE	
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW	
LOOPMOD0	HRLT Mode 0 Loop Mode	OFF	
LOOPMOD1	HRLT Mode 1 Loop Mode	OFF	
LOOPMOD2	HRLT Mode 2 Loop Mode	OFF	
LOOPMOD3	HRLT Mode 3 Loop Mode	OFF	
LOOPMOD4	HRLT Mode 4 Loop Mode	OFF	
LOOPMOD5	HRLT Mode 5 Loop Mode	OFF	
LOOPMOD6	HRLT Mode 6 Loop Mode	OFF	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
PROCINV	Inversion Selection	ON	
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO	
PROCMSO	Mechanical Standoff Fin Size	0	IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute	
PROCSPO	Sonde Position	Centered	
SHT	Surface Hole Temperature	20	DEGC
HLDS: Hostile Litho-Density Sonde			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.71	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
APS-C: Accelerator-Porosity Tool			
AASD	APS Software Version	0	
ADSO	APS Thermal and Array Detectors High Voltage Setting	1962.57	V
AFSD	APS Array Detectors Data Source Switch	Both	
AHCS	APS Far Detector High Voltage Setting	2079.08	V
AHSS	APS Holesize Correction Source	BS	
AMTY	APS Holesize Correction Switch	ON	
ANSD	APS Environmental Corrections Mud Type	WaterBaseBarite	
ASOS	APS Near Detector High Voltage Setting	1732.09	V
ATSS	APS Standoff Correction Switch	OFF	
BHFL_APS	APS Temperature-Pressure-Salinity Correction Switch	OFF	
BHS	APS TNPH Borehole Fluid Type	WATER	
BHT	Borehole Status	OPEN	
BSCO_APS	Bottom Hole Temperature (used in calculations)	100	DEGC
DPPM	APS TNPH Borehole Salinity Correction Option	NO	
DSCO_APS	Density Porosity Processing Mode	HIRS	
FSAL	APS TNPH Density Source Correction Option	MEASURED	
FSCO_APS	Formation Salinity	-50000	PPM
GCSE	APS TNPH Formation Salinity Correction Option	NO	
GDEV	Generalized Caliper Selection	BS	
GGRD	Average Angular Deviation of Borehole from Normal	0	DEG
GRSE	Geothermal Gradient	0.018227	DC/M
GTSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
HSCO_APS	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	APS TNPH Hole Size Correction Option	YES	
MATR	Barite Mud Switch	NOBARITE	
MCCO_APS	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCOR_APS	APS TNPH Mud Cake Correction Option	NO	
MWCO_APS	APS TNPH Mud Correction	NATU	
NARC	APS TNPH Mud Weight Correction Option	NO	
NFRC	APS Near/Array Calibration Ratio	1.06588	
PTCO_APS	APS Near/Far Calibration Ratio	0.886605	
SHT	APS TNPH Pressure/Temperature Correction Option	NO	
TNCO_APS	Surface Hole Temperature	20	DEGC
	APS TNPH Computation Option	YES	
HNCS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNCS Detector 1 Barite Constant	1	

BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	100	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00263053	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.248452	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	1.13597	
EDTC-B: Enhanced DTS Cartridge			
BHFL	Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	100	DEGC
BSCO	Borehole Salinity Correction Option	NO	
CCCO	Casing & Cement Thickness Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
FSAL	Formation Salinity	-50000	PPM
FSCO	Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	BS	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO	Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO	Mud Cake Correction Option	NO	
MCOR	Mud Correction	BARI	
MWCO	Mud Weight Correction Option	YES	
PTCO	Pressure/Temperature Correction Option	NO	
SDAT	Standoff Data Source	SOCN	
SHT	Surface Hole Temperature	20	DEGC
SOCN	Standoff Distance	0.5	IN
SOCO	Standoff Correction Option	NO	
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered	
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS	
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS	
System and Miscellaneous			
ALTDPCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	9.875	IN
BSAL	Borehole Salinity	-50000.00	PPM
CSIZ	Current Casing Size	13.375	IN
CWEI	Casing Weight	168.00	LB/F
DFD	Drilling Fluid Density	1.03	G/C3
DO	Depth Offset for Playback	-4246.0	M
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	-50000.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
PP	Playback Processing	NORMAL	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	471	M
TDD	Total Depth - Driller	1008.00	M
TDL	Total Depth - Logger	471.00	M
TWS	Temperature of Connate Water Sample	37.78	DEGC

HDSD 19C0-187
APS-C 19C0-187
HNGS-BA 19C0-187

LDSC-B
HNGC-B
EDTC-B

19C0-187
19C0-187
SKK-5169-EDTCB

Input DLIS Files

DEFAULT Flip_MSS_LDEO_HRLA_040PUP PRODUCER 25-Feb-2014 15:38 4719.8 M 4185.7 M

Output DLIS Files

DEFAULT MSS_LDEO_HRLA_LDL_045PUP FN:65 PRODUCER 01-Mar-2014 12:23

Calibration and Check Summary

Measurement	Nominal	Master	Before	After	Change	Limit	Units
High Resolution Laterolog Array - B Wellsite Calibration - HRLT M01							
Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10							
HRLT M0-M1 Voltage Plus - 0	0	N/A	-318.6	-319.2	-0.5269	9.681	UV
HRLT M0-M1 Voltage Plus - 1	0	N/A	-327.5	-336.3	-8.893	9.681	UV
HRLT M0-M1 Voltage Plus - 2	0	N/A	-330.1	-335.8	-5.768	9.681	UV
HRLT M0-M1 Voltage Plus - 3	0	N/A	-334.9	-339.5	-4.607	9.681	UV
HRLT M0-M1 Voltage Plus - 4	0	N/A	-325.0	-326.9	-1.961	9.681	UV
HRLT M0-M1 Voltage Plus - 5	0	N/A	-321.6	-322.9	-1.310	9.681	UV
HRLT M0-M1 Voltage Plus - 6	0	N/A	319.5	326.9	7.431	9.681	UV
HRLT M0-M1 Voltage Plus - 7	0	N/A	-322.7	-322.7	0	9.681	UV
High Resolution Laterolog Array - B Wellsite Calibration - HRLT M12							
Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10							
HRLT M1-M2 Voltage Plus - 0	0	N/A	1753	1754	0.7512	53.42	UV
HRLT M1-M2 Voltage Plus - 1	0	N/A	1806	1850	44.73	53.42	UV
HRLT M1-M2 Voltage Plus - 2	0	N/A	1814	1841	27.63	53.42	UV
HRLT M1-M2 Voltage Plus - 3	0	N/A	1839	1860	21.30	53.42	UV
HRLT M1-M2 Voltage Plus - 4	0	N/A	1783	1791	7.933	53.42	UV
HRLT M1-M2 Voltage Plus - 5	0	N/A	1765	1769	4.068	53.42	UV
HRLT M1-M2 Voltage Plus - 6	0	N/A	-1770	-1808	-37.45	53.42	UV
HRLT M1-M2 Voltage Plus - 7	0	N/A	1781	1781	0	53.42	UV
High Resolution Laterolog Array - B Wellsite Calibration - HRLT M23							
Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10							
HRLT M2-M3 Voltage Plus - 0	0	N/A	1740	1740	-0.02576	53.42	UV
HRLT M2-M3 Voltage Plus - 1	0	N/A	1805	1848	43.30	53.42	UV
HRLT M2-M3 Voltage Plus - 2	0	N/A	1814	1840	26.23	53.42	UV
HRLT M2-M3 Voltage Plus - 3	0	N/A	1842	1862	20.19	53.42	UV
HRLT M2-M3 Voltage Plus - 4	0	N/A	1780	1787	6.274	53.42	UV
HRLT M2-M3 Voltage Plus - 5	0	N/A	1763	1766	3.078	53.42	UV
HRLT M2-M3 Voltage Plus - 6	0	N/A	-1758	-1794	-35.80	53.42	UV
HRLT M2-M3 Voltage Plus - 7	0	N/A	1781	1781	0	53.42	UV
High Resolution Laterolog Array - B Wellsite Calibration - HRLT V34							
Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10							
HRLT A3-A4 Voltage Plus - 0	0	N/A	68350	68440	85.94	2100	UV
HRLT A3-A4 Voltage Plus - 1	0	N/A	70690	72470	1782	2100	UV
HRLT A3-A4 Voltage Plus - 2	0	N/A	71310	72460	1157	2100	UV
HRLT A3-A4 Voltage Plus - 3	0	N/A	72720	73610	885.8	2100	UV
HRLT A3-A4 Voltage Plus - 4	0	N/A	70240	70600	355.0	2100	UV
HRLT A3-A4 Voltage Plus - 5	0	N/A	69570	69800	233.0	2100	UV
HRLT A3-A4 Voltage Plus - 6	0	N/A	-67880	-69350	-1475	2100	UV
HRLT A3-A4 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV
High Resolution Laterolog Array - B Wellsite Calibration - HRLT V45							
Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10							
HRLT A4-A5 Voltage Plus - 0	0	N/A	68620	68720	93.47	2100	UV
HRLT A4-A5 Voltage Plus - 1	0	N/A	71060	72860	1807	2100	UV
HRLT A4-A5 Voltage Plus - 2	0	N/A	71660	72830	1172	2100	UV
HRLT A4-A5 Voltage Plus - 3	0	N/A	73050	73950	903.2	2100	UV
HRLT A4-A5 Voltage Plus - 4	0	N/A	70530	70900	366.4	2100	UV
HRLT A4-A5 Voltage Plus - 5	0	N/A	69850	70080	228.5	2100	UV
HRLT A4-A5 Voltage Plus - 6	0	N/A	-68260	-69730	-1475	2100	UV
HRLT A4-A5 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV
High Resolution Laterolog Array - B Wellsite Calibration - HRLT V56							
Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10							
HRLT A5-A6 Voltage Plus - 0	0	N/A	68510	68620	110.4	2100	UV

HRLT A5-A6 Voltage Plus - 1	0	N/A	70790	72570	1788	2100	UV
HRLT A5-A6 Voltage Plus - 2	0	N/A	71420	72590	1165	2100	UV
HRLT A5-A6 Voltage Plus - 3	0	N/A	72850	73770	914.6	2100	UV
HRLT A5-A6 Voltage Plus - 4	0	N/A	70390	70750	356.3	2100	UV
HRLT A5-A6 Voltage Plus - 5	0	N/A	69750	69950	204.5	2100	UV
HRLT A5-A6 Voltage Plus - 6	0	N/A	-67990	-69470	-1475	2100	UV
HRLT A5-A6 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT VTP

Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10

HRLT Torpedo-M0 Voltage - 0	0	N/A	-68200	-68290	-92.25	2100	UV
HRLT Torpedo-M0 Voltage - 1	0	N/A	-71100	-72930	-1832	2100	UV
HRLT Torpedo-M0 Voltage - 2	0	N/A	-71730	-72890	-1166	2100	UV
HRLT Torpedo-M0 Voltage - 3	0	N/A	-73140	-74060	-917.2	2100	UV
HRLT Torpedo-M0 Voltage - 4	0	N/A	-70590	-70950	-362.6	2100	UV
HRLT Torpedo-M0 Voltage - 5	0	N/A	-69890	-70120	-226.3	2100	UV
HRLT Torpedo-M0 Voltage - 6	0	N/A	68240	69740	1502	2100	UV
HRLT Torpedo-M0 Voltage - 7	0	N/A	-70000	-70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT VBD

Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10

HRLT Bridle#9-M0 Voltage - 0	0	N/A	-68220	-68290	-65.30	2100	UV
HRLT Bridle#9-M0 Voltage - 1	0	N/A	-71110	-72900	-1786	2100	UV
HRLT Bridle#9-M0 Voltage - 2	0	N/A	-71750	-72870	-1120	2100	UV
HRLT Bridle#9-M0 Voltage - 3	0	N/A	-73170	-74040	-868.0	2100	UV
HRLT Bridle#9-M0 Voltage - 4	0	N/A	-70620	-70950	-332.6	2100	UV
HRLT Bridle#9-M0 Voltage - 5	0	N/A	-69920	-70110	-192.3	2100	UV
HRLT Bridle#9-M0 Voltage - 6	0	N/A	68260	69720	1461	2100	UV
HRLT Bridle#9-M0 Voltage - 7	0	N/A	-70000	-70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT ISO

Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10

HRLT Source Current Plus - 0	0	N/A	284.4	284.7	0.2940	8.520	UA
HRLT Source Current Plus - 1	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 2	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 3	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 4	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 5	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 6	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 7	0	N/A	281.1	281.1	0	8.520	UA

High Resolution Laterolog Array - B Wellsite Calibration - HRLT MV

Before: 14-Feb-2014 12:26 After: 14-Feb-2014 20:10

HRLT Vertical Voltage PI - 0	0	N/A	-321.1	-321.5	-0.4245	9.681	UV
HRLT Vertical Voltage PI - 1	0	N/A	-322.7	-331.0	-8.301	9.681	UV
HRLT Vertical Voltage PI - 2	0	N/A	-324.2	-329.3	-5.105	9.681	UV
HRLT Vertical Voltage PI - 3	0	N/A	-327.0	-331.1	-4.052	9.681	UV
HRLT Vertical Voltage PI - 4	0	N/A	-314.2	-315.8	-1.598	9.681	UV
HRLT Vertical Voltage PI - 5	0	N/A	-325.9	-326.9	-1.033	9.681	UV
HRLT Vertical Voltage PI - 6	0	N/A	327.6	334.8	7.194	9.681	UV
HRLT Vertical Voltage PI - 7	0	N/A	-322.7	-322.7	0	9.681	UV

Hostile Litho-Density Sonde Wellsite Calibration - Background Measurement

Master: 18-Jan-2014 7:12 Before: 7-Feb-2014 4:38 After: 14-Feb-2014 22:48

SS Cs Resolution Bkg	9.000	7.743	7.765	7.784	0.01945	1.800	%
LS Cs Resolution Bkg	9.000	8.077	8.064	7.987	-0.07712	1.800	%
LSW1 Background	100.0	83.87	83.87	83.39	-0.4825	3.000	CPS
LSW2 Background	100.0	76.15	75.58	75.59	0.01392	3.000	CPS
LSW3 Background	200.0	173.7	172.8	171.4	-1.385	6.000	CPS
LSW4 Background	250.0	211.2	209.8	211.2	1.347	7.500	CPS
LSW5 Background	600.0	497.9	497.1	495.6	-1.479	18.00	CPS
SSW1 Background	100.0	80.53	80.61	81.41	0.8050	3.000	CPS
SSW2 Background	200.0	138.8	140.3	139.5	-0.7699	6.000	CPS
SSW3 Background	500.0	394.3	393.6	391.1	-2.484	15.00	CPS
SSW4 Background	270.0	209.8	210.8	209.5	-1.301	8.100	CPS
SSW5 Background	200.0	149.8	150.6	149.0	-1.583	6.000	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Aluminum Measurement

Master: 18-Jan-2014 8:04

LSW1 Aluminum	600.0	441.7	N/A	N/A	N/A	N/A	CPS
LSW2 Aluminum	900.0	643.8	N/A	N/A	N/A	N/A	CPS
LSW3 Aluminum	1100	765.2	N/A	N/A	N/A	N/A	CPS
LSW4 Aluminum	580.0	389.9	N/A	N/A	N/A	N/A	CPS
LSW5 Aluminum	570.0	349.1	N/A	N/A	N/A	N/A	CPS
SSW1 Aluminum	2800	2085	N/A	N/A	N/A	N/A	CPS
SSW2 Aluminum	8000	5782	N/A	N/A	N/A	N/A	CPS
SSW3 Aluminum	11600	8168	N/A	N/A	N/A	N/A	CPS
SSW4 Aluminum	5000	3220	N/A	N/A	N/A	N/A	CPS
SSW5 Aluminum	660.0	353.1	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Lithology Measurement

Master: 18-Jan-2014 7:59

LSW1 Iron	400.0	327.2	N/A	N/A	N/A	N/A	CPS
LSW2 Iron	730.0	553.4	N/A	N/A	N/A	N/A	CPS
LSW3 Iron	1000	724.2	N/A	N/A	N/A	N/A	CPS
LSW4 Iron	520.0	374.0	N/A	N/A	N/A	N/A	CPS
LSW5 Iron	470.0	335.9	N/A	N/A	N/A	N/A	CPS
SSW1 Iron	2100	1575	N/A	N/A	N/A	N/A	CPS
SSW2 Iron	6800	4944	N/A	N/A	N/A	N/A	CPS
SSW3 Iron	10800	7631	N/A	N/A	N/A	N/A	CPS
SSW4 Iron	4600	3018	N/A	N/A	N/A	N/A	CPS
SSW5 Iron	580.0	325.4	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Caliper Calibration

Before: 7-Feb-2014 4:54

HLDS Caliper Small Ring	12.00	N/A	14.61	N/A	N/A	N/A	IN
HLDS Caliper Large Ring	15.19	N/A	18.22	N/A	N/A	N/A	IN

Accelerator-Porosity Tool Wellsite Calibration - Detector Background

Master: 19-Jan-2014 0:36 Before: 14-Feb-2014 13:57 After: 14-Feb-2014 22:45

Near Det Bkg Cntrate	30.00	33.30	31.43	32.82	1.388	N/A	CPS
Far Det Bkg Cntrate	30.00	33.16	32.67	31.94	-0.7348	N/A	CPS
Array-1 Det Bkg Cntrate	30.00	28.53	28.48	28.98	0.5045	N/A	CPS
Array-2 Det Bkg Cntrate	30.00	28.93	29.76	30.94	1.180	N/A	CPS
Array Therm Det Bkg Cntrate	30.00	31.86	34.98	32.30	-2.686	N/A	CPS

Accelerator-Porosity Tool Wellsite Calibration - Calibration Ratios

Master: 19-Jan-2014 1:16

Near/Far Calibration Ratio	0.9250	0.8866	N/A	N/A	N/A	N/A	
Near/Array Calibration Ratio	1.030	1.066	N/A	N/A	N/A	N/A	
Near/Array Cal Ratio Up/Down	1.000	1.019	N/A	N/A	N/A	N/A	

Accelerator-Porosity Tool Wellsite Calibration - Tank Check

Master: 19-Jan-2014 1:06

Array-1 Standoff Porosity	11.75	10.18	N/A	N/A	N/A	N/A	PU
Array-2 Standoff Porosity	11.75	10.27	N/A	N/A	N/A	N/A	PU
Average Slowing Down Time	6.000	6.107	N/A	N/A	N/A	N/A	US
Array-1 SDT Ratio Up/Down	1.000	0.9696	N/A	N/A	N/A	N/A	
Array-2 SDT Ratio Up/Down	1.000	0.9801	N/A	N/A	N/A	N/A	
Sigma Formation	27.50	34.45	N/A	N/A	N/A	N/A	CU

Accelerator-Porosity Tool Wellsite Calibration - CCR7 signal boxes

Master: 18-Jan-2014 23:55

Near Detector Plateau Setting	1650	1732	N/A	N/A	N/A	N/A	V
Far Detector Plateau Setting	2000	2079	N/A	N/A	N/A	N/A	V
Array Detector Plateau Setting	2000	1963	N/A	N/A	N/A	N/A	V

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 1 Check

Master: 4-Feb-2014 23:51 Before: 5-Feb-2014 0:02 After: 14-Feb-2014 22:49

Na 511 Peak Loc	40.00	39.52	39.48	39.40	-0.08661	1.000	
Na 511 Peak Res	15.50	15.96	16.77	17.49	0.7250	2.000	%
High Voltage	1150	1194	1193	1178	-14.73	N/A	V
Na 1785 Peak Loc	142.6	142.1	141.8	143.3	1.589	7.000	
Na 1785 Peak Res	8.500	9.703	8.709	9.053	0.3436	2.000	%
Temperature	15.50	35.74	35.71	29.22	-6.490	N/A	DEGC
Na Count Rate	45.00	11.77	12.16	12.00	-0.1618	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 2 Check

Master: 4-Feb-2014 23:51 Before: 5-Feb-2014 0:02 After: 14-Feb-2014 22:49

Na 511 Peak Loc	40.00	39.56	39.51	39.31	-0.1972	1.000	
Na 511 Peak Res	15.50	16.07	16.56	18.46	1.905	2.000	%
High Voltage	1150	1126	1128	1111	-16.18	N/A	V
Na 1785 Peak Loc	142.6	142.3	143.1	141.7	-1.305	7.000	
Na 1785 Peak Res	8.500	8.959	9.953	9.256	-0.6973	2.000	%
Temperature	15.50	36.60	36.88	30.79	-6.093	N/A	DEGC
Na Count Rate	45.00	12.28	12.68	12.14	-0.5404	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Ratio Of Detector 1 To Detector 2

Master: 4-Feb-2014 23:51 Before: 5-Feb-2014 0:02 After: 14-Feb-2014 22:49

Coincidence Count Rate Ratio	1.000	0.9624	0.9606	0.9838	0.02323	0.05000	
------------------------------	-------	--------	--------	--------	---------	---------	--

Hostile Natural Gamma Ray Sonde Master Calibration - Detector 1 Calibration

Master: 4-Feb-2014 20:09

Na 511 Peak Set Point	40.00	41.00	--	--	--	--	
Th Peak Loc	209.6	210.4	--	--	--	--	
Th Peak Res	7.000	7.207	--	--	--	--	%
Background Count Rate	142.5	16.20	--	--	--	--	CPS
Gain Ratio	1.000	1.012	--	--	--	--	

Hostile Natural Gamma Ray Sonde Master Calibration - Detector 2 Calibration

Master: 4-Feb-2014 20:09

Na 511 Peak Set Point	40.00	41.00	--	--	--	--	
Th Peak Loc	209.6	208.9	--	--	--	--	

Th Peak Res	7.000	7.337	--	--	--	--	%
Background Count Rate	142.5	16.52	--	--	--	--	CPS
Gain Ratio	1.000	1.004	--	--	--	--	

Enhanced DTS Cartridge Wellsite Calibration – EDTC Accelerometer Calibration

Before: Calibration out of date 14-Feb-2014 12:25

EDTC Z-Axis Acceleration	9.810	N/A	9.727	N/A	N/A	N/A	M/S2
--------------------------	-------	-----	-------	-----	-----	-----	------

Enhanced DTS Cartridge Wellsite Calibration – Detector Calibration

Before: Calibration out of date 4-Feb-2014 5:11 After: Calibration out of date 5-Feb-2014 0:10

Gamma Ray (Jig – Bkg)	158.1	N/A	158.1	159.9	1.758	14.38	GAPI
Gamma Ray (Calibrated)	164.0	N/A	164.0	165.8	1.823	15.00	GAPI

Accelerator–Porosity Tool – Detector Plateau Settings :

Near Detector Plateau Setting	1732 V
Far Detector Plateau Setting	2079 V
Array Detector Plateau Setting	1963 V

High Resolution Laterolog Array – B / Equipment Identification

Primary Equipment:		
HRLT Sonde	HRLS – B	768
Auxiliary Equipment:		
HRLT lower Housing	HRLH – B	968
HRLT Lower Cartridge	HRLC – B	974
HRLT upper Housing	HRUH – B	768
HRLT Upper Cartridge	HRUC – B	764

High Resolution Laterolog Array – B Wellsite Calibration

HRLT M01

Idx	Phase	HRLT M0–M1 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		-318.6	-322.7	-280.7	-379.7
	After		-319.2			
1	Before		-327.5	-322.7	-280.7	-379.7
	After		-336.3			
2	Before		-330.1	-322.7	-280.7	-379.7
	After		-335.8			
3	Before		-334.9	-322.7	-280.7	-379.7
	After		-339.5			
4	Before		-325.0	-322.7	-280.7	-379.7
	After		-326.9			
5	Before		-321.6	-322.7	-280.7	-379.7
	After		-322.9			
6	Before		319.5	322.7	379.7	280.7
	After		326.9			
7	Before		-322.7	-322.7	-280.7	-379.7
	After		-322.7			

(Minimum) (Nominal) (Maximum)

Before: 14-Feb-2014 12:26

After: 14-Feb-2014 20:10

High Resolution Laterolog Array – B Wellsite Calibration

HRLT M12

Idx	Phase	HRLT M1–M2 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		1753	1781	2095	1549
	After		1753			

	Phase		Value	Nominal	Maximum	Minimum
1	After		1754	1781	2095	1549
	Before		1806			
2	After		1850	1781	2095	1549
	Before		1814			
3	After		1841	1781	2095	1549
	Before		1839			
4	After		1860	1781	2095	1549
	Before		1783			
5	After		1791	1781	2095	1549
	Before		1765			
6	After		1769	1781	2095	1549
	Before		-1770			
7	After		-1808	-1781	-1549	-2095
	Before		1781			
7	After		1781	1781	2095	1549
	Before		1781			
		(Minimum) (Nominal) (Maximum)				
Before: 14-Feb-2014 12:26						
After: 14-Feb-2014 20:10						

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT M23						
Idx	Phase	HRLT M2-M3 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	After		1740	1781	2095	1549
	Before		1740			
1	After		1805	1781	2095	1549
	Before		1848			
2	After		1814	1781	2095	1549
	Before		1840			
3	After		1842	1781	2095	1549
	Before		1862			
4	After		1780	1781	2095	1549
	Before		1787			
5	After		1763	1781	2095	1549
	Before		1766			
6	After		-1758	-1781	-1549	-2095
	Before		-1794			
7	After		1781	1781	2095	1549
	Before		1781			
		(Minimum) (Nominal) (Maximum)				
Before: 14-Feb-2014 12:26						
After: 14-Feb-2014 20:10						

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT V34						
Idx	Phase	HRLT A3-A4 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	After		68350	70000	82360	60900
	Before		68440			
1	After		70690	70000	82360	60900
	Before		70690			

Idx	Phase	HRLT A4-A5 Voltage Plus UV	Value	Nominal	Maximum	Minimum
2	After		72470	70000	82360	60900
	Before		71310			
3	After		72460	70000	82360	60900
	Before		72720			
4	After		73610	70000	82360	60900
	Before		70240			
5	After		70600	70000	82360	60900
	Before		69570			
6	After		69800	70000	82360	60900
	Before		-67880			
7	After		-69350	-70000	-60900	-82360
	Before		70000			
	After		70000	70000	82360	60900
	Before		70000			
			(Minimum)	(Nominal)	(Maximum)	
Before: 14-Feb-2014 12:26						
After: 14-Feb-2014 20:10						

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT V45						
Idx	Phase	HRLT A4-A5 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	After		68620	70000	82360	60900
	Before		68720			
1	After		71060	70000	82360	60900
	Before		72860			
2	After		71660	70000	82360	60900
	Before		72830			
3	After		73050	70000	82360	60900
	Before		73950			
4	After		70530	70000	82360	60900
	Before		70900			
5	After		69850	70000	82360	60900
	Before		70080			
6	After		-68260	-70000	-60900	-82360
	Before		-69730			
7	After		70000	70000	82360	60900
	Before		70000			
			(Minimum)	(Nominal)	(Maximum)	
Before: 14-Feb-2014 12:26						
After: 14-Feb-2014 20:10						

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT V56						
Idx	Phase	HRLT A5-A6 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	After		68510	70000	82360	60900
	Before		68620			
1	After		70790	70000	82360	60900
	Before		72570			
2	After		71420	70000	82360	60900
	Before		71420			

Idx	Phase	HRLT Torpedo-M0 Voltage Plus UV	Value	Nominal	Maximum	Minimum
3	After		72590	70000	82360	60900
	Before		72850	70000	82360	60900
4	After		73770	70000	82360	60900
	Before		70390	70000	82360	60900
5	After		70750	70000	82360	60900
	Before		69750	70000	82360	60900
6	After		69950	70000	82360	60900
	Before		-67990	-70000	-60900	-82360
7	After		-69470	-70000	-60900	-82360
	Before		70000	70000	82360	60900
	After		70000	70000	82360	60900
(Minimum) (Nominal) (Maximum)						

Before: 14-Feb-2014 12:26
After: 14-Feb-2014 20:10

High Resolution Laterolog Array – B Wellsite Calibration							
HRLT VTP							
Idx	Phase	HRLT Torpedo-M0 Voltage Plus UV	Value	Nominal	Maximum	Minimum	
0	Before		-68200	-70000	-60900	-82360	
	After		-68290	-70000	-60900	-82360	
1	Before		-71100	-70000	-60900	-82360	
	After		-72930	-70000	-60900	-82360	
2	Before		-71730	-70000	-60900	-82360	
	After		-72890	-70000	-60900	-82360	
3	Before		-73140	-70000	-60900	-82360	
	After		-74060	-70000	-60900	-82360	
4	Before		-70590	-70000	-60900	-82360	
	After		-70950	-70000	-60900	-82360	
5	Before		-69890	-70000	-60900	-82360	
	After		-70120	-70000	-60900	-82360	
6	Before		68240	70000	82360	60900	
	After		69740	70000	82360	60900	
7	Before		-70000	-70000	-60900	-82360	
	After		-70000	-70000	-60900	-82360	
(Minimum) (Nominal) (Maximum)							

Before: 14-Feb-2014 12:26
After: 14-Feb-2014 20:10

High Resolution Laterolog Array – B Wellsite Calibration							
HRLT VBD							
Idx	Phase	HRLT Bridle#9-M0 Voltage Plus UV	Value	Nominal	Maximum	Minimum	
0	Before		-68220	-70000	-60900	-82360	
	After		-68290	-70000	-60900	-82360	
1	Before		-71110	-70000	-60900	-82360	
	After		-72900	-70000	-60900	-82360	
2	Before		-71750	-70000	-60900	-82360	
	After		-72870	-70000	-60900	-82360	
3	Before		-73170	-70000	-60900	-82360	
	After		-73170	-70000	-60900	-82360	
(Minimum) (Nominal) (Maximum)							

	After		-74040			
4	Before		-70620	-70000	-60900	-82360
	After		-70950			
5	Before		-69920	-70000	-60900	-82360
	After		-70110			
6	Before		68260	70000	82360	60900
	After		69720			
7	Before		-70000	-70000	-60900	-82360
	After		-70000			
		(Minimum) (Nominal) (Maximum)				

Before: 14-Feb-2014 12:26
After: 14-Feb-2014 20:10

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT ISO						
Idx	Phase	HRLT Source Current Plus UA	Value	Nominal	Maximum	Minimum
0	Before		284.4	284.0	334.1	247.0
	After		284.7			
1	Before		281.1	281.1	330.7	244.4
	After		281.1			
2	Before		281.1	281.1	330.7	244.4
	After		281.1			
3	Before		281.1	281.1	330.7	244.4
	After		281.1			
4	Before		281.1	281.1	330.7	244.4
	After		281.1			
5	Before		281.1	281.1	330.7	244.4
	After		281.1			
6	Before		281.1	281.1	330.7	244.4
	After		281.1			
7	Before		281.1	281.1	330.7	244.4
	After		281.1			
		(Minimum) (Nominal) (Maximum)				

Before: 14-Feb-2014 12:26
After: 14-Feb-2014 20:10

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT MV						
Idx	Phase	HRLT Vertical Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		-321.1	-322.7	-280.7	-379.7
	After		-321.5			
1	Before		-322.7	-322.7	-280.7	-379.7
	After		-331.0			
2	Before		-324.2	-322.7	-280.7	-379.7
	After		-329.3			
3	Before		-327.0	-322.7	-280.7	-379.7
	After		-331.1			
4	Before		-314.2			

5	After		-315.8	-322.7	-280.7	-379.7
	Before		-325.9			
	After		-326.9			
6	Before		327.6	322.7	379.7	280.7
	After		334.8			
7	Before		-322.7	-322.7	-280.7	-379.7
	After		-322.7			
(Minimum) (Nominal) (Maximum)						
Before: 14-Feb-2014 12:26						
After: 14-Feb-2014 20:10						

Hostile Litho-Density Sonde / Equipment Identification

Primary Equipment:

Hostile Litho Density Sonde	HLDS - D	35
Hostile Litho Density High Voltage	HLDV - D	35
Gamma Source Radioactive	GSR - Z	8113

Auxiliary Equipment:

Hostile Litho Density Pad	HLDP - C	35
Hostile Litho Density High Voltage Housi	HEH - H	35

Hostile Litho-Density Sonde Wellsite Calibration									
Background Measurement									
Phase	SS Cs Resolution Bkg %	Value	Phase	LS Cs Resolution Bkg %	Value	Phase	LSW1 Background CPS	Value	
Master		7.743	Master		8.077	Master		83.87	
Before		7.765	Before		8.064	Before		83.87	
After		7.784	After		7.987	After		83.39	
7.000 (Minimum) 9.000 (Nominal) 11.000 (Maximum)			7.000 (Minimum) 9.000 (Nominal) 11.000 (Maximum)			55.00 (Minimum) 100.0 (Nominal) 150.0 (Maximum)			
Phase	LSW2 Background CPS	Value	Phase	LSW3 Background CPS	Value	Phase	LSW4 Background CPS	Value	
Master		76.15	Master		173.7	Master		211.2	
Before		75.58	Before		172.8	Before		209.8	
After		75.59	After		171.4	After		211.2	
50.00 (Minimum) 100.0 (Nominal) 140.0 (Maximum)			110.0 (Minimum) 200.0 (Nominal) 290.0 (Maximum)			140.0 (Minimum) 250.0 (Nominal) 360.0 (Maximum)			
Phase	LSW5 Background CPS	Value	Phase	SSW1 Background CPS	Value	Phase	SSW2 Background CPS	Value	
Master		497.9	Master		80.53	Master		138.8	
Before		497.1	Before		80.61	Before		140.3	
After		495.6	After		81.41	After		139.5	
330.0 (Minimum) 600.0 (Nominal) 830.0 (Maximum)			55.00 (Minimum) 100.0 (Nominal) 150.0 (Maximum)			100.0 (Minimum) 200.0 (Nominal) 260.0 (Maximum)			
Phase	SSW3 Background CPS	Value	Phase	SSW4 Background CPS	Value	Phase	SSW5 Background CPS	Value	
Master		394.3	Master		209.8	Master		149.8	
Before		393.6	Before		210.8	Before		150.6	
After		391.1	After		209.5	After		149.0	
280.0 (Minimum) 500.0 (Nominal) 700.0 (Maximum)			150.0 (Minimum) 270.0 (Nominal) 380.0 (Maximum)			110.0 (Minimum) 200.0 (Nominal) 270.0 (Maximum)			
Master: 18-Jan-2014 7:12			Before: 7-Feb-2014 4:38			After: 14-Feb-2014 22:48			

Hostile Litho-Density Sonde Master Calibration									
Detector Background Measurement									
Phase	LSW1 Background CPS	Value	Phase	LSW2 Background CPS	Value	Phase	LSW3 Background CPS	Value	
Master		83.87	Master		76.15	Master		173.7	
55.00 (Minimum) 100.0 (Nominal) 150.0 (Maximum)			50.00 (Minimum) 100.0 (Nominal) 140.0 (Maximum)			110.0 (Minimum) 200.0 (Nominal) 290.0 (Maximum)			
Phase	LSW4 Background CPS	Value	Phase	LSW5 Background CPS	Value	Phase	LS Cs Resolution Bkg %	Value	

Master		211.2	Master		497.9	Master		8.077			
	140.0 (Minimum)	250.0 (Nominal)	360.0 (Maximum)	330.0 (Minimum)	600.0 (Nominal)	830.0 (Maximum)	7.000 (Minimum)	9.000 (Nominal)	11.00 (Maximum)		
Phase	SSW1 Background CPS		Value	Phase	SSW2 Background CPS		Value	Phase	SSW3 Background CPS		Value
Master		80.53	Master		138.8	Master		394.3			
	55.00 (Minimum)	100.0 (Nominal)	150.0 (Maximum)	100.0 (Minimum)	200.0 (Nominal)	260.0 (Maximum)	280.0 (Minimum)	500.0 (Nominal)	700.0 (Maximum)		
Phase	SSW4 Background CPS		Value	Phase	SSW5 Background CPS		Value	Phase	SS Cs Resolution Bkg %		Value
Master		209.8	Master		149.8	Master		7.743			
	150.0 (Minimum)	270.0 (Nominal)	380.0 (Maximum)	110.0 (Minimum)	200.0 (Nominal)	270.0 (Maximum)	7.000 (Minimum)	9.000 (Nominal)	11.00 (Maximum)		

Master: 18-Jan-2014 7:12

Hostile Litho-Density Sonde Master Calibration											
Detector Aluminum Measurement (bkgd-subtracted)											
Phase	LSW1 Aluminum CPS		Value	Phase	LSW2 Aluminum CPS		Value	Phase	LSW3 Aluminum CPS		Value
Master		441.7	Master	EXCEEDS LIMIT	643.8	Master	EXCEEDS LIMIT	765.2			
	420.0 (Minimum)	600.0 (Nominal)	770.0 (Maximum)	650.0 (Minimum)	900.0 (Nominal)	1150 (Maximum)	800.0 (Minimum)	1100 (Nominal)	1450 (Maximum)		
Phase	LSW4 Aluminum CPS		Value	Phase	LSW5 Aluminum CPS		Value	Phase	SSW1 Aluminum CPS		Value
Master	EXCEEDS LIMIT	389.9	Master	EXCEEDS LIMIT	349.1	Master		2085			
	410.0 (Minimum)	580.0 (Nominal)	740.0 (Maximum)	410.0 (Minimum)	570.0 (Nominal)	740.0 (Maximum)	2000 (Minimum)	2800 (Nominal)	3200 (Maximum)		
Phase	SSW2 Aluminum CPS		Value	Phase	SSW3 Aluminum CPS		Value	Phase	SSW4 Aluminum CPS		Value
Master	EXCEEDS LIMIT	5782	Master	EXCEEDS LIMIT	8168	Master	EXCEEDS LIMIT	3220			
	5800 (Minimum)	8000 (Nominal)	9300 (Maximum)	8300 (Minimum)	11600 (Nominal)	13500 (Maximum)	3500 (Minimum)	5000 (Nominal)	5800 (Maximum)		
Phase	SSW5 Aluminum CPS		Value								
Master	EXCEEDS LIMIT	353.1									
	430.0 (Minimum)	660.0 (Nominal)	770.0 (Maximum)								

Master: 18-Jan-2014 8:04

Hostile Litho-Density Sonde Master Calibration											
Detector Litholog Measurement (bkgd-subtracted)											
Phase	LSW1 Iron CPS		Value	Phase	LSW2 Iron CPS		Value	Phase	LSW3 Iron CPS		Value
Master		327.2	Master		553.4	Master		724.2			
	290.0 (Minimum)	400.0 (Nominal)	560.0 (Maximum)	520.0 (Minimum)	730.0 (Nominal)	950.0 (Maximum)	720.0 (Minimum)	1000 (Nominal)	1350 (Maximum)		
Phase	LSW4 Iron CPS		Value	Phase	LSW5 Iron CPS		Value	Phase	SSW1 Iron CPS		Value
Master		374.0	Master	EXCEEDS LIMIT	335.9	Master		1575			
	370.0 (Minimum)	520.0 (Nominal)	700.0 (Maximum)	340.0 (Minimum)	470.0 (Nominal)	750.0 (Maximum)	1500 (Minimum)	2100 (Nominal)	2400 (Maximum)		
Phase	SSW2 Iron CPS		Value	Phase	SSW3 Iron CPS		Value	Phase	SSW4 Iron CPS		Value
Master		4944	Master	EXCEEDS LIMIT	7631	Master	EXCEEDS LIMIT	3018			
	4900 (Minimum)	6800 (Nominal)	7900 (Maximum)	7800 (Minimum)	10800 (Nominal)	12600 (Maximum)	3300 (Minimum)	4600 (Nominal)	5400 (Maximum)		
Phase	SSW5 Iron CPS		Value								
Master	EXCEEDS LIMIT	325.4									
	420.0 (Minimum)	580.0 (Nominal)	680.0 (Maximum)								

Master: 18-Jan-2014 7:59

Hostile Litho-Density Sonde Master Calibration											
Quality Ratios											
Phase	AL CALIBRATION RATIO 1		Value	Phase	AL CALIBRATION RATIO 2		Value	Phase	AL CALIBRATION RATIO 3		Value
Master		1.035	Master		2.286	Master		0.5977			
	0.9000 (Minimum)	1.000 (Nominal)	1.100 (Maximum)	1.900 (Minimum)	2.100 (Nominal)	2.300 (Maximum)	0.4500 (Minimum)	0.5500 (Nominal)	0.6500 (Maximum)		
Phase	AL CALIBRATION RATIO 4		Value	Phase	Pad-Wear SS Ratio		Value	Phase	Pad-Wear LS Ratio		Value
Master		0.5836	Master		0.9943	Master		0.9832			
	0.4000 (Minimum)	0.5500 (Nominal)	0.6500 (Maximum)	0.9800 (Minimum)	0.9880 (Nominal)	0.9960 (Maximum)	0.9800 (Minimum)	0.9880 (Nominal)	0.9960 (Maximum)		
Phase	Pad-Position SS Ratio		Value	Phase	Pad-Position LS Ratio		Value				
Master			Master								

Master	0.9900 (Minimum)	0.9940 (Nominal)	1.005 (Maximum)	Master	0.9850 (Minimum)	0.9940 (Nominal)	1.010 (Maximum)	0.9911
--------	---------------------	---------------------	--------------------	--------	---------------------	---------------------	--------------------	--------

Master: 18-Jan-2014 7:54

Litho-Density Spectroscopy Cartridge - B / Equipment Identification

Primary Equipment: LDSC Cartridge	LDSC - B	326
Auxiliary Equipment: LDSC Housing	LDSH - A	303

Accelerator-Porosity Tool / Equipment Identification

Primary Equipment: Accelerator-Porosity Sonde APS Minitron	APS - C MNTR - F	22 7341
Auxiliary Equipment: Accelerator-Porosity Housing APS Calibration Water Tank APS Aluminum Calibrator Sleeve	APH - AC SFT - 178 SFT - 281	22 1 1

Accelerator-Porosity Tool Wellsite Calibration

Detector Background

Phase	Near Det Bkg Cntrate CPS	Value	Phase	Far Det Bkg Cntrate CPS	Value	Phase	Array-1 Det Bkg Cntrate CPS	Value
Master		33.30	Master		33.16	Master		28.53
Before		31.43	Before		32.67	Before		28.48
After		32.82	After		31.94	After		28.98
	1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)	
Phase	Array-2 Det Bkg Cntrate CPS	Value	Phase	Array Therm Det Bkg Cntrate CPS	Value			
Master		28.93	Master		31.86			
Before		29.76	Before		34.98			
After		30.94	After		32.30			
	1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)				

Master: 19-Jan-2014 0:36 Before: 14-Feb-2014 13:57 After: 14-Feb-2014 22:45

Accelerator-Porosity Tool Wellsite Calibration

Calibration Ratios

Phase	Near/Far Calibration Ratio	Value	Phase	Near/Array Calibration Ratio	Value	Phase	Near/Array Cal Ratio Up/Down	Value
Master		0.8866	Master		1.066	Master		1.019
	0.8000 (Minimum) 0.9250 (Nominal) 1.050 (Maximum)			0.9000 (Minimum) 1.030 (Nominal) 1.170 (Maximum)			0.9700 (Minimum) 1.000 (Nominal) 1.030 (Maximum)	

Master: 19-Jan-2014 1:16

Accelerator-Porosity Tool Wellsite Calibration

Tank Check

Phase	Array-1 Standoff Porosity PU	Value	Phase	Array-2 Standoff Porosity PU	Value	Phase	Average Slowing Down Time US	Value
Master		10.18	Master		10.27	Master		6.107
	9.900 (Minimum) 11.75 (Nominal) 13.60 (Maximum)			9.900 (Minimum) 11.75 (Nominal) 13.60 (Maximum)			5.500 (Minimum) 6.000 (Nominal) 6.250 (Maximum)	
Phase	Array-1 SDT Ratio Up/Down	Value	Phase	Array-2 SDT Ratio Up/Down	Value	Phase	Sigma Formation CU	Value
Master		0.9696	Master		0.9801	Master		34.45
	0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)			0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)			20.00 (Minimum) 27.50 (Nominal) 35.00 (Maximum)	

Master: 19-Jan-2014 1:06

Accelerator-Porosity Tool Master Calibration

Detector Calibration

Phase	Near/Far Calibration Ratio	Value	Phase	Near/Array Calibration Ratio	Value	Phase	Near/Array Cal Ratio Up/Down	Value
-------	----------------------------	-------	-------	------------------------------	-------	-------	------------------------------	-------

Master		0.8866	Master		1.066	Master		1.019	
	0.8000 (Minimum)	0.9250 (Nominal)	1.050 (Maximum)	0.9000 (Minimum)	1.030 (Nominal)	1.170 (Maximum)	0.9700 (Minimum)	1.000 (Nominal)	1.030 (Maximum)

Master: 19-Jan-2014 1:16

Accelerator--Porosity Tool Master Calibration									
Tank Check									
Phase	Array-1 Standoff Porosity PU	Value	Phase	Array-2 Standoff Porosity PU	Value	Phase	Average Slowing Down Time US	Value	
Master		10.18	Master		10.27	Master		6.107	
	9.900 (Minimum)	11.75 (Nominal)	13.60 (Maximum)	9.900 (Minimum)	11.75 (Nominal)	13.60 (Maximum)	5.500 (Minimum)	6.000 (Nominal)	6.250 (Maximum)
Phase	Array-1 SDT Ratio Up/Down	Value	Phase	Array-2 SDT Ratio Up/Down	Value	Phase	Sigma Formation CU	Value	
Master		0.9696	Master		0.9801	Master		34.45	
	0.9500 (Minimum)	1.000 (Nominal)	1.050 (Maximum)	0.9500 (Minimum)	1.000 (Nominal)	1.050 (Maximum)	20.00 (Minimum)	27.50 (Nominal)	35.00 (Maximum)

Master: 19-Jan-2014 1:06

Hostile Natural Gamma Ray Cartridge - B / Equipment Identification

Primary Equipment: HNGC Cartridge	HNGC - B	300
Auxiliary Equipment: HNGC Housing	HNGH - A	115

Hostile Natural Gamma Ray Sonde / Equipment Identification

Primary Equipment: HNGS Sonde	HNGS - BA	194
Auxiliary Equipment: HNGS Sonde Housing Gamma Source Radioactive	HNSH - BA GSR - U	205 616008

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 1 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value	
Master		39.52	Master		15.96	Master		1194	
Before		39.48	Before		16.77	Before		1193	
After		39.40	After		17.49	After		1178	
	37.50 (Minimum)	40.00 (Nominal)	43.50 (Maximum)	12.00 (Minimum)	15.50 (Nominal)	19.00 (Maximum)	900.0 (Minimum)	1150 (Nominal)	1600 (Maximum)
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value	
Master		142.1	Master		9.703	Master		35.74	
Before		141.8	Before		8.709	Before		35.71	
After		143.3	After		9.053	After		29.22	
	135.0 (Minimum)	142.6 (Nominal)	150.3 (Maximum)	7.000 (Minimum)	8.500 (Nominal)	11.00 (Maximum)	-28.89 (Minimum)	15.50 (Nominal)	60.00 (Maximum)
Phase	Na Count Rate CPS	Value							
Master		11.77							
Before		12.16							
After		12.00							
	10.00 (Minimum)	45.00 (Nominal)	100.0 (Maximum)						

Master: 4-Feb-2014 23:51

Before: 5-Feb-2014 0:02

After: 14-Feb-2014 22:49

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 2 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value
Master		39.56	Master		16.07	Master		1126

Before		39.51	Before		16.56	Before		1128
After		39.31	After		18.46	After		1111
	37.50 (Minimum) 40.00 (Nominal) 43.50 (Maximum)			12.00 (Minimum) 15.50 (Nominal) 19.00 (Maximum)			900.0 (Minimum) 1150 (Nominal) 1600 (Maximum)	
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value
Master		142.3	Master		8.959	Master		36.60
Before		143.1	Before		9.953	Before		36.88
After		141.7	After		9.256	After		30.79
	135.0 (Minimum) 142.6 (Nominal) 150.3 (Maximum)			7.000 (Minimum) 8.500 (Nominal) 11.00 (Maximum)			-28.89 (Minimum) 15.50 (Nominal) 60.00 (Maximum)	
Phase	Na Count Rate CPS	Value						
Master		12.28						
Before		12.68						
After		12.14						
	10.00 (Minimum) 45.00 (Nominal) 100.0 (Maximum)							
Master: 4-Feb-2014 23:51			Before: 5-Feb-2014 0:02			After: 14-Feb-2014 22:49		

Hostile Natural Gamma Ray Sonde Wellsite Calibration		
Ratio Of Detector 1 To Detector 2		
Phase	Coincidence Count Rate Ratio	Value
Master		0.9624
Before		0.9606
After		0.9838
	0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)	
Master: 4-Feb-2014 23:51		
Before: 5-Feb-2014 0:02		
After: 14-Feb-2014 22:49		

Hostile Natural Gamma Ray Sonde Master Calibration								
Detector 1 Calibration								
Phase	Na 511 Peak Set Point	Value	Phase	Th Peak Loc	Value	Phase	Th Peak Res %	Value
Master		41.00	Master		210.4	Master		7.207
	38.00 (Minimum) 40.00 (Nominal) 43.00 (Maximum)			201.0 (Minimum) 209.6 (Nominal) 218.3 (Maximum)			5.000 (Minimum) 7.000 (Nominal) 9.000 (Maximum)	
Phase	Background Count Rate CPS	Value	Phase	Gain Ratio	Value			
Master		16.20	Master		1.012			
	10.00 (Minimum) 142.5 (Nominal) 265.0 (Maximum)			0.9400 (Minimum) 1.000 (Nominal) 1.060 (Maximum)				
Master: 4-Feb-2014 20:09								

Hostile Natural Gamma Ray Sonde Master Calibration								
Detector 2 Calibration								
Phase	Na 511 Peak Set Point	Value	Phase	Th Peak Loc	Value	Phase	Th Peak Res %	Value
Master		41.00	Master		208.9	Master		7.337
	38.00 (Minimum) 40.00 (Nominal) 43.00 (Maximum)			201.0 (Minimum) 209.6 (Nominal) 218.3 (Maximum)			5.000 (Minimum) 7.000 (Nominal) 9.000 (Maximum)	
Phase	Background Count Rate CPS	Value	Phase	Gain Ratio	Value			
Master		16.52	Master		1.004			
	10.00 (Minimum) 142.5 (Nominal) 265.0 (Maximum)			0.9400 (Minimum) 1.000 (Nominal) 1.060 (Maximum)				
Master: 4-Feb-2014 20:09								

Enhanced DTS Cartridge / Equipment Identification

Primary Equipment:


EDTC Gamma Ray Detector
Enhanced DTS Cartridge







EDTG - A/B 8305
EDTC - B 8317

Auxiliary Equipment:

EDTC Housing

EDTH - B 8303

Enhanced DTS Cartridge Wellsite Calibration		
EDTC Accelerometer Calibration		
Phase	EDTC Z-Axis Acceleration M/S2	Value
Before		9.727
	9.610 (Minimum) 9.810 (Nominal) 10.01 (Maximum)	
Before: Calibration out of date 14-Feb-2014 12:25		

Enhanced DTS Cartridge Wellsite Calibration									
Detector Calibration									
Phase	Gamma Ray Background GAPI	Value	Phase	Gamma Ray (Jig - Bkg) GAPI	Value	Phase	Gamma Ray (Calibrated) GAPI	Value	
Before		6.615	Before		158.1	Before		164.0	
After		3.745	After		159.9	After		165.8	
	0 (Minimum) 30.00 (Nominal) 120.0 (Maximum)			143.8 (Minimum) 158.1 (Nominal) 172.5 (Maximum)			149.0 (Minimum) 164.0 (Nominal) 179.0 (Maximum)		
Before: Calibration out of date 4-Feb-2014 5:11			After: Calibration out of date 5-Feb-2014 0:10						

Company: **Lamont Doherty Earth Observatory**

Schlumberger

Well: **Expedition 349, Site U1431E**

Field: **South China Sea Tectonics**

Rig: **JOIDES Resolution**

Ocean: **South China Sea**

High Resolution Laterolog Array (HRLA)
 Hostile Litho Density Sonde (HLDS)/APS
 Natural Gamma Ray