



**DISCLAIMER**

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES1  
 OS1: HNGS  
 OS2: HRLA/HLDS  
 OS3: DSI  
 OS4: MSS

**REMARKS: RUN NUMBER 1**


Hole drilled with RCB coring bit and bottom hole assembly (BHA). 9 7/8 " BS  
 Free-Fall Funnel deployed for re-entry without casing.  
 Bit placed at 96.5mbsf (driller's depth) prior to logging; logs tied into Run 1, Pass 2 bit depth due to low GR at sea bed.  
 Hole was displaced to water-based mud prior to logging.  
 Tools run as per tool sketch with entire string centralized using two modified MCD inline bowpring centralizers.  
 Logs recorded in real-time with depth zero at drill floor; final depth adjusted to have zero at sea floor for core compatibilit  
 Depth reference for this hole was the second pass of the first run; all other logs tied into that pass.  
 Hole obstructed at a depth of 368.6mbsf; tools unable to pass below this depth; logs recorded from this depth up.  
 FMS run with calipers open for upward passes and EMEX in automatic mode.  
 DSI run with the following modes active for all passes:  
 Upper Dipole in Low Frequency  
 Lower Dipole in Standard Frequency  
 P&S Monopole in Standard Frequency  
 Stoneley (Monopole) in Standard Frequency  
 Bit located at 96.5mbsf for downlog and first pass; raised to 79.3mbsf prior to second pass to maximize logged interval.  
 FMS Caliper closed and EMEX deactivated at 122.8mbsf to facilitate pipe entry.

RUN 1			RUN 2		
SERVICE ORDER #:			SERVICE ORDER #:		
PROGRAM VERSION: 19C0-187			PROGRAM VERSION:		
FLUID LEVEL:			FLUID LEVEL:		
LOGGED INTERVAL	START	STOP	LOGGED INTERVAL	START	STOP

**EQUIPMENT DESCRIPTION**

RUN 1	RUN 2
<b>SURFACE EQUIPMENT</b>	
GSR-U 616008 WITM (EDTS)-A	

RUN 1	RUN 2
<b>DOWNHOLE EQUIPMENT</b>	
LEH-QT LEH-QT 301 EDTC-B EDTH-B 8303 EDTC-B 8317 EDTG-A/B 8305	MDSB_EDTC Mud Tempe CTEM Gamma Ray EFTB DIAG TelStatus EDTCB Ele
	34.55 33.49 32.92 34.55 32.57



Production String	(in)	(m)	Well Schematic	(m)	(in)	Casing String
	OP	ID	MD	MD	OP	ID

Kelly Bushing Elevation


Derrick Floor Elevation

Mean Sea Level

-3173.0

-3173.0

-3162.2



0.0

96.5

529.8

5.500

4.000

9.875

Sea Bed

Bit

Total Depth - Driller

**Schlumberger**

**First Pass**

MAXIS Field Log

Company: Lamont Doherty Earth Observatory

Well: Expedition 352, Site U1442A

**Input DLIS Files**

DEFAULT	FMS_DSI_NGS_015LUP	FN:19	PRODUCER	23-Sep-2014 13:16	3458.7 M	3309.8 M
---------	--------------------	-------	----------	-------------------	----------	----------

**Output DLIS Files**

DEFAULT	FMS_DSI_NGS_053PUP	FN:74	PRODUCER	26-Sep-2014 13:00	288.0 M	138.4 M
CLIENT	FMS_DSI_NGS_053PUC	FN:75	CUSTOMER	26-Sep-2014 13:00	288.0 M	138.4 M


**OP System Version: 19C0-187**

MEST-B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

PIP SUMMARY


Time Mark Every 60 S

<p>Relative Bearing (RB_MEST) (DEG)</p> <p>-40 360</p>		<p>Data Button 8 - Varies with RBS (U-MEST_RB8)</p> <p>-80 (----) 20</p>		
<p>Pad One Azimuth (P1AZ_MEST) (DEG)</p> <p>-40 360</p>		<p>Data Button 7 - Varies with RBS (U-MEST_RB7)</p> <p>-70 (----) 30</p>		
<p>Hole Azimuth (HAZIM) (DEG)</p> <p>-40 360</p>		<p>Data Button 6 - Varies with RBS (U-MEST_RB6)</p> <p>-60 (----) 40</p>		
<p>Gamma Ray (GR_EDTC) (GAPI)</p> <p>0 40</p>		<p>Data Button 5 - Varies with RBS (U-MEST_RB5)</p> <p>-50 (----) 50</p>		
<p>Deviation (DEVIM) (DEG)</p> <p>0 10</p>		<p>Data Button 4 - Varies with RBS (U-MEST_RB4)</p> <p>-40 (----) 60</p>		<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p>MEST_PADD (U-MEST_RESISTIVITY_PADD_DS) (----)</p>
<p>Caliper 2 (C2) (IN)</p> <p>0 20</p>		<p>Data Button 3 - Varies with RBS (U-MEST_RB3)</p> <p>-30 (----) 70</p>		<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p>MEST_PADC (U-MEST_RESISTIVITY_PADC_DS) (----)</p>
<p>Caliper 1 (C1) (IN)</p> <p>0 20</p>		<p>EMEX Intensity (EI) (AMPS)</p> <p>0 10</p>		<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p>MEST_PADB (U-MEST_RESISTIVITY_PADB_DS) (----)</p>
<p>Tension (TENS) (LBF)</p> <p>0 5000</p>		<p>Bit Size (BS) (IN)</p> <p>0 20</p>		<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p>MEST_PADA (U-MEST_RESISTIVITY_PADA_DS) (----)</p>
		<p>EMEX Voltage (EV) (V)</p> <p>0 50</p>		<p>Data Button 1 - Varies with RBS (U-MEST_RB1)</p> <p>-10 (----) 90</p>



175


200






225

250





275



<p><b>Tension (TENS) (LBF)</b> 0 5000</p>	<p><b>Bit Size (BS) (IN)</b> 0 20</p>	<p><b>EMEX Voltage (EV) (V)</b> 0 50</p>	<p><b>Data Button 1 - Varies with RBS (U-MEST_RB1)</b> -10 (----) 90</p>	<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p><b>MEST_PADA (U-MEST_RESISTIVITY_PADA_DS)</b> (----)</p>
	<p><b>Caliper 1 (C1) (IN)</b> 0 20</p>	<p><b>EMEX Intensity (EI) (AMPS)</b> 0 10</p>	<p><b>Data Button 2 - Varies with RBS (U-MEST_RB2)</b> -20 (----) 80</p>	<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p><b>MEST_PADB (U-MEST_RESISTIVITY_PADB_DS)</b> (----)</p>
	<p><b>Caliper 2 (C2) (IN)</b> 0 20</p>		<p><b>Data Button 3 - Varies with RBS (U-MEST_RB3)</b> -30 (----) 70</p>	<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p><b>MEST_PADC (U-MEST_RESISTIVITY_PADC_DS)</b> (----)</p>
		<p><b>Deviation (DEVIM) (DEG)</b> 0 10</p>	<p><b>Data Button 4 - Varies with RBS (U-MEST_RB4)</b> -40 (----) 60</p>	<p>0.7024 1.1102 1.5180 1.7218 2.1296 2.5374 2.7413 3.3529 3.7607 4.3723 4.7801 5.3917 6.2072 7.2266 8.6538 11.1004</p> <p><b>MEST_PADD (U-MEST_RESISTIVITY_PADD_DS)</b> (----)</p>
	<p><b>Gamma Ray (GR_EDTC) (GAPI)</b> 0 40</p>		<p><b>Data Button 5 - Varies with RBS (U-MEST_RB5)</b> -50 (----) 50</p>	
	<p><b>Hole Azimuth (HAZIM) (DEG)</b> -40 360</p>		<p><b>Data Button 6 - Varies with RBS (U-MEST_RB6)</b> -60 (----) 40</p>	
	<p><b>Pad One Azimuth (P1AZ_MEST) (DEG)</b> -40 360</p>		<p><b>Data Button 7 - Varies with RBS (U-MEST_RB7)</b> -70 (----) 30</p>	
	<p><b>Relative Bearing (RB_MEST) (DEG)</b> -40 360</p>		<p><b>Data Button 8 - Varies with RBS (U-MEST_RB8)</b> -80 (----) 20</p>	

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
-----------	-------------	-------

MEST-B: Micro Electrical Scanner - B (Slim)	Accelerometer Filtering Mode	MOVING_AVERAGE	
AFMO	Inclinometry Computation Mode	AUTOMATIC_SELECTION	
ICMO	Magnetic Field Declination	-4.42138	DEG
MDEC	MEST Logging Mode	SCAN1800	
MLM	Resistivity Button Selection	AUTO	
RBS	Gain	GAIN_2	
XGAI	Offset	OFFSET_0	
XOFF	System and Miscellaneous		
BS	Bit Size	9.875	IN
DO	Depth Offset for Playback	-3171.5	M
PP	Playback Processing	RECOMPUTE	

Format: MEST\_C\_WRAP\_BY\_P1AZ Vertical Scale: 1:200 Graphics File Created: 26-Sep-2014 13:00

### OP System Version: 19C0-187

MEST-B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

#### Input DLIS Files

DEFAULT	FMS_DSI_NGS_015LUP	FN:19	PRODUCER	23-Sep-2014 13:16	3458.7 M	3309.8 M
---------	--------------------	-------	----------	-------------------	----------	----------

#### Output DLIS Files

DEFAULT	FMS_DSI_NGS_053PUP	FN:74	PRODUCER	26-Sep-2014 13:00
CLIENT	FMS_DSI_NGS_053PUC	FN:75	CUSTOMER	26-Sep-2014 13:00



## Second Pass

MAXIS Field Log

Company: Lamont Doherty Earth Observatory Well: Expedition 352, Site U1442A

#### Input DLIS Files

DEFAULT	FMS_DSI_NGS_016LUP	FN:20	PRODUCER	23-Sep-2014 13:53	3458.7 M	3164.9 M
---------	--------------------	-------	----------	-------------------	----------	----------

#### Output DLIS Files


DEFAULT	FMS_DSI_NGS_054PUP	FN:76	PRODUCER	26-Sep-2014 13:03	288.0 M	-6.6 M
CLIENT	FMS_DSI_NGS_054PUC	FN:77	CUSTOMER	26-Sep-2014 13:03	288.0 M	-6.6 M


### OP System Version: 19C0-187

MEST-B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

#### PIP SUMMARY

Time Mark Every 60 S







25

50

75









150

175






200


225







<p style="text-align: center;"><b>Deviation (DEVIM)</b> (DEG)</p> <p>0 <span style="float: right;">10</span></p>		<p>Data Button 4 – Varies with RBS (U-MEST_RB4)</p> <p>-40 (----) 60</p>
<p style="text-align: center;"><b>Gamma Ray (GR_EDTC)</b> (GAPI)</p> <p>0 <span style="float: right;">40</span></p>		<p>Data Button 5 – Varies with RBS (U-MEST_RB5)</p> <p>-50 (----) 50</p>
<p style="text-align: center;"><b>Hole Azimuth (HAZIM)</b> (DEG)</p> <p>-40 <span style="float: right;">360</span></p>		<p>Data Button 6 – Varies with RBS (U-MEST_RB6)</p> <p>-60 (----) 40</p>
<p style="text-align: center;"><b>Pad One Azimuth (P1AZ_MEST)</b> (DEG)</p> <p>-40 <span style="float: right;">360</span></p>		<p>Data Button 7 – Varies with RBS (U-MEST_RB7)</p> <p>-70 (----) 30</p>
<p style="text-align: center;"><b>Relative Bearing (RB_MEST)</b> (DEG)</p> <p>-40 <span style="float: right;">360</span></p>		<p>Data Button 8 – Varies with RBS (U-MEST_RB8)</p> <p>-80 (----) 20</p>



PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
MEST-B:	Micro Electrical Scanner – B (Slim)	
AFMO	Accelerometer Filtering Mode	MOVING_AVERAGE
ICMO	Inclinometry Computation Mode	AUTOMATIC_SELECTION
MDEC	Magnetic Field Declination	-4.42138 DEG
MLM	MEST Logging Mode	SCAN1800
RBS	Resistivity Button Selection	AUTO
XGAI	Gain	GAIN_2
XOFF	Offset	OFFSET_0
System and Miscellaneous		
BS	Bit Size	9.875 IN
DO	Depth Offset for Playback	-3171.5 M
PP	Playback Processing	RECOMPUTE

Format: MEST\_C\_WRAP\_BY\_P1AZ Vertical Scale: 1:200 Graphics File Created: 26-Sep-2014 13:03

OP System Version: 19C0-187

MEST-B	19C0-187	DTA-A	19C0-187
DSST-B	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

Input DLIS Files

DEFAULT	FMS_DSI_NGS_016LUP	FN:20	PRODUCER	23-Sep-2014 13:53	3458.7 M	3164.9 M
---------	--------------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	FMS_DSI_NGS_054PUP	FN:76	PRODUCER	26-Sep-2014 13:03
CLIENT	FMS_DSI_NGS_054PUC	FN:77	CUSTOMER	26-Sep-2014 13:03



Calibration and Check Summary

Measurement	Nominal	Master	Before	After	Change	Limit	Units
-------------	---------	--------	--------	-------	--------	-------	-------

Micro Electrical Scanner – B (Slim) Wellsite Calibration – Caliper Calibration

Before: Calibration out of date 3-Feb-2014 19:22

Caliper 1 Zero Measurement	12.00	N/A	11.98	N/A	N/A	N/A	IN
Caliper 2 Zero Measurement	12.00	N/A	12.05	N/A	N/A	N/A	IN
Caliper 1 Plus Measurement	15.19	N/A	15.18	N/A	N/A	N/A	IN
Caliper 2 Plus Measurement	15.19	N/A	15.38	N/A	N/A	N/A	IN

Micro Electrical Scanner – B (Slim) Wellsite Calibration – CROUZET ACCELEROMETER PROM HAS BEEN READ CORRECTLY

Before: 23-Sep-2014 10:45

TEMPERATURE REFERENCE :	N/A	N/A	20	N/A	N/A	N/A	DEGC
YEAR OF CALIBRATION :	N/A	N/A	99	N/A	N/A	N/A	
MONTH OF CALIBRATION :	N/A	N/A	3	N/A	N/A	N/A	
SERIAL NUMBER :	N/A	N/A	743	N/A	N/A	N/A	

Micro Electrical Scanner – B (Slim) Wellsite Calibration – CROUZET MAGNETOMETER PROM HAS BEEN READ CORRECTLY

Before: 23-Sep-2014 10:45

TEMPERATURE REFERENCE :	N/A	N/A	23	N/A	N/A	N/A	DEGC
YEAR OF CALIBRATION :	N/A	N/A	3	N/A	N/A	N/A	
MONTH OF CALIBRATION :	N/A	N/A	9	N/A	N/A	N/A	
SERIAL NUMBER :	N/A	N/A	507	N/A	N/A	N/A	

Hostile Natural Gamma Ray Sonde Wellsite Calibration – Detector 1 Check

Master: 15-Jul-2014 0:16 Before: 23-Sep-2014 3:43 After: 23-Sep-2014 9:35

Na 511 Peak Loc	40.00	39.57	39.57	39.68	0.1186	1.000	
Na 511 Peak Res	15.50	15.78	15.35	14.71	-0.6379	2.000	%
High Voltage	1150	1197	1187	1186	-0.7285	N/A	V
Na 1785 Peak Loc	142.6	142.4	141.8	142.6	0.7831	7.000	
Na 1785 Peak Res	8.500	9.334	8.462	9.740	1.278	2.000	%
Temperature	15.50	37.42	35.70	33.88	-1.827	N/A	DEGC
Na Count Rate	45.00	10.91	9.927	9.941	0.01461	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration – Detector 2 Check

Master: 15-Jul-2014 0:16 Before: 23-Sep-2014 3:43 After: 23-Sep-2014 9:35

Na 511 Peak Loc	40.00	39.46	39.49	39.67	0.1857	1.000	
Na 511 Peak Res	15.50	16.20	15.66	15.36	-0.2991	2.000	%
High Voltage	1150	1129	1121	1132	10.84	N/A	V
Na 1785 Peak Loc	142.6	141.8	140.7	142.8	2.092	7.000	
Na 1785 Peak Res	8.500	10.06	8.501	8.168	-0.3334	2.000	%
Temperature	15.50	38.37	35.89	35.35	-0.5446	N/A	DEGC
Na Count Rate	45.00	11.54	10.34	10.12	-0.2134	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration – Ratio Of Detector 1 To Detector 2

Master: 15-Jul-2014 0:16 Before: 23-Sep-2014 3:43 After: 23-Sep-2014 9:35

Coincidence Count Rate Ratio	1.000	0.9495	0.9661	0.9843	0.01826	0.05000	
------------------------------	-------	--------	--------	--------	---------	---------	--

Enhanced DTS Cartridge Wellsite Calibration – EDTC Accelerometer Calibration

Before: 23-Sep-2014 3:45

EDTC Z-Axis Acceleration	9.810	N/A	9.750	N/A	N/A	N/A	M/S2
--------------------------	-------	-----	-------	-----	-----	-----	------

Enhanced DTS Cartridge Wellsite Calibration – Detector Calibration

Before: 23-Sep-2014 3:36 After: 23-Sep-2014 9:32

Gamma Ray (Jig – Bkg)	160.3	N/A	160.3	155.0	-5.277	14.57	GAPI
Gamma Ray (Calibrated)	165.0	N/A	165.0	159.6	-5.432	15.00	GAPI

Micro Electrical Scanner – B (Slim) / Equipment Identification

Primary Equipment:

MEST Sonde – B	MEDS – B	724
MEST Preamplifier Cartridge – AB	MEPC – AB	807
GPIT Cartridge – AC	GPIC – AC	840
MEST Acquisition Cartridge – A	MEAC – A	875

Auxiliary Equipment:

MEST-B Preamplifier Cartridge Housing	MEPH – A	702
MEST Acquisition Cartridge Housing (Slim)	MEAH – B	769

Hostile Natural Gamma Ray Cartridge – B / Equipment Identification

Primary Equipment: HNGC Cartridge	HNGC – B	300
Auxiliary Equipment: HNGC Housing	HNGH – A	115

Hostile Natural Gamma Ray Sonde / Equipment Identification

Primary Equipment: HNGS Sonde	HNGS – BA	194
Auxiliary Equipment: HNGS Sonde Housing Gamma Source Radioactive	HNSH – BA GSR – U	205 616008

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 1 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value	
Master		39.57	Master		15.78	Master		1197	
Before		39.57	Before		15.35	Before		1187	
After		39.68	After		14.71	After		1186	
	37.50 (Minimum)	40.00 (Nominal)	43.50 (Maximum)	12.00 (Minimum)	15.50 (Nominal)	19.00 (Maximum)	900.0 (Minimum)	1150 (Nominal)	1600 (Maximum)
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value	
Master		142.4	Master		9.334	Master		37.42	
Before		141.8	Before		8.462	Before		35.70	
After		142.6	After		9.740	After		33.88	
	135.0 (Minimum)	142.6 (Nominal)	150.3 (Maximum)	7.000 (Minimum)	8.500 (Nominal)	11.00 (Maximum)	-28.89 (Minimum)	15.50 (Nominal)	60.00 (Maximum)
Phase	Na Count Rate CPS	Value							
Master		10.91							
Before		9.927							
After		9.941							
	10.00 (Minimum)	45.00 (Nominal)	100.0 (Maximum)						
Master: 15-Jul-2014 0:16			Before: 23-Sep-2014 3:43			After: 23-Sep-2014 9:35			

Hostile Natural Gamma Ray Sonde Wellsite Calibration

Detector 2 Check

Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value	
Master		39.46	Master		16.20	Master		1129	
Before		39.49	Before		15.66	Before		1121	
After		39.67	After		15.36	After		1132	
	37.50 (Minimum)	40.00 (Nominal)	43.50 (Maximum)	12.00 (Minimum)	15.50 (Nominal)	19.00 (Maximum)	900.0 (Minimum)	1150 (Nominal)	1600 (Maximum)
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value	
Master		141.8	Master		10.06	Master		38.37	
Before		140.7	Before		8.501	Before		35.89	
After		142.8	After		8.168	After		35.35	
	135.0 (Minimum)	142.6 (Nominal)	150.3 (Maximum)	7.000 (Minimum)	8.500 (Nominal)	11.00 (Maximum)	-28.89 (Minimum)	15.50 (Nominal)	60.00 (Maximum)
Phase	Na Count Rate CPS	Value							
Master		11.54							
Before		10.34							
After		10.12							

After	10.00 (Minimum)	45.00 (Nominal)	100.0 (Maximum)	10.12
Master: 15-Jul-2014 0:16		Before: 23-Sep-2014 3:43		After: 23-Sep-2014 9:35

Hostile Natural Gamma Ray Sonde Wellsite Calibration		
Ratio Of Detector 1 To Detector 2		
Phase	Coincidence Count Rate Ratio	Value
Master	EXCEEDS LIMIT	0.9495
Before		0.9661
After		0.9843
	0.9500 (Minimum)	1.000 (Nominal)
		1.050 (Maximum)
Master: 15-Jul-2014 0:16		
Before: 23-Sep-2014 3:43		
After: 23-Sep-2014 9:35		

Enhanced DTS Cartridge / Equipment Identification		
Primary Equipment:		
EDTC Gamma Ray Detector	EDTG - A/B	8305
Enhanced DTS Cartridge	EDTC - B	8317
Auxiliary Equipment:		
EDTC Housing	EDTH - B	8303

Enhanced DTS Cartridge Wellsite Calibration		
EDTC Accelerometer Calibration		
Phase	EDTC Z-Axis Acceleration M/S2	Value
Before		9.750
	9.610 (Minimum)	10.01 (Maximum)
		9.810 (Nominal)
Before: 23-Sep-2014 3:45		

Enhanced DTS Cartridge Wellsite Calibration									
Detector Calibration									
Phase	Gamma Ray Background GAPI	Value	Phase	Gamma Ray (Jig - Bkg) GAPI	Value	Phase	Gamma Ray (Calibrated) GAPI	Value	
Before		1.756	Before		160.3	Before		165.0	
After		7.977	After		155.0	After		159.6	
	0 (Minimum)	30.00 (Nominal)		145.7 (Minimum)	174.9 (Maximum)		150.0 (Minimum)	180.0 (Maximum)	
		120.0 (Maximum)		160.3 (Nominal)			165.0 (Nominal)		
Before: 23-Sep-2014 3:36			After: 23-Sep-2014 9:32						

Company: **Lamont Doherty Earth Observatory**

Well: **Expedition 352, Site U1442A**

Field: **IBM-3 Forearc**

Rig: **JOIDES Resolution**

Country:



FMS Micro-Resistivity

