



**DISCLAIMER**

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

**OTHER SERVICES1**

- OS1:
- OS2:
- OS3:
- OS4:
- OS5:










**REMARKS: RUN NUMBER 1**


Hole drilled with APC/XCB coring bit and bottom hole assembly (BHA). 11-7/16" BS  
 Hole cored to 200mbsf; drilled to 580mbsf; cored to TD prior to logging.  
 Drilled TD was 1212.2mbrf, drilled and logged with sea water as borehole fluid.  
 Drill pipe set at 600.2mbrf (102mbsf) prior to logging.  
 Triple-combo run with upper part eccentered using bowsprings and lower part centralized using MCDs.  
 Fluid type was sea water; no barite corrections applied.  
 Depth recorded from drill floor; logs presented as-logged without depth corrections or shifts, as per client instructions.  
 All logs presented in wireline measured depth below rig floor (MDBRF).  
 Caliper opened during upward passes; closed prior to re-entering pipe.  
 Hole size corrections made using caliper measurements for upward passes; bit size for downlog.  
 APS minitron off during downlog and repeat pass to avoid formation activation; turned on during main upward pass.  
 Caliper closed at 630m on the fly to facilitate pipe entry; APS switched off once safely inside pipe to avoid GR contamination.  
 Hole size found to be excessive over almost the entire open-hole interval, so all further logging runs were cancelled.

RUN 1			RUN 2		
SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:			SERVICE ORDER #: PROGRAM VERSION: FLUID LEVEL:		
19C0-187					
LOGGED INTERVAL	START	STOP	LOGGED INTERVAL	START	STOP

**EQUIPMENT DESCRIPTION**

RUN 1	RUN 2
<b>SURFACE EQUIPMENT</b>	
SFT-281 1 SFT-178 1 GSR-U 616008 WITM (EDTS)-A	


RUN 1	RUN 2																																			
<b>DOWNHOLE EQUIPMENT</b>																																				
<table border="0"> <tr> <td>LEH-QT</td> <td>MDSB_EDTC</td> <td></td> <td>38.54</td> <td>39.87</td> </tr> <tr> <td></td> <td>Mud Tempe</td> <td></td> <td>37.48</td> <td></td> </tr> <tr> <td>AH-369</td> <td>CTEM</td> <td></td> <td>36.91</td> <td>38.98</td> </tr> <tr> <td></td> <td>Gamma Ray</td> <td></td> <td>38.54</td> <td></td> </tr> <tr> <td>EDTC-B</td> <td>EFTB DIAG</td> <td></td> <td>36.56</td> <td></td> </tr> <tr> <td>EDTH-B 8303</td> <td>TelStatus</td> <td></td> <td></td> <td></td> </tr> <tr> <td>EDTC B 8247</td> <td>EDTCB File</td> <td></td> <td></td> <td></td> </tr> </table>	LEH-QT	MDSB_EDTC		38.54	39.87		Mud Tempe		37.48		AH-369	CTEM		36.91	38.98		Gamma Ray		38.54		EDTC-B	EFTB DIAG		36.56		EDTH-B 8303	TelStatus				EDTC B 8247	EDTCB File				
LEH-QT	MDSB_EDTC		38.54	39.87																																
	Mud Tempe		37.48																																	
AH-369	CTEM		36.91	38.98																																
	Gamma Ray		38.54																																	
EDTC-B	EFTB DIAG		36.56																																	
EDTH-B 8303	TelStatus																																			
EDTC B 8247	EDTCB File																																			



Kelly Bushing Elevation 0.0

Derrick Floor Elevation 0.0

Mean Sea Level 11.0



49812.430

Sea Bed

600.000125

Bit

1212.430

Total Depth - Dri

**Schlumberger**

**Main Pass**

MAXIS Field Log

**Output DLIS Files**

DEFAULT	MSS_LDEO_HRLA_LDL_011LUP	FN:14	PRODUCER	03-Nov-2015 15:17
RTB	MSS_LDEO_HRLA_LDL_011LUP	FN:15	PRODUCER	03-Nov-2015 15:17

**OP System Version: 19C0-187**

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

PIP SUMMARY

Time Mark Every 60 S

HNGS Spectroscopy Gamma Ray

HNGS Spectroscopy Gamma Ray (HSGR)  
(GAPI) 0 50

Area1  
From HCGR to HSGR

HNGS Borehole Potassium (HBHK)  
-0.05 (-----) 0.05

HNGS Computed Gamma Ray (HCGR)  
(GAPI) 0 100

Calibrated  
Downhole  
Force  
(CDF)  
(LBF)  
3000 0


HNGS Uranium (HURA)  
(PPM) -5 10


HLDS Caliper (LCAL)  
(IN) 0 20



Tension  
(TENS)  
(LBF)  
10000 0

HNGS Thorium (HTHO)  
(PPM) 5 25


HNGS Potassium (HFK)  
-0.01 (-----) 0.04





























875  
900






















1150  
1175





PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value	
BHS	HRLT-B: High Resolution Laterolog Array - B		
BHS	Borehole Status	OPEN	
GCSE	Generalized Caliper Selection	LCAL	
BHS	APS-C: Accelerator-Porosity Tool		
BHS	Borehole Status	OPEN	
GCSE	Generalized Caliper Selection	LCAL	
BHS	HNGS-BA: Hostile Natural Gamma Ray Sonde		
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	LCAL	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00201675	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	1.02669	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	1.01808	
BHS	EDTC-B: Enhanced DTS Cartridge		
BHS	Borehole Status	OPEN	

## OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_011LUP	FN:14	PRODUCER	03-Nov-2015 15:17
RTB	MSS_LDEO_HRLA_LDL_011LUP	FN:15	PRODUCER	03-Nov-2015 15:17

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_011LUP	FN:14	PRODUCER	03-Nov-2015 15:17	1211.6 M	484.5 M
RTB	MSS_LDEO_HRLA_LDL_011LUP	FN:15	PRODUCER	03-Nov-2015 15:17	1211.6 M	484.5 M


## OP System Version: 19C0-187


MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB


### PIP SUMMARY



Time Mark Every 60 S


		<b>HRLT True Resistivity (RT_HRLT)</b>			
		0.2 (OHMM) 20			
		<b>HRLT Resistivity 1 (RLA1)</b>			
		0.2 (OHMM) 20			
		<b>HRLT Resistivity 2 (RLA2)</b>			<b>HLDS Bulk Density Correction (DRH)</b>
		0.2 (OHMM) 20			-0.25 (G/C3) 0.25
		<b>HRLT Resistivity 3 (RLA3)</b>			<b>HLDS Bulk Density (RHOM)</b>
		0.2 (OHMM) 20			0 (G/C3) 4
<b>HNGS Spectroscopy Gamma Ray (HSGR)</b>	<b>Calibrated Downhole Force (CDF) (LBF)</b>	<b>HRLT Resistivity 5 (RLA5)</b>			<b>HLDS Long Spaced Photoelectric Effect (PEFL)</b>
0 (GAPI) 50	3000 0	0.2 (OHMM) 20			0 (----) 10
<b>HLDS Caliper (LCAL)</b>	<b>Tension (TENS) (LBF)</b>	<b>HRLT Resistivity 4 (RLA4)</b>			<b>APS Corrected Standoff Porosity (STPC)</b>
0 (IN) 20	10000 0	0.2 (OHMM) 20			100 (PU) 0



































950

975














HLDS Caliper (LCAL)  
(IN)

0 20

HNGS Spectroscopy Gamma Ray  
(HSGR)  
(GAPI)

0 50

Tension  
(TENS)  
(LBF)

10000 0

Calibrated  
Downhole  
Force  
(CDF)  
(LBF)

0 20

HRLT Resistivity 4 (RLA4)  
(OHMM)

0.2 20

HRLT Resistivity 5 (RLA5)  
(OHMM)

0.2 20

APS Corrected Standoff Porosity  
(STPC)  
(PU)

100 0

HLDS Long Spaced Photoelectric Effect  
(PEFL)  
(----)

0 10

3000	0	<b>HRLT Resistivity 3 (RLA3)</b>	<b>HLDS Bulk Density (RHOM)</b>
0.2	(OHMM)	20	0 (G/C3) 4
0.2	(OHMM)	20	<b>HLDS Bulk Density Correction (DRH)</b>
0.2	(OHMM)	20	-0.25 (G/C3) 0.25
0.2	(OHMM)	20	
0.2	(OHMM)	20	

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value	
<b>HRLT-B: High Resolution Laterolog Array - B</b>			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE	
CALTEMP	HRLTB Calibration Temperature	19.4807	DEGC
FREQ0	HRLT Frequency Index for Mode 0	32	
FREQ1	HRLT Frequency Index for Mode 1	128	
FREQ2	HRLT Frequency Index for Mode 2	104	
FREQ3	HRLT Frequency Index for Mode 3	86	
FREQ4	HRLT Frequency Index for Mode 4	56	
FREQ5	HRLT Frequency Index for Mode 5	44	
FREQ6	HRLT Frequency Index for Mode 6	116	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	Barite Mud Switch	NOBARITE	
KFAC_HRLT	HRLT K Factor Option	SONDE	
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW	
LOOPMOD0	HRLT Mode 0 Loop Mode	AUTO	
LOOPMOD1	HRLT Mode 1 Loop Mode	AUTO	
LOOPMOD2	HRLT Mode 2 Loop Mode	AUTO	
LOOPMOD3	HRLT Mode 3 Loop Mode	AUTO	
LOOPMOD4	HRLT Mode 4 Loop Mode	AUTO	
LOOPMOD5	HRLT Mode 5 Loop Mode	AUTO	
LOOPMOD6	HRLT Mode 6 Loop Mode	AUTO	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
PROCINV	Inversion Selection	ON	
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO	
PROCMSO	Mechanical Standoff Fin Size	0	IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute	
PROCSPO	Sonde Position	Centered	
SHT	Surface Hole Temperature	20	DEGC
<b>HLDS: Hostile Litho-Density Sonde</b>			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.6	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
<b>APS-C: Accelerator-Porosity Tool</b>			
AASD	APS Software Version	5	
ADSO	APS Thermal and Array Detectors High Voltage Setting	1941.83	V
AFSD	APS Array Detectors Data Source Switch	Both	
AHCS	APS Far Detector High Voltage Setting	2032.14	V
	APS Holesize Correction Source	GCSE	

AHSS	APS Holesize Correction Switch	ON	
AMTY	APS Environmental Corrections Mud Type	WaterBaseBarite	
ANSD	APS Near Detector High Voltage Setting	1700.66	V
ASOS	APS Standoff Correction Switch	ON	
ATSS	APS Temperature-Pressure-Salinity Correction Switch	OFF	
BHFL_APS	APS TNPH Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
BSCO_APS	APS TNPH Borehole Salinity Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
DSCO_APS	APS TNPH Density Source Correction Option	MEASURED	
FSAL	Formation Salinity	-50000	PPM
FSCO_APS	APS TNPH Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO_APS	APS TNPH Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO_APS	APS TNPH Mud Cake Correction Option	NO	
MCOR_APS	APS TNPH Mud Correction	NATU	
MWCO_APS	APS TNPH Mud Weight Correction Option	YES	
NARC	APS Near/Array Calibration Ratio	1.08475	
NFRC	APS Near/Far Calibration Ratio	0.978244	
PTCO_APS	APS TNPH Pressure/Temperature Correction Option	NO	
SHT	Surface Hole Temperature	20	DEGC
TNCO_APS	APS TNPH Computation Option	YES	

HNGS-BA: Hostile Natural Gamma Ray Sonde

BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00201675	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	1.02669	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	1.01808	

EDTC-B: Enhanced DTS Cartridge

BHFL	Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
BSCO	Borehole Salinity Correction Option	NO	
CCCO	Casing & Cement Thickness Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
FSAL	Formation Salinity	-50000	PPM
FSCO	Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO	Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO	Mud Cake Correction Option	NO	
MCOR	Mud Correction	NATU	
MWCO	Mud Weight Correction Option	YES	
PTCO	Pressure/Temperature Correction Option	NO	
SDAT	Standoff Data Source	SOCN	
SHT	Surface Hole Temperature	20	DEGC

SOCN	Standoff Distance	0.5	IN
SOCO	Standoff Correction Option	NO	
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered	
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS	
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS	
System and Miscellaneous			
ALTDPCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	11.438	IN
BSAL	Borehole Salinity	38000.00	PPM
CSIZ	Current Casing Size	5.500	IN
CWEI	Casing Weight	168.00	LB/F
DFD	Drilling Fluid Density	1.05	G/C3
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	23.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	1212.2	M
TDD	Total Depth - Driller	1212.20	M
TDL	Total Depth - Logger	1212.20	M
TWS	Temperature of Connate Water Sample	37.78	DEGC

Format: TripleCombo Vertical Scale: 1:200 Graphics File Created: 03-Nov-2015 15:17

### OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_011LUP	FN:14	PRODUCER	03-Nov-2015 15:17
RTB	MSS_LDEO_HRLA_LDL_011LUP	FN:15	PRODUCER	03-Nov-2015 15:17

Company: International Ocean Discovery Program Well: Expedition 359, Site U1467C

### Output DLIS Files


DEFAULT	MSS_LDEO_HRLA_LDL_011LUP	FN:14	PRODUCER	03-Nov-2015 15:17	1211.6 M	484.5 M
RTB	MSS_LDEO_HRLA_LDL_011LUP	FN:15	PRODUCER	03-Nov-2015 15:17	1211.6 M	484.5 M


### OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB


### PIP SUMMARY


Time Mark Every 60 S










































HLDS Caliper (LCAL)  
(IN)

0 20

Tension  
(TENS)  
(LBF)

10000 0

Axial Acceleration (MSSZACC\_LDEO)  
(M/S<sup>2</sup>)

0 20

Calibrated  
Downhole

PIP SUMMARY

Time Mark Every 60 S

## Parameters

DLIS Name	Description	Value	
<b>HRLT-B: High Resolution Laterolog Array - B</b>			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE	
CALTEMP	HRLTB Calibration Temperature	19.4807	DEGC
FREQ0	HRLT Frequency Index for Mode 0	32	
FREQ1	HRLT Frequency Index for Mode 1	128	
FREQ2	HRLT Frequency Index for Mode 2	104	
FREQ3	HRLT Frequency Index for Mode 3	86	
FREQ4	HRLT Frequency Index for Mode 4	56	
FREQ5	HRLT Frequency Index for Mode 5	44	
FREQ6	HRLT Frequency Index for Mode 6	116	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	Barite Mud Switch	NOBARITE	
KFAC_HRLT	HRLT K Factor Option	SONDE	
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW	
LOOPMOD0	HRLT Mode 0 Loop Mode	AUTO	
LOOPMOD1	HRLT Mode 1 Loop Mode	AUTO	
LOOPMOD2	HRLT Mode 2 Loop Mode	AUTO	
LOOPMOD3	HRLT Mode 3 Loop Mode	AUTO	
LOOPMOD4	HRLT Mode 4 Loop Mode	AUTO	
LOOPMOD5	HRLT Mode 5 Loop Mode	AUTO	
LOOPMOD6	HRLT Mode 6 Loop Mode	AUTO	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
PROCINV	Inversion Selection	ON	
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO	
PROCMSO	Mechanical Standoff Fin Size	0	IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute	
PROCSPO	Sonde Position	Centered	
SHT	Surface Hole Temperature	20	DEGC
<b>HLDS: Hostile Litho-Density Sonde</b>			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.6	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
<b>APS-C: Accelerator-Porosity Tool</b>			
AASD	APS Software Version	5	
ADSO	APS Thermal and Array Detectors High Voltage Setting	1941.83	V
AFSD	APS Array Detectors Data Source Switch	Both	
AHCS	APS Far Detector High Voltage Setting	2032.14	V
AHSS	APS Holesize Correction Source	GCSE	
AMTY	APS Holesize Correction Switch	ON	
ANSD	APS Environmental Corrections Mud Type	WaterBaseBarite	
ASOS	APS Near Detector High Voltage Setting	1700.66	V
ATSS	APS Standoff Correction Switch	ON	
BHFL_APS	APS Temperature-Pressure-Salinity Correction Switch	OFF	
BHS	APS TNPH Borehole Fluid Type	WATER	
BHT	Borehole Status	OPEN	
BSCO_APS	Bottom Hole Temperature (used in calculations)	40	DEGC
DPPM	APS TNPH Borehole Salinity Correction Option	NO	
PCCO_APS	Density Porosity Processing Mode	HIRS	
PCCO_APS	APS TNPH Density Compensation Option	MEASURED	

DSCO_APS	Formation Salinity	MEASURED	
FSAL	Formation Salinity Correction Option	-50000	PPM
FSCO_APS	APS TNPH Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO_APS	APS TNPH Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO_APS	APS TNPH Mud Cake Correction Option	NO	
MCOR_APS	APS TNPH Mud Correction	NATU	
MWCO_APS	APS TNPH Mud Weight Correction Option	YES	
NARC	APS Near/Array Calibration Ratio	1.08475	
NFRC	APS Near/Far Calibration Ratio	0.978244	
PTCO_APS	APS TNPH Pressure/Temperature Correction Option	NO	
SHT	Surface Hole Temperature	20	DEGC
TNCO_APS	APS TNPH Computation Option	YES	
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00201675	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	1.02669	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	1.01808	
EDTC-B: Enhanced DTS Cartridge			
BHFL	Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
BSCO	Borehole Salinity Correction Option	NO	
CCCO	Casing & Cement Thickness Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
FSAL	Formation Salinity	-50000	PPM
FSCO	Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO	Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO	Mud Cake Correction Option	NO	
MCOR	Mud Correction	NATU	
MWCO	Mud Weight Correction Option	YES	
PTCO	Pressure/Temperature Correction Option	NO	
SDAT	Standoff Data Source	SOCN	
SHT	Surface Hole Temperature	20	DEGC
SOCN	Standoff Distance	0.5	IN
SOCO	Standoff Correction Option	NO	
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered	
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS	
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS	
System and Miscellaneous			
ALTDPCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	11.438	IN
BSAL	Borehole Salinity	38000.00	PPM
CSIZ	Current Casing Size	5.500	IN

CWEI	Casing Weight	168.00	LB/F
DFD	Drilling Fluid Density	1.05	G/C3
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	23.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	1212.2	M
TDD	Total Depth - Driller	1212.20	M
TDL	Total Depth - Logger	1212.20	M
TWS	Temperature of Connate Water Sample	37.78	DEGC

Format: MSS\_Logging    Vertical Scale: 1:200    Graphics File Created: 03-Nov-2015 15:17

### OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_011LUP	FN:14	PRODUCER	03-Nov-2015 15:17
RTB	MSS_LDEO_HRLA_LDL_011LUP	FN:15	PRODUCER	03-Nov-2015 15:17



Repeat Pass

MAXIS Field Log

### Output DLIS Files


DEFAULT	MSS_LDEO_HRLA_LDL_010LUP	FN:12	PRODUCER	03-Nov-2015 14:41	1211.6 M	1079.0 M
RTB	MSS_LDEO_HRLA_LDL_010LUP	FN:13	PRODUCER	03-Nov-2015 14:41	1211.6 M	1079.0 M


### OP System Version: 19C0-187



MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB



### PIP SUMMARY

Time Mark Every 60 S









PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
HRLT-B: High Resolution Laterolog Array - B		
BHS	Borehole Status	OPEN
GCSE	Generalized Caliper Selection	LCAL
APS-C: Accelerator-Porosity Tool		
BHS	Borehole Status	OPEN
GCSE	Generalized Caliper Selection	LCAL
HNGS-BA: Hostile Natural Gamma Ray Sonde		
BAR1	HNGS Detector 1 Barite Constant	1
BAR2	HNGS Detector 2 Barite Constant	1
BHK	HNGS Borehole Potassium Correction Concentration	0
BHS	Borehole Status	OPEN
CSD1	Inner Casing Outer Diameter	0 IN
CSD2	Outer Casing Outer Diameter	0 IN
CSW1	Inner Casing Weight	0 LB/F
CSW2	Outer Casing Weight	0 LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE
GCSE	Generalized Caliper Selection	LCAL
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW

H2P	HNGS Detector 2 Allow/Disallow in Processing	ALLOW	-0.00229617	
HABK	HNGS Borehole Potassium Running Average	60		IN
HALF	HNGS Alpha Filter Length	NONE		
HCRB	HNGS Apply Borehole Potassium Correction	NATU		
HMWM	Mud Weighting Material	YES		
HNPE	HNGS Processing Enable	1.3		CPS
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3		CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	YES		
SGRC	HNGS Standard Gamma-Ray Correction Flag	ECCE		
TPOS	Tool Position	1.04001		
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.984862		
VBA2	HNGS Detector 2 Variable Barite Factor Running Average			
EDTC-B: Enhanced DTS Cartridge				
BHS	Borehole Status	OPEN		
GCSE	Generalized Caliper Selection	LCAL		
System and Miscellaneous				
BS	Bit Size	11.438		IN
DFD	Drilling Fluid Density	1.05		G/C3

Format: HNGSYields    Vertical Scale: 1:200    Graphics File Created: 03-Nov-2015 14:41

### OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_010LUP	FN:12	PRODUCER	03-Nov-2015 14:41
RTB	MSS_LDEO_HRLA_LDL_010LUP	FN:13	PRODUCER	03-Nov-2015 14:41

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_010LUP	FN:12	PRODUCER	03-Nov-2015 14:41	1211.6 M	1079.0 M
RTB	MSS_LDEO_HRLA_LDL_010LUP	FN:13	PRODUCER	03-Nov-2015 14:41	1211.6 M	1079.0 M

### OP System Version: 19C0-187



MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB


### PIP SUMMARY


Time Mark Every 60 S

		<b>HRLT True Resistivity (RT_HRLT)</b>			
		0.2	(OHMM)	20	
		<b>HRLT Resistivity 1 (RLA1)</b>			
		0.2	(OHMM)	20	
		<b>HRLT Resistivity 2 (RLA2)</b>		<b>HLDS Bulk Density Correction (DRH)</b>	
		0.2	(OHMM)	20	-0.25 (G/C3) 0.25
		<b>HRLT Resistivity 3 (RLA3)</b>		<b>HLDS Bulk Density (RHOM)</b>	
		0.2	(OHMM)	20	0 (G/C3) 4
<b>HNGS Spectroscopy Gamma Ray (HSGR)</b>	<b>Calibrated Downhole Force (CDF) (LBF)</b>	<b>HRLT Resistivity 5 (RLA5)</b>		<b>HLDS Long Spaced Photoelectric Effect (PEFL)</b>	
0 (GAPI) 50	3000 0	0.2	(OHMM)	20	0 (----) 10
<b>HLDS Caliper (LCAL)</b>	<b>Tension (TENS) (LBF)</b>	<b>HRLT Resistivity 4 (RLA4)</b>		<b>APS Corrected Standoff Porosity (STPC)</b>	
0 (IN) 20	10000 0	0.2	(OHMM)	20	100 (PU) 0









PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
HRLT-B: High Resolution Laterolog Array - B		
BHS	Borehole Status	OPEN
BHT	Bottom Hole Temperature (used in calculations)	40 DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE
CALTEMP	HRLTB Calibration Temperature	19.4807 DEGC
FREQ0	HRLT Frequency Index for Mode 0	32
FREQ1	HRLT Frequency Index for Mode 1	128
FREQ2	HRLT Frequency Index for Mode 2	104
FREQ3	HRLT Frequency Index for Mode 3	86
FREQ4	HRLT Frequency Index for Mode 4	56
FREQ5	HRLT Frequency Index for Mode 5	44
FREQ6	HRLT Frequency Index for Mode 6	116
GCSE	Generalized Caliper Selection	LCAL
GDEV	Average Angular Deviation of Borehole from Normal	0 DEG
GGRD	Geothermal Gradient	0.018227 DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN 9

GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	Barite Mud Switch	NOBARITE	
KFAC_HRLT	HRLT K Factor Option	SONDE	
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW	
LOOPMOD0	HRLT Mode 0 Loop Mode	AUTO	
LOOPMOD1	HRLT Mode 1 Loop Mode	AUTO	
LOOPMOD2	HRLT Mode 2 Loop Mode	AUTO	
LOOPMOD3	HRLT Mode 3 Loop Mode	AUTO	
LOOPMOD4	HRLT Mode 4 Loop Mode	AUTO	
LOOPMOD5	HRLT Mode 5 Loop Mode	AUTO	
LOOPMOD6	HRLT Mode 6 Loop Mode	AUTO	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
PROCINV	Inversion Selection	ON	
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO	
PROCMSO	Mechanical Standoff Fin Size	0	IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute	
PROCSPO	Sonde Position	Centered	
SHT	Surface Hole Temperature	20	DEGC
HLDS: Hostile Litho-Density Sonde			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.6	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
APS-C: Accelerator-Porosity Tool			
	APS Software Version	5	
AASD	APS Thermal and Array Detectors High Voltage Setting	1941.83	V
ADSO	APS Array Detectors Data Source Switch	Both	
AFSD	APS Far Detector High Voltage Setting	2032.14	V
AHCS	APS Holesize Correction Source	GCSE	
AHSS	APS Holesize Correction Switch	ON	
AMTY	APS Environmental Corrections Mud Type	WaterBaseBarite	
ANSD	APS Near Detector High Voltage Setting	1700.66	V
ASOS	APS Standoff Correction Switch	ON	
ATSS	APS Temperature-Pressure-Salinity Correction Switch	OFF	
BHFL_APS	APS TNPH Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
BSCO_APS	APS TNPH Borehole Salinity Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
DSCO_APS	APS TNPH Density Source Correction Option	MEASURED	
FSAL	Formation Salinity	-50000	PPM
FSCO_APS	APS TNPH Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO_APS	APS TNPH Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO_APS	APS TNPH Mud Cake Correction Option	NO	
MCOR_APS	APS TNPH Mud Correction	NATU	
MWCO_APS	APS TNPH Mud Weight Correction Option	YES	
NARC	APS Near/Array Calibration Ratio	1.08475	
NFRC	APS Near/Far Calibration Ratio	0.978244	
PTCO_APS	APS TNPH Pressure/Temperature Correction Option	NO	
SHT	Surface Hole Temperature	20	DEGC
TNCO_APS	APS TNPH Computation Option	YES	
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	LCAL	

GCSE	Generalized Caliper Selection	LCAL	0	DEG
GDEV	Average Angular Deviation of Borehole from Normal		0.018227	DC/M
GGRD	Geothermal Gradient			
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9		
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE		
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW		
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW		
HABK	HNGS Borehole Potassium Running Average		-0.00229617	
HALF	HNGS Alpha Filter Length		60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE		
HMWM	Mud Weighting Material	NATU		
HNPE	HNGS Processing Enable	YES		
ISSBAR	Barite Mud Switch	NOBARITE		
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE		
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate		1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate		1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES		
SHT	Surface Hole Temperature		20	DEGC
TPOS	Tool Position	ECCE		
VBA1	HNGS Detector 1 Variable Barite Factor Running Average		1.04001	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average		0.984862	
<b>EDTC-B: Enhanced DTS Cartridge</b>				
BHFL	Borehole Fluid Type	WATER		
BHS	Borehole Status	OPEN		
BHT	Bottom Hole Temperature (used in calculations)		40	DEGC
BSCO	Borehole Salinity Correction Option	NO		
CCCO	Casing & Cement Thickness Correction Option	NO		
DPPM	Density Porosity Processing Mode	HIRS		
FSAL	Formation Salinity		-50000	PPM
FSCO	Formation Salinity Correction Option	NO		
GCSE	Generalized Caliper Selection	LCAL		
GDEV	Average Angular Deviation of Borehole from Normal		0	DEG
GGRD	Geothermal Gradient		0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9		
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE		
HSCO	Hole Size Correction Option	YES		
ISSBAR	Barite Mud Switch	NOBARITE		
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE		
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE		
MCCO	Mud Cake Correction Option	NO		
MCOR	Mud Correction	NATU		
MWCO	Mud Weight Correction Option	YES		
PTCO	Pressure/Temperature Correction Option	NO		
SDAT	Standoff Data Source	SOCN		
SHT	Surface Hole Temperature		20	DEGC
SOCN	Standoff Distance		0.5	IN
SOCO	Standoff Correction Option	NO		
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered		
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS		
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS		
<b>System and Miscellaneous</b>				
ALTDPCCHAN	Name of alternate depth channel	SpeedCorrectedDepth		
BS	Bit Size		11.438	IN
BSAL	Borehole Salinity		38000.00	PPM
CSIZ	Current Casing Size		5.500	IN
CWEI	Casing Weight		168.00	LB/F
DFD	Drilling Fluid Density		1.05	G/C3
FLEV	Fluid Level		-50000.00	M
MST	Mud Sample Temperature		23.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO		
RMFS	Resistivity of Mud Filtrate Sample		-50000.0000	OHMM
RW	Resistivity of Connate Water		1.0000	OHMM
TD	Total Depth		1212.2	M
TDD	Total Depth - Driller		1212.20	M
TDL	Total Depth - Logger		1212.20	M
TWS	Temperature of Connate Water Sample		37.78	DEGC

Format: TripleCombo Vertical Scale: 1:200 Graphics File Created: 03-Nov-2015 14:41

### OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_010LUP	FN:12	PRODUCER	03-Nov-2015 14:41
RTB	MSS_LDEO_HRLA_LDL_010LUP	FN:13	PRODUCER	03-Nov-2015 14:41

### Output DLIS Files


DEFAULT	MSS_LDEO_HRLA_LDL_010LUP	FN:12	PRODUCER	03-Nov-2015 14:41	1211.6 M	1079.0 M
RTB	MSS_LDEO_HRLA_LDL_010LUP	FN:13	PRODUCER	03-Nov-2015 14:41	1211.6 M	1079.0 M


### OP System Version: 19C0-187



MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

### PIP SUMMARY

Time Mark Every 60 S







PIP SUMMARY

Time Mark Every 60 S



# Parameters

DLIS Name	Description	Value	
<b>HRLT-B: High Resolution Laterolog Array - B</b>			
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
CALSTAT	HRLTB Calibration Status	SHALLOW_DONE	
CALTEMP	HRLTB Calibration Temperature	19.4807	DEGC
FREQ0	HRLT Frequency Index for Mode 0	32	
FREQ1	HRLT Frequency Index for Mode 1	128	
FREQ2	HRLT Frequency Index for Mode 2	104	
FREQ3	HRLT Frequency Index for Mode 3	86	
FREQ4	HRLT Frequency Index for Mode 4	56	
FREQ5	HRLT Frequency Index for Mode 5	44	
FREQ6	HRLT Frequency Index for Mode 6	116	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
ISSBAR	Barite Mud Switch	NOBARITE	
KFAC_HRLT	HRLT K Factor Option	SONDE	
LOOPCOEF_S	HRLT Loop Coefficient for Shallow Modes	LOW	
LOOPMOD0	HRLT Mode 0 Loop Mode	AUTO	
LOOPMOD1	HRLT Mode 1 Loop Mode	AUTO	
LOOPMOD2	HRLT Mode 2 Loop Mode	AUTO	
LOOPMOD3	HRLT Mode 3 Loop Mode	AUTO	
LOOPMOD4	HRLT Mode 4 Loop Mode	AUTO	
LOOPMOD5	HRLT Mode 5 Loop Mode	AUTO	
LOOPMOD6	HRLT Mode 6 Loop Mode	AUTO	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
PROCINV	Inversion Selection	ON	
PROCMFL	Inversion Micro-Resistivity Selection	NO_EXTERNAL_RXO	
PROCMFO	Mechanical Standoff Fin Size	0	IN
PROCRM	Processing Mud Resistivity Select	HRLT_Compute	
PROCSPO	Sonde Position	Centered	
SHT	Surface Hole Temperature	20	DEGC
<b>HLDS: Hostile Litho-Density Sonde</b>			
CLCL	HLDS LS Control Loop Controller Mode	AUTO_DEFAULT	
CLCS	HLDS SS Control Loop Controller Mode	AUTO_DEFAULT	
CLLS	HLDS Mode Loop Long Spacing	AUTO	
CLSS	HLDS Mode Loop Short Spacing	AUTO	
DHC	Density Hole Correction	BS	
DPPM	Density Porosity Processing Mode	HIRS	
FD	Fluid Density	1	G/C3
LATC	HLDS Activation Correction	ON	
LLDL	HLDS LS Low Level Discriminator DAC	14000	
LLDS	HLDS SS Low Level Discriminator DAC	14000	
LLML	HLDS LS Low Level Discriminator Mode	AUTO	
LLMS	HLDS SS Low Level Discriminator Mode	AUTO	
MDEN	Matrix Density	2.6	G/C3
PHVL	HLDS Long Spacing High Voltage Setting	1000	V
PHVS	HLDS Short Spacing High Voltage Setting	1000	V
PSDL	HLDS LS Pulse Shape Compensation DAC	30000	
PSDS	HLDS SS Pulse Shape Compensation DAC	30000	
PSML	HLDS LS Pulse Shape Compensation Mode	AUTO	
PSMS	HLDS SS Pulse Shape Compensation Mode	AUTO	
<b>APS-C: Accelerator-Porosity Tool</b>			
	APS Software Version	5	
AASD	APS Thermal and Array Detectors High Voltage Setting	1941.83	V
ADSO	APS Array Detectors Data Source Switch	Both	
AFSD	APS Far Detector High Voltage Setting	2032.14	V
AHCS	APS Holesize Correction Source	GCSE	
AHSS	APS Holesize Correction Switch	ON	
AMTY	APS Environmental Corrections Mud Type	WaterBaseBarite	
ANSD	APS Near Detector High Voltage Setting	1700.66	V
ASOS	APS Standoff Correction Switch	ON	
ATSS	APS Temperature-Pressure-Salinity Correction Switch	OFF	
BHFL_APS	APS TNPH Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
BSCO_APS	APS TNPH Borehole Salinity Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
DSCO_APS	APS TNPH Density Source Correction Option	MEASURED	
FSAL	Formation Salinity	-50000	PPM
FSCO_APS	APS TNPH Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO_APS	APS TNPH Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	

ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO_APS	APS TNPH Mud Cake Correction Option	NO	
MCOR_APS	APS TNPH Mud Correction	NATU	
MWCO_APS	APS TNPH Mud Weight Correction Option	YES	
NARC	APS Near/Array Calibration Ratio	1.08475	
NFRC	APS Near/Far Calibration Ratio	0.978244	
PTCO_APS	APS TNPH Pressure/Temperature Correction Option	NO	
SHT	Surface Hole Temperature	20	DEGC
TNCO_APS	APS TNPH Computation Option	YES	

HNGS-BA: Hostile Natural Gamma Ray Sonde

BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00229617	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
SHT	Surface Hole Temperature	20	DEGC
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	1.04001	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	0.984862	

EDTC-B: Enhanced DTS Cartridge

BHFL	Borehole Fluid Type	WATER	
BHS	Borehole Status	OPEN	
BHT	Bottom Hole Temperature (used in calculations)	40	DEGC
BSCO	Borehole Salinity Correction Option	NO	
CCCO	Casing & Cement Thickness Correction Option	NO	
DPPM	Density Porosity Processing Mode	HIRS	
FSAL	Formation Salinity	-50000	PPM
FSCO	Formation Salinity Correction Option	NO	
GCSE	Generalized Caliper Selection	LCAL	
GDEV	Average Angular Deviation of Borehole from Normal	0	DEG
GGRD	Geothermal Gradient	0.018227	DC/M
GRSE	Generalized Mud Resistivity Selection	CHART_GEN_9	
GTSE	Generalized Temperature Selection	LINEAR_ESTIMATE	
HSCO	Hole Size Correction Option	YES	
ISSBAR	Barite Mud Switch	NOBARITE	
ISSBAR_EDTC	Nuclear Mud Type	NOBARITE	
MATR	Rock Matrix for Neutron Porosity Corrections	LIMESTONE	
MCCO	Mud Cake Correction Option	NO	
MCOR	Mud Correction	NATU	
MWCO	Mud Weight Correction Option	YES	
PTCO	Pressure/Temperature Correction Option	NO	
SDAT	Standoff Data Source	SOCN	
SHT	Surface Hole Temperature	20	DEGC
SOCN	Standoff Distance	0.5	IN
SOCO	Standoff Correction Option	NO	
TPOS_EDTC	EDTC Tool Centered/Eccentered	Eccentered	
U-ETELM_EDTS	Telemetry Mode for eWAFE	Standard_EDTS	
U-TELM_EDTS	Telemetry Mode for WAFE	Standard_EDTS	

System and Miscellaneous

ALTDPCCHAN	Name of alternate depth channel	SpeedCorrectedDepth	
BS	Bit Size	11.438	IN
BSAL	Borehole Salinity	38000.00	PPM
CSIZ	Current Casing Size	5.500	IN
CWEI	Casing Weight	168.00	LB/F
DFD	Drilling Fluid Density	1.05	G/C3
FLEV	Fluid Level	-50000.00	M
MST	Mud Sample Temperature	23.00	DEGC
PBVSADP	Use alternate depth channel for playback	NO	
RMFS	Resistivity of Mud Filtrate Sample	-50000.0000	OHMM
RW	Resistivity of Connate Water	1.0000	OHMM
TD	Total Depth	1212.2	M
TDD	Total Depth - Driller	1212.20	M
TDL	Total Depth - Log	1212.20	M

## OP System Version: 19C0-187

MSS_LDEO-A	19C0-187	HRLT-B	19C0-187
HLDS	19C0-187	LDSC-B	19C0-187
APS-C	19C0-187	HNGC-B	19C0-187
HNGS-BA	19C0-187	EDTC-B	SKK-5169-EDTCB

### Output DLIS Files

DEFAULT	MSS_LDEO_HRLA_LDL_010LUP	FN:12	PRODUCER	03-Nov-2015 14:41
RTB	MSS_LDEO_HRLA_LDL_010LUP	FN:13	PRODUCER	03-Nov-2015 14:41



## Calibrations

MAXIS Field Log

#### Calibration and Check Summary

Measurement	Nominal	Master	Before	After	Change	Limit	Units
<b>High Resolution Laterolog Array - B Wellsite Calibration - HRLT M01</b>							
Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43							
HRLT M0-M1 Voltage Plus - 0	0	N/A	-318.3	-318.8	-0.5461	9.681	UV
HRLT M0-M1 Voltage Plus - 1	0	N/A	-330.8	-331.8	-0.9750	9.681	UV
HRLT M0-M1 Voltage Plus - 2	0	N/A	-338.1	-339.0	-0.8572	9.681	UV
HRLT M0-M1 Voltage Plus - 3	0	N/A	-329.0	-329.8	-0.8149	9.681	UV
HRLT M0-M1 Voltage Plus - 4	0	N/A	-319.8	-320.0	-0.2249	9.681	UV
HRLT M0-M1 Voltage Plus - 5	0	N/A	-321.6	-321.9	-0.3295	9.681	UV
HRLT M0-M1 Voltage Plus - 6	0	N/A	319.3	321.2	1.932	9.681	UV
HRLT M0-M1 Voltage Plus - 7	0	N/A	-322.7	-322.7	0	9.681	UV
<b>High Resolution Laterolog Array - B Wellsite Calibration - HRLT M12</b>							
Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43							
HRLT M1-M2 Voltage Plus - 0	0	N/A	1738	1742	4.027	53.42	UV
HRLT M1-M2 Voltage Plus - 1	0	N/A	1813	1820	7.063	53.42	UV
HRLT M1-M2 Voltage Plus - 2	0	N/A	1846	1853	6.307	53.42	UV
HRLT M1-M2 Voltage Plus - 3	0	N/A	1795	1800	5.734	53.42	UV
HRLT M1-M2 Voltage Plus - 4	0	N/A	1744	1746	2.593	53.42	UV
HRLT M1-M2 Voltage Plus - 5	0	N/A	1754	1757	3.023	53.42	UV
HRLT M1-M2 Voltage Plus - 6	0	N/A	-1758	-1770	-11.98	53.42	UV
HRLT M1-M2 Voltage Plus - 7	0	N/A	1781	1781	0	53.42	UV
<b>High Resolution Laterolog Array - B Wellsite Calibration - HRLT M23</b>							
Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43							
HRLT M2-M3 Voltage Plus - 0	0	N/A	1730	1733	3.564	53.42	UV
HRLT M2-M3 Voltage Plus - 1	0	N/A	1815	1822	6.822	53.42	UV
HRLT M2-M3 Voltage Plus - 2	0	N/A	1850	1856	6.040	53.42	UV
HRLT M2-M3 Voltage Plus - 3	0	N/A	1802	1807	5.603	53.42	UV
HRLT M2-M3 Voltage Plus - 4	0	N/A	1745	1747	1.973	53.42	UV
HRLT M2-M3 Voltage Plus - 5	0	N/A	1757	1759	2.561	53.42	UV
HRLT M2-M3 Voltage Plus - 6	0	N/A	-1749	-1761	-11.92	53.42	UV
HRLT M2-M3 Voltage Plus - 7	0	N/A	1781	1781	0	53.42	UV
<b>High Resolution Laterolog Array - B Wellsite Calibration - HRLT V34</b>							
Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43							
HRLT A3-A4 Voltage Plus - 0	0	N/A	68560	68720	158.1	2100	UV
HRLT A3-A4 Voltage Plus - 1	0	N/A	71780	72030	255.1	2100	UV
HRLT A3-A4 Voltage Plus - 2	0	N/A	73450	73680	235.0	2100	UV

HRLT A3-A4 Voltage Plus - 3	0	N/A	71800	72010	217.1	2100	UV
HRLT A3-A4 Voltage Plus - 4	0	N/A	69490	69590	94.92	2100	UV
HRLT A3-A4 Voltage Plus - 5	0	N/A	69970	70070	96.44	2100	UV
HRLT A3-A4 Voltage Plus - 6	0	N/A	-68190	-68630	-438.6	2100	UV
HRLT A3-A4 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT V45

Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43

HRLT A4-A5 Voltage Plus - 0	0	N/A	68660	68810	157.4	2100	UV
HRLT A4-A5 Voltage Plus - 1	0	N/A	71990	72230	242.3	2100	UV
HRLT A4-A5 Voltage Plus - 2	0	N/A	73630	73860	231.7	2100	UV
HRLT A4-A5 Voltage Plus - 3	0	N/A	71950	72180	223.9	2100	UV
HRLT A4-A5 Voltage Plus - 4	0	N/A	69590	69690	98.27	2100	UV
HRLT A4-A5 Voltage Plus - 5	0	N/A	70080	70160	84.14	2100	UV
HRLT A4-A5 Voltage Plus - 6	0	N/A	-68390	-68830	-443.8	2100	UV
HRLT A4-A5 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT V56

Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43

HRLT A5-A6 Voltage Plus - 0	0	N/A	68510	68660	141.8	2100	UV
HRLT A5-A6 Voltage Plus - 1	0	N/A	71810	72090	284.4	2100	UV
HRLT A5-A6 Voltage Plus - 2	0	N/A	73470	73710	237.4	2100	UV
HRLT A5-A6 Voltage Plus - 3	0	N/A	71810	72020	203.4	2100	UV
HRLT A5-A6 Voltage Plus - 4	0	N/A	69470	69550	76.88	2100	UV
HRLT A5-A6 Voltage Plus - 5	0	N/A	69940	70050	102.9	2100	UV
HRLT A5-A6 Voltage Plus - 6	0	N/A	-68230	-68680	-448.1	2100	UV
HRLT A5-A6 Voltage Plus - 7	0	N/A	70000	70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT VTP

Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43

HRLT Torpedo-M0 Voltage - 0	0	N/A	-68040	-68170	-137.8	2100	UV
HRLT Torpedo-M0 Voltage - 1	0	N/A	-71630	-71890	-258.2	2100	UV
HRLT Torpedo-M0 Voltage - 2	0	N/A	-73320	-73550	-232.3	2100	UV
HRLT Torpedo-M0 Voltage - 3	0	N/A	-71720	-71930	-207.6	2100	UV
HRLT Torpedo-M0 Voltage - 4	0	N/A	-69420	-69500	-89.36	2100	UV
HRLT Torpedo-M0 Voltage - 5	0	N/A	-69880	-69980	-93.98	2100	UV
HRLT Torpedo-M0 Voltage - 6	0	N/A	68000	68430	432.1	2100	UV
HRLT Torpedo-M0 Voltage - 7	0	N/A	-70000	-70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT VBD

Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43

HRLT Bridle#9-M0 Voltage - 0	0	N/A	-68070	-68210	-139.6	2100	UV
HRLT Bridle#9-M0 Voltage - 1	0	N/A	-71730	-71990	-261.7	2100	UV
HRLT Bridle#9-M0 Voltage - 2	0	N/A	-73400	-73640	-237.0	2100	UV
HRLT Bridle#9-M0 Voltage - 3	0	N/A	-71800	-72000	-198.2	2100	UV
HRLT Bridle#9-M0 Voltage - 4	0	N/A	-69460	-69550	-84.25	2100	UV
HRLT Bridle#9-M0 Voltage - 5	0	N/A	-69920	-70020	-98.30	2100	UV
HRLT Bridle#9-M0 Voltage - 6	0	N/A	68090	68520	437.0	2100	UV
HRLT Bridle#9-M0 Voltage - 7	0	N/A	-70000	-70000	0	2100	UV

High Resolution Laterolog Array - B Wellsite Calibration - HRLT ISO

Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43

HRLT Source Current Plus - 0	0	N/A	284.0	284.5	0.5223	8.520	UA
HRLT Source Current Plus - 1	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 2	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 3	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 4	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 5	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 6	0	N/A	281.1	281.1	0	8.520	UA
HRLT Source Current Plus - 7	0	N/A	281.1	281.1	0	8.520	UA

High Resolution Laterolog Array - B Wellsite Calibration - HRLT MV

Before: 3-Nov-2015 14:41 After: 3-Nov-2015 17:43

HRLT Vertical Voltage PI - 0	0	N/A	-320.0	-320.5	-0.5424	9.681	UV
HRLT Vertical Voltage PI - 1	0	N/A	-325.3	-326.5	-1.126	9.681	UV
HRLT Vertical Voltage PI - 2	0	N/A	-331.3	-332.3	-0.9674	9.681	UV
HRLT Vertical Voltage PI - 3	0	N/A	-320.6	-321.4	-0.8442	9.681	UV
HRLT Vertical Voltage PI - 4	0	N/A	-308.7	-309.0	-0.2888	9.681	UV
HRLT Vertical Voltage PI - 5	0	N/A	-325.4	-325.8	-0.4145	9.681	UV
HRLT Vertical Voltage PI - 6	0	N/A	326.5	328.7	2.202	9.681	UV
HRLT Vertical Voltage PI - 7	0	N/A	-322.7	-322.7	0	9.681	UV

Hostile Litho-Density Sonde Wellsite Calibration - Background Measurement

Master: 22-Sep-2015 10:04 Before: 3-Nov-2015 12:54 After: 3-Nov-2015 17:48

SS Cs Resolution Bkg	9.000	7.976	8.096	8.122	0.02601	1.800	%
LS Cs Resolution Bkg	9.000	8.193	8.250	8.234	-0.01561	1.800	%
LSW1 Background	100.0	66.90	66.49	67.07	0.5798	3.000	CPS
LSW2 Background	100.0	62.57	61.32	60.95	-0.3730	3.000	CPS
LSW3 Background	200.0	137.5	138.2	137.6	-0.5352	6.000	CPS
LSW4 Background	250.0	168.1	167.2	165.1	-2.138	7.500	CPS
LSW5 Background	600.0	381.5	382.4	383.9	1.523	18.000	CPS

SSW1 Background	100.0	76.27	74.92	74.48	-0.4443	3.000	CPS
SSW2 Background	200.0	135.1	134.5	134.8	0.3646	6.000	CPS
SSW3 Background	500.0	363.6	363.0	362.6	-0.4432	15.00	CPS
SSW4 Background	270.0	191.2	188.2	188.8	0.5936	8.100	CPS
SSW5 Background	200.0	137.5	135.6	136.2	0.6624	6.000	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Aluminum Measurement

Master: 22-Sep-2015 10:43

LSW1 Aluminum	600.0	535.9	N/A	N/A	N/A	N/A	CPS
LSW2 Aluminum	900.0	752.4	N/A	N/A	N/A	N/A	CPS
LSW3 Aluminum	1100	887.1	N/A	N/A	N/A	N/A	CPS
LSW4 Aluminum	580.0	436.0	N/A	N/A	N/A	N/A	CPS
LSW5 Aluminum	570.0	402.7	N/A	N/A	N/A	N/A	CPS
SSW1 Aluminum	2800	2334	N/A	N/A	N/A	N/A	CPS
SSW2 Aluminum	8000	6299	N/A	N/A	N/A	N/A	CPS
SSW3 Aluminum	11600	8758	N/A	N/A	N/A	N/A	CPS
SSW4 Aluminum	5000	3565	N/A	N/A	N/A	N/A	CPS
SSW5 Aluminum	660.0	429.1	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Lithology Measurement

Master: 22-Sep-2015 10:38

LSW1 Iron	400.0	381.3	N/A	N/A	N/A	N/A	CPS
LSW2 Iron	730.0	637.5	N/A	N/A	N/A	N/A	CPS
LSW3 Iron	1000	840.0	N/A	N/A	N/A	N/A	CPS
LSW4 Iron	520.0	429.4	N/A	N/A	N/A	N/A	CPS
LSW5 Iron	470.0	395.7	N/A	N/A	N/A	N/A	CPS
SSW1 Iron	2100	1777	N/A	N/A	N/A	N/A	CPS
SSW2 Iron	6800	5489	N/A	N/A	N/A	N/A	CPS
SSW3 Iron	10800	8339	N/A	N/A	N/A	N/A	CPS
SSW4 Iron	4600	3429	N/A	N/A	N/A	N/A	CPS
SSW5 Iron	580.0	403.3	N/A	N/A	N/A	N/A	CPS

Hostile Litho-Density Sonde Wellsite Calibration - Caliper Calibration

Before: 22-Sep-2015 13:42

HLDS Caliper Small Ring	12.00	N/A	16.37	N/A	N/A	N/A	IN
HLDS Caliper Large Ring	15.19	N/A	20.15	N/A	N/A	N/A	IN

Accelerator-Porosity Tool Wellsite Calibration - Detector Background

Master: 22-Sep-2015 4:52 Before: 3-Nov-2015 12:53 After: 3-Nov-2015 17:46

Near Det Bkg Cntrate	30.00	26.37	26.81	25.80	-1.018	N/A	CPS
Far Det Bkg Cntrate	30.00	27.82	27.97	26.73	-1.235	N/A	CPS
Array-1 Det Bkg Cntrate	30.00	25.57	26.29	25.96	-0.3336	N/A	CPS
Array-2 Det Bkg Cntrate	30.00	26.87	25.88	26.06	0.1835	N/A	CPS
Array Therm Det Bkg Cntrate	30.00	25.48	26.05	27.98	1.923	N/A	CPS

Accelerator-Porosity Tool Wellsite Calibration - Calibration Ratios

Master: 22-Sep-2015 4:52

Near/Far Calibration Ratio	0.9250	0.9782	N/A	N/A	N/A	N/A	
Near/Array Calibration Ratio	1.030	1.085	N/A	N/A	N/A	N/A	
Near/Array Cal Ratio Up/Down	1.000	1.007	N/A	N/A	N/A	N/A	

Accelerator-Porosity Tool Wellsite Calibration - Tank Check

Master: 22-Sep-2015 4:52

Array-1 Standoff Porosity	11.75	10.13	N/A	N/A	N/A	N/A	PU
Array-2 Standoff Porosity	11.75	10.30	N/A	N/A	N/A	N/A	PU
Average Slowing Down Time	6.000	6.081	N/A	N/A	N/A	N/A	US
Array-1 SDT Ratio Up/Down	1.000	0.9680	N/A	N/A	N/A	N/A	
Array-2 SDT Ratio Up/Down	1.000	0.9638	N/A	N/A	N/A	N/A	
Sigma Formation	27.50	35.35	N/A	N/A	N/A	N/A	CU

Accelerator-Porosity Tool Wellsite Calibration - CCR7 signal boxes

Master: 22-Sep-2015 3:57

Near Detector Plateau Setting	1650	1701	N/A	N/A	N/A	N/A	V
Far Detector Plateau Setting	2000	2032	N/A	N/A	N/A	N/A	V
Array Detector Plateau Setting	2000	1942	N/A	N/A	N/A	N/A	V

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 1 Check

Master: 27-Sep-2015 23:37 Before: 3-Nov-2015 12:55 After: 3-Nov-2015 17:48

Na 511 Peak Loc	40.00	37.67	37.70	37.53	-0.1706	1.000	
Na 511 Peak Res	15.50	16.19	15.92	17.11	1.193	2.000	%
High Voltage	1150	1229	1224	1226	2.397	N/A	V
Na 1785 Peak Loc	142.6	136.2	136.8	136.8	-0.02130	7.000	
Na 1785 Peak Res	8.500	9.111	9.128	9.493	0.3648	2.000	%
Temperature	15.50	32.00	32.59	31.93	-0.6601	N/A	DEGC
Na Count Rate	45.00	42.40	40.96	41.19	0.2255	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration - Detector 2 Check

Master: 27-Sep-2015 23:37 Before: 3-Nov-2015 12:55 After: 3-Nov-2015 17:48

Na 511 Peak Loc	40.00	39.57	39.55	39.61	0.06856	1.000	
Na 511 Peak Res	15.50	16.65	16.51	16.64	0.1308	2.000	%
High Voltage	1150	1107	1105	1107	1.935	N/A	V
Na 1785 Peak Loc	142.6	143.5	143.4	142.8	-0.5993	7.000	

Na 1785 Peak Res	8.500	9.036	8.449	9.103	0.6548	2.000	%
Temperature	15.50	31.75	32.30	32.61	0.3056	N/A	DEGC
Na Count Rate	45.00	42.43	41.01	41.34	0.3345	8.000	CPS

Hostile Natural Gamma Ray Sonde Wellsite Calibration – Ratio Of Detector 1 To Detector 2

Master: 27-Sep-2015 23:37 Before: 3-Nov-2015 12:55 After: 3-Nov-2015 17:48

Coincidence Count Rate Ratio	1.000	0.9929	0.9963	0.9897	-0.006636	0.05000
------------------------------	-------	--------	--------	--------	-----------	---------

Enhanced DTS Cartridge Wellsite Calibration – EDTC Accelerometer Calibration

Before: 3-Nov-2015 12:56

EDTC Z-Axis Acceleration	9.810	N/A	9.810	N/A	N/A	N/A	M/S2
--------------------------	-------	-----	-------	-----	-----	-----	------

Enhanced DTS Cartridge Wellsite Calibration – Detector Calibration

Before: 3-Nov-2015 12:51 After: 3-Nov-2015 17:49

Gamma Ray (Jig – Bkg)	159.8	N/A	159.8	151.2	-8.569	14.53	GAPI
Gamma Ray (Calibrated)	165.0	N/A	165.0	156.2	-8.849	15.00	GAPI

Accelerator-Porosity Tool – Detector Plateau Settings :

Near Detector Plateau Setting	1701 V
Far Detector Plateau Setting	2032 V
Array Detector Plateau Setting	1942 V

High Resolution Laterolog Array – B / Equipment Identification

Primary Equipment:		
HRLT Sonde	HRLS – B	768
Auxiliary Equipment:		
HRLT lower Housing	HRLH – B	968
HRLT Lower Cartridge	HRLC – B	974
HRLT upper Housing	HRUH – B	978
HRLT Upper Cartridge	HRUC – B	764

High Resolution Laterolog Array – B Wellsite Calibration

HRLT M01

Idx	Phase	HRLT M0-M1 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		-318.3	-322.7	-280.7	-379.7
	After		-318.8			
1	Before		-330.8	-322.7	-280.7	-379.7
	After		-331.8			
2	Before		-338.1	-322.7	-280.7	-379.7
	After		-339.0			
3	Before		-329.0	-322.7	-280.7	-379.7
	After		-329.8			
4	Before		-319.8	-322.7	-280.7	-379.7
	After		-320.0			
5	Before		-321.6	-322.7	-280.7	-379.7
	After		-321.9			
6	Before		319.3	322.7	379.7	280.7
	After		321.2			
7	Before		-322.7	-322.7	-280.7	-379.7
	After		-322.7			
		(Minimum) (Nominal) (Maximum)				

Before: 3-Nov-2015 14:41

After: 3-Nov-2015 17:43

High Resolution Laterolog Array – B Wellsite Calibration

HRLT M12

Idx	Phase	HRLT M1-M2 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		1738	1781	2095	1549
	After		1742			
1	Before		1813	1781	2095	1549
	After		1820			
2	Before		1846	1781	2095	1549
	After		1853			
3	Before		1795	1781	2095	1549
	After		1800			
4	Before		1744	1781	2095	1549
	After		1746			
5	Before		1754	1781	2095	1549
	After		1757			
6	Before		-1758	-1781	-1549	-2095
	After		-1770			
7	Before		1781	1781	2095	1549
	After		1781			
		(Minimum) (Nominal) (Maximum)				

Before: 3-Nov-2015 14:41  
 After: 3-Nov-2015 17:43

High Resolution Laterolog Array - B Wellsite Calibration

HRLT M23
















Idx	Phase	HRLT M2-M3 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		1730	1781	2095	1549
	After		1733			
1	Before		1815	1781	2095	1549
	After		1822			
2	Before		1850	1781	2095	1549
	After		1856			
3	Before		1802	1781	2095	1549
	After		1807			
4	Before		1745	1781	2095	1549
	After		1747			
5	Before		1757	1781	2095	1549
	After		1759			
6	Before		-1749	-1781	-1549	-2095
	After		-1761			
7	Before		1781	1781	2095	1549
	After		1781			
		(Minimum) (Nominal) (Maximum)				

Before: 3-Nov-2015 14:41  
 After: 3-Nov-2015 17:43

















High Resolution Laterolog Array - B Wellsite Calibration

HRLT V34




Idx	Phase	HRLT A3-A4 Voltage Plus UV	Value	Nominal	Maximum	Minimum
	Before		68560			

0	After		68720	70000	82360	60900
1	Before		71780	70000	82360	60900
	After		72030			
2	Before		73450	70000	82360	60900
	After		73680			
3	Before		71800	70000	82360	60900
	After		72010			
4	Before		69490	70000	82360	60900
	After		69590			
5	Before		69970	70000	82360	60900
	After		70070			
6	Before		-68190	-70000	-60900	-82360
	After		-68630			
7	Before		70000	70000	82360	60900
	After		70000			
			(Minimum)	(Nominal)	(Maximum)	














Before: 3-Nov-2015 14:41  
After: 3-Nov-2015 17:43

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT V45						
Idx	Phase	HRLT A4–A5 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		68660	70000	82360	60900
	After		68810			
1	Before		71990	70000	82360	60900
	After		72230			
2	Before		73630	70000	82360	60900
	After		73860			
3	Before		71950	70000	82360	60900
	After		72180			
4	Before		69590	70000	82360	60900
	After		69690			
5	Before		70080	70000	82360	60900
	After		70160			
6	Before		-68390	-70000	-60900	-82360
	After		-68830			
7	Before		70000	70000	82360	60900
	After		70000			
			(Minimum)	(Nominal)	(Maximum)	

















Before: 3-Nov-2015 14:41  
After: 3-Nov-2015 17:43

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT V56						
Idx	Phase	HRLT A5–A6 Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		68510	70000	82360	60900
	After		68660			
	Before		71810			








1	After		72090	70000	82360	60900
2	Before		73470	70000	82360	60900
	After		73710			
3	Before		71810	70000	82360	60900
	After		72020			
4	Before		69470	70000	82360	60900
	After		69550			
5	Before		69940	70000	82360	60900
	After		70050			
6	Before		-68230	-70000	-60900	-82360
	After		-68680			
7	Before		70000	70000	82360	60900
	After		70000			
(Minimum)                      (Nominal)                      (Maximum)						

Before: 3-Nov-2015 14:41  
 After: 3-Nov-2015 17:43

High Resolution Laterolog Array – B Wellsite Calibration							
HRLT VTP							
Idx	Phase	HRLT Torpedo-M0 Voltage Plus UV	Value	Nominal	Maximum	Minimum	
0	Before		-68040	-70000	-60900	-82360	
	After		-68170				
1	Before		-71630	-70000	-60900	-82360	
	After		-71890				
2	Before		-73320	-70000	-60900	-82360	
	After		-73550				
3	Before		-71720	-70000	-60900	-82360	
	After		-71930				
4	Before		-69420	-70000	-60900	-82360	
	After		-69500				
5	Before		-69880	-70000	-60900	-82360	
	After		-69980				
6	Before		68000	70000	82360	60900	
	After		68430				
7	Before		-70000	-70000	-60900	-82360	
	After		-70000				
(Minimum)                      (Nominal)                      (Maximum)							

Before: 3-Nov-2015 14:41  
 After: 3-Nov-2015 17:43

High Resolution Laterolog Array – B Wellsite Calibration							
HRLT VBD							
Idx	Phase	HRLT Bridle#9-M0 Voltage Plus UV	Value	Nominal	Maximum	Minimum	
0	Before		-68070	-70000	-60900	-82360	
	After		-68210				
1	Before		-71730	-70000	-60900	-82360	
	After		-71990				
	Before		-73400				

2	After		-73640	-70000	-60900	-82360
3	Before		-71800	-70000	-60900	-82360
	After		-72000			
4	Before		-69460	-70000	-60900	-82360
	After		-69550			
5	Before		-69920	-70000	-60900	-82360
	After		-70020			
6	Before		68090	70000	82360	60900
	After		68520			
7	Before		-70000	-70000	-60900	-82360
	After		-70000			
(Minimum) (Nominal) (Maximum)						

Before: 3-Nov-2015 14:41

After: 3-Nov-2015 17:43

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT ISO						
Idx	Phase	HRLT Source Current Plus UA	Value	Nominal	Maximum	Minimum
0	Before		284.0	284.0	334.1	247.0
	After		284.5			
1	Before		281.1	281.1	330.7	244.4
	After		281.1			
2	Before		281.1	281.1	330.7	244.4
	After		281.1			
3	Before		281.1	281.1	330.7	244.4
	After		281.1			
4	Before		281.1	281.1	330.7	244.4
	After		281.1			
5	Before		281.1	281.1	330.7	244.4
	After		281.1			
6	Before		281.1	281.1	330.7	244.4
	After		281.1			
7	Before		281.1	281.1	330.7	244.4
	After		281.1			
(Minimum) (Nominal) (Maximum)						

Before: 3-Nov-2015 14:41

After: 3-Nov-2015 17:43

High Resolution Laterolog Array – B Wellsite Calibration						
HRLT MV						
Idx	Phase	HRLT Vertical Voltage Plus UV	Value	Nominal	Maximum	Minimum
0	Before		-320.0	-322.7	-280.7	-379.7
	After		-320.5			
1	Before		-325.3	-322.7	-280.7	-379.7
	After		-326.5			
2	Before		-331.3	-322.7	-280.7	-379.7
	After		-332.3			
Before			-320.6			

3	After		-321.4	-322.7	-280.7	-379.7
4	Before		-308.7	-322.7	-280.7	-379.7
	After		-309.0			
5	Before		-325.4	-322.7	-280.7	-379.7
	After		-325.8			
6	Before		326.5	322.7	379.7	280.7
	After		328.7			
7	Before		-322.7	-322.7	-280.7	-379.7
	After		-322.7			
			(Minimum)	(Nominal)	(Maximum)	
Before: 3-Nov-2015 14:41						
After: 3-Nov-2015 17:43						

**Hostile Litho-Density Sonde / Equipment Identification**

**Primary Equipment:**

Hostile Litho Density Sonde	HLDS - D	45
Hostile Litho Density High Voltage	HLDV - D	45
Gamma Source Radioactive	GSR - Z	8113

**Auxiliary Equipment:**

Hostile Litho Density Pad	HLDP - C	45
Hostile Litho Density High Voltage Housi	HEH - H	47

**Hostile Litho-Density Sonde Wellsite Calibration**

**Background Measurement**

Phase	SS Cs Resolution Bkg %	Value	Phase	LS Cs Resolution Bkg %	Value	Phase	LSW1 Background CPS	Value
Master		7.976	Master		8.193	Master		66.90
Before		8.096	Before		8.250	Before		66.49
After		8.122	After		8.234	After		67.07
7.000 (Minimum) 9.000 (Nominal) 11.000 (Maximum)			7.000 (Minimum) 9.000 (Nominal) 11.000 (Maximum)			55.00 (Minimum) 100.0 (Nominal) 150.0 (Maximum)		
Phase	LSW2 Background CPS	Value	Phase	LSW3 Background CPS	Value	Phase	LSW4 Background CPS	Value
Master		62.57	Master		137.5	Master		168.1
Before		61.32	Before		138.2	Before		167.2
After		60.95	After		137.6	After		165.1
50.00 (Minimum) 100.0 (Nominal) 140.0 (Maximum)			110.0 (Minimum) 200.0 (Nominal) 290.0 (Maximum)			140.0 (Minimum) 250.0 (Nominal) 360.0 (Maximum)		
Phase	LSW5 Background CPS	Value	Phase	SSW1 Background CPS	Value	Phase	SSW2 Background CPS	Value
Master		381.5	Master		76.27	Master		135.1
Before		382.4	Before		74.92	Before		134.5
After		383.9	After		74.48	After		134.8
330.0 (Minimum) 600.0 (Nominal) 830.0 (Maximum)			55.00 (Minimum) 100.0 (Nominal) 150.0 (Maximum)			100.0 (Minimum) 200.0 (Nominal) 260.0 (Maximum)		
Phase	SSW3 Background CPS	Value	Phase	SSW4 Background CPS	Value	Phase	SSW5 Background CPS	Value
Master		363.6	Master		191.2	Master		137.5
Before		363.0	Before		188.2	Before		135.6
After		362.6	After		188.8	After		136.2
280.0 (Minimum) 500.0 (Nominal) 700.0 (Maximum)			150.0 (Minimum) 270.0 (Nominal) 380.0 (Maximum)			110.0 (Minimum) 200.0 (Nominal) 270.0 (Maximum)		

Master: 22-Sep-2015 10:04

Before: 3-Nov-2015 12:54

After: 3-Nov-2015 17:48

**Litho-Density Spectroscopy Cartridge - B / Equipment Identification**

**Primary Equipment:**

Primary Equipment: LDSC Cartridge	LDSC – B	521
Auxiliary Equipment: LDSC Housing	LDSH – A	319

Accelerator–Porosity Tool / Equipment Identification		
Primary Equipment:		
Accelerator–Porosity Sonde	APS – C	65535
APS Minitron	MNTR – F	65535
Auxiliary Equipment:		
Accelerator–Porosity Housing	APH – AC	121
APS Calibration Water Tank	SFT – 178	1
APS Aluminum Calibrator Sleeve	SFT – 281	1

Accelerator–Porosity Tool Wellsite Calibration									
Detector Background									
Phase	Near Det Bkg Cntrate CPS	Value	Phase	Far Det Bkg Cntrate CPS	Value	Phase	Array–1 Det Bkg Cntrate CPS	Value	
Master		26.37	Master		27.82	Master		25.57	
Before		26.81	Before		27.97	Before		26.29	
After		25.80	After		26.73	After		25.96	
	1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)		
Phase	Array–2 Det Bkg Cntrate CPS	Value	Phase	Array Therm Det Bkg Cntrate CPS	Value				
Master		26.87	Master		25.48				
Before		25.88	Before		26.05				
After		26.06	After		27.98				
	1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)			1.000 (Minimum) 30.00 (Nominal) 50.00 (Maximum)					
Master: 22–Sep–2015 4:52			Before: 3–Nov–2015 12:53			After: 3–Nov–2015 17:46			

Accelerator–Porosity Tool Wellsite Calibration								
Calibration Ratios								
Phase	Near/Far Calibration Ratio	Value	Phase	Near/Array Calibration Ratio	Value	Phase	Near/Array Cal Ratio Up/Down	Value
Master		0.9782	Master		1.085	Master		1.007
	0.8000 (Minimum) 0.9250 (Nominal) 1.050 (Maximum)			0.9000 (Minimum) 1.030 (Nominal) 1.170 (Maximum)			0.9700 (Minimum) 1.000 (Nominal) 1.030 (Maximum)	
Master: 22–Sep–2015 4:52								

Accelerator–Porosity Tool Wellsite Calibration								
Tank Check								
Phase	Array–1 Standoff Porosity PU	Value	Phase	Array–2 Standoff Porosity PU	Value	Phase	Average Slowing Down Time US	Value
Master		10.13	Master		10.30	Master		6.081
	9.900 (Minimum) 11.75 (Nominal) 13.60 (Maximum)			9.900 (Minimum) 11.75 (Nominal) 13.60 (Maximum)			5.500 (Minimum) 6.000 (Nominal) 6.250 (Maximum)	
Phase	Array–1 SDT Ratio Up/Down	Value	Phase	Array–2 SDT Ratio Up/Down	Value	Phase	Sigma Formation CU	Value
Master		0.9680	Master		0.9638	Master	<b>EXCEEDS LIMIT</b>	35.35
	0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)			0.9500 (Minimum) 1.000 (Nominal) 1.050 (Maximum)			20.00 (Minimum) 27.50 (Nominal) 35.00 (Maximum)	
Master: 22–Sep–2015 4:52								

Hostile Natural Gamma Ray Cartridge – B / Equipment Identification		
Primary Equipment:		
HNGC Cartridge	HNGC – B	439
Auxiliary Equipment:		
HNGC Housing	HNGH – A	380

Hostile Natural Gamma Ray Sonde / Equipment Identification

Primary Equipment:  
HNGS Sonde

HNGS – BA 177

Auxiliary Equipment:  
HNGS Sonde Housing  
Gamma Source Radioactive

HNSH – BA 174  
GSR – U 616008

Hostile Natural Gamma Ray Sonde Wellsite Calibration								
Detector 1 Check								
Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value
Master		37.67	Master		16.19	Master		1229
Before		37.70	Before		15.92	Before		1224
After		37.53	After		17.11	After		1226
	37.50 (Minimum) 40.00 (Nominal) 43.50 (Maximum)			12.00 (Minimum) 15.50 (Nominal) 19.00 (Maximum)			900.0 (Minimum) 1150 (Nominal) 1600 (Maximum)	
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value
Master		136.2	Master		9.111	Master		32.00
Before		136.8	Before		9.128	Before		32.59
After		136.8	After		9.493	After		31.93
	135.0 (Minimum) 142.6 (Nominal) 150.3 (Maximum)			7.000 (Minimum) 8.500 (Nominal) 11.00 (Maximum)			-28.89 (Minimum) 15.50 (Nominal) 60.00 (Maximum)	
Phase	Na Count Rate CPS	Value						
Master		42.40						
Before		40.96						
After		41.19						
	10.00 (Minimum) 45.00 (Nominal) 100.0 (Maximum)							
Master: 27-Sep-2015 23:37			Before: 3-Nov-2015 12:55			After: 3-Nov-2015 17:48		


Hostile Natural Gamma Ray Sonde Wellsite Calibration								
Detector 2 Check								
Phase	Na 511 Peak Loc	Value	Phase	Na 511 Peak Res %	Value	Phase	High Voltage V	Value
Master		39.57	Master		16.65	Master		1107
Before		39.55	Before		16.51	Before		1105
After		39.61	After		16.64	After		1107
	37.50 (Minimum) 40.00 (Nominal) 43.50 (Maximum)			12.00 (Minimum) 15.50 (Nominal) 19.00 (Maximum)			900.0 (Minimum) 1150 (Nominal) 1600 (Maximum)	
Phase	Na 1785 Peak Loc	Value	Phase	Na 1785 Peak Res %	Value	Phase	Temperature DEGC	Value
Master		143.5	Master		9.036	Master		31.75
Before		143.4	Before		8.449	Before		32.30
After		142.8	After		9.103	After		32.61
	135.0 (Minimum) 142.6 (Nominal) 150.3 (Maximum)			7.000 (Minimum) 8.500 (Nominal) 11.00 (Maximum)			-28.89 (Minimum) 15.50 (Nominal) 60.00 (Maximum)	
Phase	Na Count Rate CPS	Value						
Master		42.43						
Before		41.01						
After		41.34						
	10.00 (Minimum) 45.00 (Nominal) 100.0 (Maximum)							
Master: 27-Sep-2015 23:37			Before: 3-Nov-2015 12:55			After: 3-Nov-2015 17:48		







Hostile Natural Gamma Ray Sonde Wellsite Calibration		
Ratio Of Detector 1 To Detector 2		
Phase	Coincidence Count Rate Ratio	Value
Master		0.9929
Before		0.9963
After		0.9897

0.9500 (Minimum)	1.000 (Nominal)	1.050 (Maximum)
Master: 27-Sep-2015 23:37		
Before: 3-Nov-2015 12:55		
After: 3-Nov-2015 17:48		

Enhanced DTS Cartridge / Equipment Identification

Primary Equipment:		
EDTC Gamma Ray Detector	EDTG - A/B	8305
Enhanced DTS Cartridge	EDTC - B	8317
Auxiliary Equipment:		
EDTC Housing	EDTH - B	8303

Enhanced DTS Cartridge Wellsite Calibration		
EDTC Accelerometer Calibration		
Phase	EDTC Z-Axis Acceleration M/S2	Value
Before		9.810
	9.610 (Minimum)      9.810 (Nominal)      10.01 (Maximum)	
Before: 3-Nov-2015 12:56		

Enhanced DTS Cartridge Wellsite Calibration									
Detector Calibration									
Phase	Gamma Ray Background GAPI	Value	Phase	Gamma Ray (Jig - Bkg) GAPI	Value	Phase	Gamma Ray (Calibrated) GAPI	Value	
Before		1.551	Before		159.8	Before		165.0	
After		11.13	After		151.2	After		156.2	
	0 (Minimum)      30.00 (Nominal)      120.0 (Maximum)			145.3 (Minimum)      159.8 (Nominal)      174.3 (Maximum)			150.0 (Minimum)      165.0 (Nominal)      180.0 (Maximum)		
Before: 3-Nov-2015 12:51			After: 3-Nov-2015 17:49						

Company: **International Ocean Discovery Program**



Well: **Expedition 359, Site U1467C**  
 Field: **Maldives Monsoon & Sea Level**  
 Rig: **JOIDES Resolution**  
 Country:

High Resolution Laterolog Array (HRLA)  
 Nuclear (HNGS, HLDS, APS)  
 Magnetic Susceptibility (MSS)