

Input DLIS Files

DEFAULT Flip_FMS_NGS_038LUP PRODUCER 08-Mar-2017 16:04 4778.8 M 3746.8 M

Output DLIS Files



DEFAULT FMS_NGS_039PUP FN:57 PRODUCER 08-Mar-2017 16:15 4779.0 M 3746.8 M


OP System Version: 19C0-187


MEST-B	19C0-187	DTA-A	19C0-187
HNGC-B	19C0-187	HNGS-BA	19C0-187
EDTC-B	SKK-5169-EDTCB		


PIP SUMMARY


Time Mark Every 60 S



























































PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
HNGS-BA: Hostile Natural Gamma Ray Sonde		
BAR1	HNGS Detector 1 Barite Constant	1
BAR2	HNGS Detector 2 Barite Constant	1
BHK	HNGS Borehole Potassium Correction Concentration	0
BHS	Borehole Status	OPEN
CSD1	Inner Casing Outer Diameter	0 IN
CSD2	Outer Casing Outer Diameter	0 IN
CSW1	Inner Casing Weight	0 LB/F
CSW2	Outer Casing Weight	0 LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE
GCSE	Generalized Caliper Selection	BS
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW
HABK	HNGS Borehole Potassium Running Average	-0.00480782
HALF	HNGS Alpha Filter Length	60 IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE
HMWM	Mud Weighting Material	BARI
HNPE	HNGS Processing Enable	YES
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3 CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3 CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES
TPOS	Tool Position	CENT
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.950926
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	0.965445
EDTC-B: Enhanced DTS Cartridge		
BHS	Borehole Status	OPEN
GCSE	Generalized Caliper Selection	BS
System and Miscellaneous		
BS	Bit Size	9.875 IN
DFD	Drilling Fluid Density	1.32 G/C3
DO	Depth Offset for Playback	0.0 M
PP	Playback Processing	RECOMPUTE

Format: HNGSYields

Vertical Scale: 1:200

Graphics File Created: 08-Mar-2017 16:15

OP System Version: 19C0-187

MEST-B	19C0-187	DTA-A	19C0-187
HNGC-B	19C0-187	HNGS-BA	19C0-187
EDTC-B	SKK-5169-EDTCB		

Input DLIS Files

DEFAULT	Flip_FMS_NGS_038LUP	PRODUCER	08-Mar-2017 16:04	4778.8 M	3746.8 M
---------	---------------------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT

FMS_NGS_039PUP

FN:57

PRODUCER

08-Mar-2017 16:15