

Schlumberger Company: Lamont Doherty Well: ODP Leg 202, Site 1239A Field: Carnegie Ridge Country: Ecuador Ocean: Pacific Ocean									
Country: Ecuador Field: Carnegie Ridge Location: Rig- Joides Resolution Well: ODP Leg 202, Site 1239A Company: Lamont Doherty					DSI/Natural GR				
LOCATION					Elev.: K.B. 11.3 m G.L. -1426.1 m D.F. 11 m				
Rig- Joides Resolution									
Permanent Datum: _____ Log Measured From: _____ Drilling Measured From: _____					GROUND LEVEL _____ DES _____ DES _____				
API Serial No.					Max. Hole Devi.		Longitude		Latitude
							80.03165 W		0.6237 S
Logging Date									
Run Number					1				
Depth Driller					1941.5 m				
Schlumberger Depth					1942 m				
Bottom Log Interval					1940 m				
Top Log Interval					1499.5 m				
Casing Driller Size @ Depth					0.000 in @ 1506.1 m				
Casing Schlumberger					1505 m @				
Bit Size					11.437 in				
Type Fluid In Hole					Sepiolite				
Density		Viscosity		1.066 g/cm3					
Fluid Loss		PH							
Source Of Sample									
RM @ Measured Temperature					@ @				
RMF @ Measured Temperature					@ @				
RMC @ Measured Temperature					@ @				
Source RMF					RMC				
RM @ MRT		RMF @ MRT		@ @		@ @			
Maximum Recorded Temperatures									
Circulation Stopped		Time		5/12/02		1400			
Logger On Bottom		Time		5/13/02		See Log			
Unit Number		Location		99		Houston			
Recorded By					Steve Kittredge				
Witnessed By					Ule Nimmernann				

Schlumberger Company: Lamont Doherty Well: ODP Leg 202, Site 1239A Field: Carnegie Ridge Country: Ecuador Ocean: Pacific Ocean									
Country: Ecuador Field: Carnegie Ridge Location: Rig- Joides Resolution Well: ODP Leg 202, Site 1239A Company: Lamont Doherty					DSI/Natural GR				
LOCATION					Elev.: K.B. 11.3 m G.L. -1426.1 m D.F. 11 m				
Rig- Joides Resolution					Elev.: 0 m above Perm. Datum				
Permanent Datum: _____ Log Measured From: DES _____ Drilling Measured From: DES _____					GROUND LEVEL _____ DES _____ DES _____				
API Serial No.			Max. Hole Devi.		Longitude 80.03165 W		Latitude 0.6237 S		
Logging Date									
Run Number					1				
Depth Driller					1941.5 m				
Schlumberger Depth					1942 m				
Bottom Log Interval					1940 m				
Top Log Interval					1499.5 m				
Casing Driller Size @ Depth					0.000 in @ 1506.1 m				
Casing Schlumberger					1505 m @				
Bit Size					11.437 in				
Type Fluid In Hole					Sepiolite				
Density		Viscosity		1.066 g/cm3					
Fluid Loss		PH							
Source Of Sample									
RM @ Measured Temperature					@				
RMF @ Measured Temperature					@				
RMC @ Measured Temperature					@				
Source RMF		RMC							
RM @ MRT		RMF @ MRT		@		@		@	
Maximum Recorded Temperatures									
Circulation Stopped		Time		5/12/02		1400			
Logger On Bottom		Time		5/13/02		See Log			
Unit Number		Location		99		Houston			
Recorded By					Steve Kittredge				
Witnessed By					Ule Nimmernann				

Schlumberger Company: Lamont Doherty Well: ODP Leg 202, Site 1239A Field: Carnegie Ridge Country: Ecuador Ocean: Pacific Ocean									
Country: Ecuador Field: Carnegie Ridge Location: Rig- Joides Resolution Well: ODP Leg 202, Site 1239A Company: Lamont Doherty					DSI/Natural GR				
LOCATION					Elev.: K.B. 11.3 m G.L. -1426.1 m D.F. 11 m				
Rig- Joides Resolution									
Permanent Datum: _____ Log Measured From: _____ Drilling Measured From: _____					GROUND LEVEL _____ DES _____ DES _____				
API Serial No.					Max. Hole Devi.		Longitude		Latitude
							80.03165 W		0.6237 S
Logging Date									
Run Number					1				
Depth Driller					1941.5 m				
Schlumberger Depth					1942 m				
Bottom Log Interval					1940 m				
Top Log Interval					1499.5 m				
Casing Driller Size @ Depth					0.000 in @ 1506.1 m				
Casing Schlumberger					1505 m @				
Bit Size					11.437 in				
Type Fluid In Hole					Sepiolite				
Density		Viscosity		1.066 g/cm3					
Fluid Loss		PH							
Source Of Sample									
RM @ Measured Temperature					@				
RMF @ Measured Temperature					@				
RMC @ Measured Temperature					@				
Source RMF					RMC				
RM @ MRT		RMF @ MRT		@		@		@	
Maximum Recorded Temperatures									
Circulation Stopped		Time		5/12/02		1400			
Logger On Bottom		Time		5/13/02		See Log			
Unit Number		Location		99		Houston			
Recorded By					Steve Kittredge				
Witnessed By					Ule Nimmernann				

Schlumberger Company: Lamont Doherty Well: ODP Leg 202, Site 1239A Field: Carnegie Ridge Country: Ecuador Ocean: Pacific Ocean									
Country: Ecuador Field: Carnegie Ridge Location: Rig- Joides Resolution Well: ODP Leg 202, Site 1239A Company: Lamont Doherty					DSI/Natural GR				
LOCATION					Elev.: K.B. 11.3 m G.L. -1426.1 m D.F. 11 m				
Rig- Joides Resolution									
Permanent Datum: _____ Log Measured From: _____ Drilling Measured From: _____					GROUND LEVEL _____ DES _____ DES _____				
API Serial No.					Max. Hole Devi.		Longitude		Latitude
							80.03165 W		0.6237 S
Logging Date									
Run Number					1				
Depth Driller					1941.5 m				
Schlumberger Depth					1942 m				
Bottom Log Interval					1940 m				
Top Log Interval					1499.5 m				
Casing Driller Size @ Depth					0.000 in @ 1506.1 m				
Casing Schlumberger					1505 m @				
Bit Size					11.437 in				
Type Fluid In Hole					Sepiolite				
Density		Viscosity		1.066 g/cm3					
Fluid Loss		PH							
Source Of Sample									
RM @ Measured Temperature					@				
RMF @ Measured Temperature					@				
RMC @ Measured Temperature					@				
Source RMF					RMC				
RM @ MRT		RMF @ MRT		@		@		@	
Maximum Recorded Temperatures									
Circulation Stopped		Time		5/12/02		1400			
Logger On Bottom		Time		5/13/02		See Log			
Unit Number		Location		99		Houston			
Recorded By					Steve Kittredge				
Witnessed By					Ule Nimmernann				

Schlumberger Company: Lamont Doherty Well: ODP Leg 202, Site 1239A Field: Carnegie Ridge Country: Ecuador Ocean: Pacific Ocean									
Country: Ecuador Field: Carnegie Ridge Location: Rig- Joides Resolution Well: ODP Leg 202, Site 1239A Company: Lamont Doherty					DSI/Natural GR				
LOCATION					Elev.: K.B. 11.3 m G.L. -1426.1 m D.F. 11 m				
Rig- Joides Resolution					Elev.: 0 m above Perm. Datum				
Permanent Datum: _____ Log Measured From: DES _____ Drilling Measured From: DES _____					GROUND LEVEL _____ Elev.: 0 m _____				
API Serial No.			Max. Hole Devi.		Longitude 80.03165 W		Latitude 0.6237 S		
Logging Date									
Run Number					1				
Depth Driller					1941.5 m				
Schlumberger Depth					1942 m				
Bottom Log Interval					1940 m				
Top Log Interval					1499.5 m				
Casing Driller Size @ Depth					0.000 in @ 1506.1 m				
Casing Schlumberger					1505 m @				
Bit Size					11.437 in				
Type Fluid In Hole					Sepiolite				
Density		Viscosity		1.066 g/cm3					
Fluid Loss		PH							
Source Of Sample									
RM @ Measured Temperature					@ @				
RMF @ Measured Temperature					@ @				
RMC @ Measured Temperature					@ @				
Source RMF					RMC				
RM @ MRT		RMF @ MRT		@ @		@ @			
Maximum Recorded Temperatures									
Circulation Stopped		Time		5/12/02		1400			
Logger On Bottom		Time		5/13/02		See Log			
Unit Number		Location		99		Houston			
Recorded By					Steve Kittredge				
Witnessed By					Ule Nimmernann				

Schlumberger Company: Lamont Doherty Well: ODP Leg 202, Site 1239A Field: Carnegie Ridge Country: Ecuador Ocean: Pacific Ocean									
Country: Ecuador Field: Carnegie Ridge Location: Rig- Joides Resolution Well: ODP Leg 202, Site 1239A Company: Lamont Doherty					DSI/Natural GR				
LOCATION					Elev.: K.B. 11.3 m G.L. -1426.1 m D.F. 11 m				
Rig- Joides Resolution					Elev.: 0 m above Perm. Datum				
Permanent Datum: _____ Log Measured From: DES _____ Drilling Measured From: DES _____					GROUND LEVEL _____ DES _____ DES _____				
API Serial No.			Max. Hole Devi.		Longitude 80.03165 W		Latitude 0.6237 S		
Logging Date									
Run Number					1				
Depth Driller					1941.5 m				
Schlumberger Depth					1942 m				
Bottom Log Interval					1940 m				
Top Log Interval					1499.5 m				
Casing Driller Size @ Depth					0.000 in @ 1506.1 m				
Casing Schlumberger					1505 m @				
Bit Size					11.437 in				
Type Fluid In Hole					Sepiolite				
Density		Viscosity		1.066 g/cm3					
Fluid Loss		PH							
Source Of Sample									
RM @ Measured Temperature					@				
RMF @ Measured Temperature					@				
RMC @ Measured Temperature					@				
Source RMF		RMC							
RM @ MRT		RMF @ MRT		@		@		@	
Maximum Recorded Temperatures									
Circulation Stopped		Time		5/12/02		1400			
Logger On Bottom		Time		5/13/02		See Log			
Unit Number		Location		99		Houston			
Recorded By					Steve Kittredge				
Witnessed By					Ule Nimmernann				

[illegible]

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES2
OS1:
OS2:
OS3:
OS4:
OS5:

REMARKS: RUN NUMBER 2

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

SERVICE ORDER #:
PROGRAM VERSION:
FLUID LEVEL:


LOGGED INTERVAL	START	STOP

RUN 1

RUN 2

GSR-U/Y
DTM-B

LEH-QT	CTEM	31.18	32.35
LEH-QT	TelStatus	31.18	
DTC-H	ToolStatu	30.54	31.46
ECH-KC 9343	Gamma Ray	30.26	
SGT-N			30.54
SGH-K 245			





Input DLIS Files						
DEFAULT	FMS_DSI_014LUP	FN:21	PRODUCER	13-May-2002 05:03	1945.5 M	1500.3 M
Output DLIS Files						
DEFAULT	FMS_DSI_019PUP	FN:27	PRODUCER	13-May-2002 16:06	1945.5 M	1500.8 M
FMS_CUST	FMS_DSI_019PUP	FN:28	PRODUCER	13-May-2002 16:06	1945.5 M	1500.8 M


OP System Version: 10C0-306						
MCM						
MEST-B	10C0-306	DTA-A	10C0-306	Pass #2 UP LOG		
DSST-B	10C0-306	SGT-N	10C0-306			
DTC-H	10C0-306					

PIP SUMMARY	
 Time Mark Every 60 S	

Tension (TENS) (LBF) 1000000	
Gamma Ray (GR) (GAPI) 0100	Delta-T Shear - Lower Dipole (DT1) (US/F) 1500250
Sonic Velocity (SVEL) (M/S) 10006000	Delta-T Shear / RA - Lower Dipole (DT1R) (US/F) 1500250
SAM1 Waveform Gain (WFG1) (---- 01000	Peak Coherence / RA - Lower Dipole (CHR1) (---- 010










1575



1600






1625

1650








1675

1700



1725








1750

1775









Gamma Ray (GR)		Delta-T Shear - Lower Dipole (DT1)	
0	(GAPI)	1500	(US/F)
Tension (TENS)			
10000	(LBF)	250	

PIP SUMMARY

Time Mark Every 60 S

Parameters			
DLIS Name	Description	Value	
DSST-B: Dipole Shear Imager - B			
DDE1	Digitizing Delay 1	0	US
DDEX	Digitizing Delay X	0	US
DLCS	Label Compressional Source - Dipole Shear	USE	
DSHL	Label Slowness Lower Limit - Dipole Shear	250	US/F
DSHU	Label Slowness Upper Limit - Dipole Shear	1500	US/F
DSI1	Digitizer Sample Interval 1	40	US
DSIX	Digitizer Sample Interval X	10	US
DTCS	Compressional Delta-T Source for DTCO Channel	PS_COMP	
DWC1	Digitizer Word Count 1	512	
DWCX	Digitizer Word Count X	512	
LTXG	Lower Dipole Transmitter Geometry	156	IN
NWI1	Number Waveform Items 1	8	
RX1G	Receiver 1 Geometry	294	IN
RX2G	Receiver 2 Geometry	300	IN
RX3G	Receiver 3 Geometry	306	IN
RX4G	Receiver 4 Geometry	312	IN
RX5G	Receiver 5 Geometry	318	IN
RX6G	Receiver 6 Geometry	324	IN
RX7G	Receiver 7 Geometry	330	IN
RX8G	Receiver 8 Geometry	336	IN
SAM1	DSST Sonic Acquisition Mode 1 - Lower Dipole Mode	LFD_EVEN	
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	OFF	
SAS1	STC Sonic Array Status - Lower Dipole	255	
SBO1	STC Search Band Offset - Lower Dipole	3000	US
SBW1	STC Search Bandwidth - Lower Dipole	8000	US
SFC1	STC Formation Character - Lower Dipole	SELECTABLE	
SFM1	STC Filter - Lower Dipole	B.3-1.5K	
SLL1	STC Slowness Lower Limit - Lower Dipole	250	US/F
SST1	STC Slowness Step - Lower Dipole	4	US/F
SSW1	STC Source Waveform - Lower Dipole	WF_SAM1	
SUL1	STC Slowness Upper Limit - Lower Dipole	1500	US/F
SWD1	STC Slowness Width - Lower Dipole	40	US/F
TBF1	STC Time for Baseline Fill - Lower Dipole	0	US
TLL1	STC Time Lower Limit - Lower Dipole	1875	US
TST1	STC Time Step - Lower Dipole	200	US
TUL1	STC Time Upper Limit - Lower Dipole	20440	US
TWD1	STC Time Width - Lower Dipole	2000	US
TWI1	STC Integration Time Window - Lower Dipole	1600	US
TWSX	Transmitter Waveform Select X	0	
WFM1	Waveform Mode 1	W1	
System and Miscellaneous			
DO	Depth Offset for Playback	0.0	M
PP	Playback Processing	RECOMPUTE	

Format: DSST_LOWER_DIPOLE_VDL_COLOR Vertical Scale: 1:200 Graphics File Created: 13-May-2002 16:06

OP System Version: 10C0-306

MCM

MEST-B	10C0-306	DTA-A	10C0-306
DSST-B	10C0-306	SGT-N	10C0-306
DTC-H	10C0-306		

Input DLIS Files

DEFAULT	FMS_DSI_014LUP	FN:21	PRODUCER	13-May-2002 05:03	1945.5 M	1500.3 M
---------	----------------	-------	----------	-------------------	----------	----------

Output DLIS Files

DEFAULT	FMS_DSI_019PUP	FN:27	PRODUCER	13-May-2002 16:06
FMS_CUST	FMS_DSI_019PUP	FN:28	PRODUCER	13-May-2002 16:06

Output DLIS Files

DEFAULT	FMS_DSI_013LUP	FN:19	PRODUCER	13-May-2002 03:03	1945.2 M	1499.5 M
FMS_CUST	FMS_DSI_013LUP	FN:20	PRODUCER	13-May-2002 03:03	1945.2 M	1499.5 M



OP System Version: 10C0-306
MCM


Pass #1 UP LOG

MEST-B	10C0-306	DTA-A	10C0-306
DSST-B	10C0-306	SGT-N	10C0-306
DTC-H	10C0-306		

PIP SUMMARY



Time Mark Every 60 S







1550

1575










1650

1675








1700


1725


1750




DT1









Parameters

DLIS Name

Description

Value

DSST-B: Dipole Shear Imager - B

DDE1	Digitizing Delay 1	0	US
DDEX	Digitizing Delay X	0	US
DLCS	Label Compressional Source - Dipole Shear	USE	
DSHL	Label Slowness Lower Limit - Dipole Shear	250	US/F
DSHU	Label Slowness Upper Limit - Dipole Shear	1250	US/F
DSI1	Digitizer Sample Interval 1	40	US
DSIX	Digitizer Sample Interval X	10	US
DTCS	Compressional Delta-T Source for DTCS Channel	PS_COMP	
DWC1	Digitizer Word Count 1	512	
DWCX	Digitizer Word Count X	512	
LTXG	Lower Dipole Transmitter Geometry	156	IN
NW1	Number Waveform Items 1	8	
RX1G	Receiver 1 Geometry	294	IN
RX2G	Receiver 2 Geometry	300	IN
RX3G	Receiver 3 Geometry	306	IN
RX4G	Receiver 4 Geometry	312	IN
RX5G	Receiver 5 Geometry	318	IN
RX6G	Receiver 6 Geometry	324	IN
RX7G	Receiver 7 Geometry	330	IN
RX8G	Receiver 8 Geometry	336	IN
SAM1	DSST Sonic Acquisition Mode 1 - Lower Dipole Mode	LFD_EVEN	
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert		

SAS1	STC Sonic Array Status - Lower Dipole	OFF	
SBO1	STC Search Band Offset - Lower Dipole	255	
SBW1	STC Search Bandwidth - Lower Dipole	3000	US
SFC1	STC Formation Character - Lower Dipole	8000	US
SFM1	STC Filter - Lower Dipole	SELECTABLE	
SLI1	STC Slowness Lower Limit - Lower Dipole	B.3-1.5K	
SST1	STC Slowness Step - Lower Dipole	250	US/F
SSW1	STC Source Waveform - Lower Dipole	4	US/F
SUL1	STC Slowness Upper Limit - Lower Dipole	WF_SAM1	
SWD1	STC Slowness Width - Lower Dipole	1250	US/F
TBF1	STC Time for Baseline Fill - Lower Dipole	40	US/F
TLL1	STC Time Lower Limit - Lower Dipole	0	US
TST1	STC Time Step - Lower Dipole	1875	US
TUL1	STC Time Upper Limit - Lower Dipole	200	US
TWD1	STC Time Width - Lower Dipole	20440	US
TWI1	STC Time Width - Lower Dipole	2000	US
TWSX	STC Integration Time Window - Lower Dipole	1600	US
WFM1	Transmitter Waveform Select X	0	
	Waveform Mode 1	W1	

Format: DSST_LOWER_DIPOLE_VDL_COLOR

Vertical Scale: 1:200

Graphics File Created: 13-May-2002 03:03


OP System Version: 10C0-306			
MCM			
MEST-B	10C0-306	DTA-A	10C0-306
DSST-B	10C0-306	SGT-N	10C0-306
DTC-H	10C0-306		


Output DLIS Files					
DEFAULT	FMS_DSI_013LUP	FN:19	PRODUCER	13-May-2002 03:03	
FMS_CUST	FMS_DSI_013LUP	FN:20	PRODUCER	13-May-2002 03:03	


Output DLIS Files					
DEFAULT	FMS_DSI_014LUP	FN:21	PRODUCER	13-May-2002 05:03	1945.5 M 1500.3 M
FMS_CUST	FMS_DSI_014LUP	FN:22	PRODUCER	13-May-2002 05:03	1945.5 M 1500.3 M

OP System Version: 10C0-306				Pass #2 UP LOG	
MCM					
MEST-B	10C0-306	DTA-A	10C0-306		
DSST-B	10C0-306	SGT-N	10C0-306		
DTC-H	10C0-306				

PIP SUMMARY	
Time Mark Every 60 S	










1575



1600






1625

1650









1675


1700


1725











10000	(LBF)	0	-1	(----	9	Rec.Array P&S Slow Proj. CVDL (SPR4)	100	(US/F)	300
			Delta-T Comp / RA - P & S (DTRP)						
			440	(US/F)	40				
			Delta-T Comp - P & S (DT4P)						
			440	(US/F)	40				
			Delta-T Shear / RA - P & S (DTRS)						
			440	(US/F)	40				
			Delta-T Shear - P & S (DT4S)						
			440	(US/F)	40				
PIP SUMMARY									
Time Mark Every 60 S									

Parameters				
DLIS Name	Description	Value		
DSST-B: Dipole Shear Imager - B				
BHS	Borehole Status	OPEN		
CASF	Label Casing Function - Monopole P&S	50		
COLL	Label Slowness Lower Limit - Monopole P&S Compressional	100	US/F	
COUL	Label Slowness Upper Limit - Monopole P&S Compressional	300	US/F	
DDE4	Digitizing Delay 4	0	US	
DDEX	Digitizing Delay X	0	US	
DSI4	Digitizer Sample Interval 4	10	US	
DSIX	Digitizer Sample Interval X	10	US	
DTF	Delta-T Fluid	189	US/F	
DWC4	Digitizer Word Count 4	512		
DWCX	Digitizer Word Count X	512		
FILG	Label Fill Gap Control - Monopole P&S	COMP_SHEAR		
LFC	Label Formation Character - Monopole P&S	DYNAMIC		
MCS	Mean Casing Slowness	57	US/F	
MTXG	Monopole Transmitter Geometry	186	IN	
NWI4	Number Waveform Items 4	8		
RSMN	Label Shear/Compressional Minimum Ratio - Monopole P&S	1.4		
RSMX	Label Shear/Compressional Maximum Ratio - Monopole P&S	2.12		
RX1G	Receiver 1 Geometry	294	IN	
RX2G	Receiver 2 Geometry	300	IN	
RX3G	Receiver 3 Geometry	306	IN	
RX4G	Receiver 4 Geometry	312	IN	
RX5G	Receiver 5 Geometry	318	IN	
RX6G	Receiver 6 Geometry	324	IN	
RX7G	Receiver 7 Geometry	330	IN	
RX8G	Receiver 8 Geometry	336	IN	
SAM4	DSST Sonic Acquisition Mode 4 - High Frequency Monopole Mode for P&S	MFD_EVEN		
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	OFF		
SAS4	STC Sonic Array Status - Monopole P&S	255		
SBO4	STC Search Band Offset - Monopole P&S	500	US	
SBR4	STC Baseline Removal - Monopole P&S	ON		
SBW4	STC Search Bandwidth - Monopole P&S	2000	US	
SFC4	STC Formation Character - Monopole P&S	SELECTABLE		
SFM4	STC Filter - Monopole P&S	B3-12K		
SHLL	Label Slowness Lower Limit - Monopole P&S Shear	140	US/F	
SHUL	Label Slowness Upper Limit - Monopole P&S Shear	240	US/F	
SLL4	STC Slowness Lower Limit - Monopole P&S	100	US/F	
SST4	STC Slowness Step - Monopole P&S	2	US/F	
SSW4	STC Source Waveform - Monopole P&S	WF_SAM4		
STLL	Label Slowness Lower Limit - Monopole Stoneley	180	US/F	
STUL	Label Slowness Upper Limit - Monopole Stoneley	780	US/F	
SUL4	STC Slowness Upper Limit - Monopole P&S	300	US/F	
SWD4	STC Slowness Width - Monopole P&S	10	US/F	
TBF4	STC Time for Baseline Fill - Monopole P&S	300	US	
TLL4	STC Time Lower Limit - Monopole P&S	400	US	
TST4	STC Time Step - Monopole P&S	50	US	
TUL4	STC Time Upper Limit - Monopole P&S	4200	US	
TWD4	STC Time Width - Monopole P&S	1000	US	
TWI4	STC Integration Time Window - Monopole P&S	500	US	
TWSX	Transmitter Waveform Select X	0		
SGT-N: Scintillation Gamma-Ray - N				
BHS	Borehole Status	OPEN		

Format: DSST_P_S_VDL_COLOR

Vertical Scale: 1:200

Graphics File Created: 13-May-2002 05:03

MEST-B	10C0-306	DTA-A	10C0-306
DSST-B	10C0-306	SGT-N	10C0-306
DTC-H	10C0-306		

Output DLIS Files

DEFAULT	FMS_DSI_014LUP	FN:21	PRODUCER	13-May-2002 05:03
FMS_CUST	FMS_DSI_014LUP	FN:22	PRODUCER	13-May-2002 05:03

Output DLIS Files

DEFAULT	FMS_DSI_013LUP	FN:19	PRODUCER	13-May-2002 03:03	1945.2 M	1499.5 M
FMS_CUST	FMS_DSI_013LUP	FN:20	PRODUCER	13-May-2002 03:03	1945.2 M	1499.5 M

OP System Version: 10C0-306


MCM


Pass #1 UP LOG

MEST-B	10C0-306	DTA-A	10C0-306
DSST-B	10C0-306	SGT-N	10C0-306
DTC-H	10C0-306		

PIP SUMMARY



 Time Mark Every 60 S






1525

1550








1575

1600



1625








1650


1675














Gamma Ray (GR) (GAPI)	0100	Peak Coherence / RA - P & S Comp (CHRP)	010	Delta-T Comp / RA - P & S (DTRP) (US/F)	100300
Tension (TENS) (LBF)	100000	Peak Coherence / RA - P & S Shear (CHRS)	-19	Delta-T Comp / RA - P & S (DTRP) (US/F)	44040
		Delta-T Comp - P & S (DT4P)	44040	Delta-T Shear / RA - P & S (DTRS) (US/F)	44040
		Delta-T Shear - P & S (DT4S)	44040		

Parameters		
DLIS Name	Description	Value
DSST-B: Dipole Shear Imager - B		
BHS	Borehole Status	OPEN
CASF	Label Casing Function - Monopole P&S	50
COLL	Label Slowness Lower Limit - Monopole P&S Compressional	100 US/F
COUL	Label Slowness Upper Limit - Monopole P&S Compressional	300 US/F
DDE4	Digitizing Delay 4	0 US
DDEX	Digitizing Delay X	0 US
DSI4	Digitizer Sample Interval 4	10 US
DSIX	Digitizer Sample Interval X	10 US
DTF	Delta-T Fluid	189 US/F
DWC4	Digitizer Word Count 4	512
DWCX	Digitizer Word Count X	512
FILG	Label Fill Gap Control - Monopole P&S	COMP_SHEAR
LFC	Label Formation Character - Monopole P&S	DYNAMIC
MCS	Mean Casing Slowness	57 US/F
MTXG	Monopole Transmitter Geometry	186 IN
NWI4	Number Waveform Items 4	8
RSMN	Label Shear/Compressional Minimum Ratio - Monopole P&S	1.4
RSMX	Label Shear/Compressional Maximum Ratio - Monopole P&S	2.12
RX1G	Receiver 1 Geometry	294 IN
RX2G	Receiver 2 Geometry	300 IN
RX3G	Receiver 3 Geometry	306 IN
RX4G	Receiver 4 Geometry	312 IN
RX5G	Receiver 5 Geometry	318 IN
RX6G	Receiver 6 Geometry	324 IN
RX7G	Receiver 7 Geometry	330 IN
RX8G	Receiver 8 Geometry	336 IN
SAM4	DSST Sonic Acquisition Mode 4 - High Frequency Monopole Mode for P&S	MFD_EVEN
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	OFF
SAS4	STC Sonic Array Status - Monopole P&S	255
SBO4	STC Search Band Offset - Monopole P&S	500 US
SBR4	STC Baseline Removal - Monopole P&S	ON
SBW4	STC Search Bandwidth - Monopole P&S	2000 US
SFC4	STC Formation Character - Monopole P&S	SELECTABLE
SFM4	STC Filter - Monopole P&S	B3-12K
SHLL	Label Slowness Lower Limit - Monopole P&S Shear	140 US/F
SHUL	Label Slowness Upper Limit - Monopole P&S Shear	240 US/F
SLL4	STC Slowness Lower Limit - Monopole P&S	100 US/F
SST4	STC Slowness Step - Monopole P&S	2 US/F
SSW4	STC Source Waveform - Monopole P&S	WF_SAM4
STLL	Label Slowness Lower Limit - Monopole Stoneley	180 US/F
STUL	Label Slowness Upper Limit - Monopole Stoneley	780 US/F
SUL4	STC Slowness Upper Limit - Monopole P&S	300 US/F
SWD4	STC Slowness Width - Monopole P&S	10 US/F
TBF4	STC Time for Baseline Fill - Monopole P&S	300 US
TLL4	STC Time Lower Limit - Monopole P&S	400 US
TST4	STC Time Step - Monopole P&S	50 US
TUL4	STC Time Upper Limit - Monopole P&S	4200 US
TWD4	STC Time Width - Monopole P&S	1000 US
TWI4	STC Integration Time Window - Monopole P&S	500 US
TWSX	Transmitter Waveform Select X	0
SGT-N: Scintillation Gamma-Ray - N		
BHS	Borehole Status	OPEN
Format: DSST_P_S_VDL_COLOR Vertical Scale: 1:200 Graphics File Created: 13-May-2002 03:03		
OP System Version: 10C0-306		
MCM		
MEST-B	10C0-306	DTA-A 10C0-306
DSST-B	10C0-306	SGT-N 10C0-306
DTC-H	10C0-306	
Output DLIS Files		
DEFAULT	FMS_DSI_013LUP	FN:19 PRODUCER 13-May-2002 03:03
FMS_CUST	FMS_DSI_013LUP	FN:20 PRODUCER 13-May-2002 03:03
Company: Lamont Doherty		
Well: ODP Leg 202, Site 1239A		
Field: Carnegie Ridge		
Schlumberger		

Country: Ecuador

Ocean: Pacific Ocean

DSI/Natural GR