



Output DLIS Files

DEFAULT	PI_LDL_APS_NGS_005LUP	FN:5	PRODUCER	24-May-2002 04:14	2432.3 M	2023.1 M
TCOMBO_CUST	PI_LDL_APS_NGS_005LUP	FN:6	PRODUCER	24-May-2002 04:14	2432.3 M	2022.0 M

OP System Version: 10C0-306
MCM

MAIN UP LOG


DIT-E	10C0-306	DTA-A	10C0-306
HLDS	10C0-306	NPLC-B	10C0-306
APS-BA	10C0-306	HNGS-BA	10C0-306
DTC-H	10C0-306		


Changed Parameter Summary


DLIS Name	New Value	Previous Value	Depth & Time
GCSE	BS	LCAL	2143.2 05:25:26


PIP SUMMARY


Time Mark Every 60 S

















2250


2275

2300









PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value	
BHS	DIT-E: Dual Induction - E		
BHS	Borehole Status	OPEN	
GCSE	Generalized Caliper Selection	LCAL	
APS-BA: Accelerator-Porosity Tool			
BHS	Borehole Status	OPEN	
GCSE	Generalized Caliper Selection	LCAL	
HNGS-BA: Hostile Natural Gamma Ray Sonde			
BAR1	HNGS Detector 1 Barite Constant	1	
BAR2	HNGS Detector 2 Barite Constant	1	
BHK	HNGS Borehole Potassium Correction Concentration	0	
BHS	Borehole Status	OPEN	
CSD1	Inner Casing Outer Diameter	0	IN
CSD2	Outer Casing Outer Diameter	0	IN
CSW1	Inner Casing Weight	0	LB/F
CSW2	Outer Casing Weight	0	LB/F
DBCC	HNGS Barite Constant Correction Flag	NONE	
GCSE	Generalized Caliper Selection	LCAL	
H1P	HNGS Detector 1 Allow/Disallow In Processing	ALLOW	
H2P	HNGS Detector 2 Allow/Disallow In Processing	ALLOW	
HABK	HNGS Borehole Potassium Running Average	-0.00273145	
HALF	HNGS Alpha Filter Length	60	IN
HCRB	HNGS Apply Borehole Potassium Correction	NONE	
HMWM	Mud Weighting Material	NATU	
HNPE	HNGS Processing Enable	YES	
S1BI	HNGS Detector 1 Calibration Bismuth Count Rate	1.3	CPS
S2BI	HNGS Detector 2 Calibration Bismuth Count Rate	1.3	CPS
SGRC	HNGS Standard Gamma-Ray Correction Flag	YES	
TPOS	Tool Position	ECCE	
VBA1	HNGS Detector 1 Variable Barite Factor Running Average	0.978732	
VBA2	HNGS Detector 2 Variable Barite Factor Running Average	0.998824	
System and Miscellaneous			
BS	Bit Size	11.437	IN
DFD	Drilling Fluid Density	1.07	G/C3

OP System Version: 10C0-306

MCM

DIT-E	10C0-306	DTA-A	10C0-306
HLDS	10C0-306	NPLC-B	10C0-306
APS-BA	10C0-306	HNGS-BA	10C0-306
DTC-H	10C0-306		

Output DLIS Files

DEFAULT	PI_LDL_APS_NGS_005LUP	FN:5	PRODUCER	24-May-2002 04:14
TCOMBO_CUST	PI_LDL_APS_NGS_005LUP	FN:6	PRODUCER	24-May-2002 04:14

Company: Lamont Doherty

Schlumberger

Well: ODP Leg 202, Site 1241B

Field: Cocos Ridge

Country: Costa Rica

Ocean: Pacific Ocean

Natural Gamma Ray Log