

DISCLAIMER
 THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE OF AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

OTHER SERVICES1
 OS1: FMS/DSST
 OS2: QSSTA
 OS3: VSI
 OS4: IPL/DITE
 OS5:

OTHER SERVICES2
 OS1:
 OS2:
 OS3:
 OS4:
 OS5:

REMARKS: RUN NUMBER 1

Depths in meters below rig floor, mbrf.
 Sea Floor SLB 846 mbrf.
 Drill pipe SLB 920 mbrf.

Dipole Sonic data needs to be further processed in Geoframe.
 Print is for LQC purposes only.

REMARKS: RUN NUMBER 2

RUN 1

SERVICE ORDER #:
 PROGRAM VERSION: 10C0-306
 FLUID LEVEL:

RUN 2

SERVICE ORDER #:
 PROGRAM VERSION:
 FLUID LEVEL:

LOGGED INTERVAL	START	STOP

LOGGED INTERVAL	START	STOP

EQUIPMENT DESCRIPTION

RUN 1


SURFACE EQUIPMENT

GSR-U/Y 135
 WITM (DTS)-A

RUN 2

DOWNHOLE EQUIPMENT

LEH-QT 32.34
 LEH-QT 1497
 DTC-H 31.45
 ECH-KC 9343
 AH-MCD-TOP 30.54
 AH-MCD-TOP



DSST-B
 SPAC-B 9128
 ECH-SD 8127
 SMDR-BD 11
 SSIJ-BA 8151
 SMDX-AA 66

28.25

PWF 12.71

AH-Bot
 AH-Bot 1

12.71

SGT-N
 Gamma Ray 10.30 10.58

SGH-K 245
 SGC-TB 9585
 SGD-TAA 1

DTA-A
 ECH-KE 8455
 DTA-A 8261

8.90

MEST-B
 MEAH-B 701
 MEAC-A 833
 MEPH-A 702
 GPIC-A 719
 MEPC-AB 806
 MEDS-B 724

7.68

MEDR MEAC
 MEPC MEDS-B
 HV DF
 Tension GPIT
 0.46
 0.00
 TOOL ZERO

MAXIMUM STRING DIAMETER 4.50 IN
 MEASUREMENTS RELATIVE TO TOOL ZERO
 ALL LENGTHS IN METERS



Output DLIS Files

DEFAULT	FMS_DSI_016LUP	FN:19	PRODUCER	24-Aug-2002 01:44	1068.6 M	953.0 M
REDUCE	FMS_DSI_016LUP	FN:20	PRODUCER	24-Aug-2002 01:44	1068.6 M	953.0 M

OP System Version: 10C0-306

MCM

MEST-B	10C0-306	DTA-A	10C0-306
SGT-N	10C0-306	DSST-B	OP10-KP1
DTC-H	10C0-306		

PIP SUMMARY

Time Mark Every 60 S

Waveform Data Copy Indicator 4 - Monopole P&S (WCI4)		
0	(---	10
Peak Coherence / RA - P & S Shear (CHRS)		
-1	(---	9
Peak Coherence / RA - P & S Comp (CHRP)		
0	(---	10
Peak Coherence / RA - Upper Dipole (CHR2)		
0	(---	10
Tension (TENS)		
10000	(LBF)	0
Gamma Ray (GR)		
0	(GAPI)	100
Delta-T Shear - P & S (DT4S)		
440	(US/F)	40


PASS #2

Min Amplitude Max



Delta-T Comp - P & S (DT4P)	(US/F)	40
Delta-T Shear - Upper Dipole (DT2)	(US/F)	40
Bit Size (BS)	(IN)	16



Rec.Array P&S Slow Proj. CVDL (SPR4)	(US/F)	220
Delta-T Shear / RA - P & S (DTRS)	(US/F)	220
Delta-T Comp / RA - P & S (DTRP)	(US/F)	220


Min	Amplitude	Max
300	Rec.Array U.Dipole Slow Proj. CVDL (SPR2)	1200
	(US/F)	
	Delta-T Shear / RA - Upper Dipole (DT2R)	
	(US/F)	




975







FR GR



6	Bit Size (BS) (IN)	16
440	Delta-T Shear - Upper Dipole (DT2) (US/F)	40
440	Delta-T Comp - P & S (DT4P) (US/F)	40
440	Delta-T Shear - P & S (DT4S) (US/F)	40
0	Gamma Ray (GR) (GAPI)	100
10000	Tension (TENS) (LBF)	0
0	Peak Coherence / RA - Upper Dipole (CHR2)	10
0	Peak Coherence / RA - P & S Comp (CHRP)	10
-1	Peak Coherence / RA - P & S Shear (CHRS)	9
0	Waveform Data Copy Indicator 4 - Monopole P&S (WCI4)	10

120	Delta-T Comp / RA - P & S (DTRP) (US/F)	220
120	Delta-T Shear / RA - P & S (DTRS) (US/F)	220
300	Delta-T Shear / RA - Upper Dipole (DT2R) (US/F)	1200
Min Amplitude Max Rec.Array U.Dipole Slow Proj. CVDL (SPR2) (US/F)		
Min Amplitude Max Rec.Array P&S Slow Proj. CVDL (SPR4) (US/F)		

PASS #2

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
BHS	SGT-N: Scintillation Gamma-Ray - N Borehole Status	OPEN
BHS	DSST-B: Dipole Shear Imager - B Borehole Status	OPEN
CASF	Label Casing Function - Monopole P&S	50
COLL	Label Slowness Lower Limit - Monopole P&S Compressional	120 US/F
COUL	Label Slowness Upper Limit - Monopole P&S Compressional	200 US/F
DDE2	Digitizing Delay 2	0 US

DDE4	Digitizing Delay 4	0	US
DDEX	Digitizing Delay X	0	US
DLCS	Label Compressional Source - Dipole Shear	USE	
DSHL	Label Slowness Lower Limit - Dipole Shear	300	US/F
DSHU	Label Slowness Upper Limit - Dipole Shear	1200	US/F
DSI2	Digitizer Sample Interval 2	40	US
DSI4	Digitizer Sample Interval 4	10	US
DSIX	Digitizer Sample Interval X	10	US
DTCS	Compressional Delta-T Source for DTCO Channel	PS_COMP	
DTF	Delta-T Fluid	189	US/F
DWC2	Digitizer Word Count 2	512	
DWC4	Digitizer Word Count 4	512	
DWCX	Digitizer Word Count X	512	
FILG	Label Fill Gap Control - Monopole P&S	COMP_SHEAR	
LFC	Label Formation Character - Monopole P&S	COMP_FIRST	
MCS	Mean Casing Slowness	57	US/F
MTXG	Monopole Transmitter Geometry	186	IN
NWI2	Number Waveform Items 2	8	
NWI4	Number Waveform Items 4	8	
RSMN	Label Shear/Compressional Minimum Ratio - Monopole P&S	1.4	
RSMX	Label Shear/Compressional Maximum Ratio - Monopole P&S	2.12	
RX1G	Receiver 1 Geometry	294	IN
RX2G	Receiver 2 Geometry	300	IN
RX3G	Receiver 3 Geometry	306	IN
RX4G	Receiver 4 Geometry	312	IN
RX5G	Receiver 5 Geometry	318	IN
RX6G	Receiver 6 Geometry	324	IN
RX7G	Receiver 7 Geometry	330	IN
RX8G	Receiver 8 Geometry	336	IN
SAM2	DSST Sonic Acquisition Mode 2 - Upper Dipole Mode	LFD_ODD	
SAM4	DSST Sonic Acquisition Mode 4 - High Frequency Monopole Mode for P&S	EVEN	
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	OFF	
SAS2	STC Sonic Array Status - Upper Dipole	255	
SAS4	STC Sonic Array Status - Monopole P&S	255	
SBO2	STC Search Band Offset - Upper Dipole	3000	US
SBO4	STC Search Band Offset - Monopole P&S	500	US
SBR4	STC Baseline Removal - Monopole P&S	ON	
SBW2	STC Search Bandwidth - Upper Dipole	8000	US
SBW4	STC Search Bandwidth - Monopole P&S	2000	US
SFC2	STC Formation Character - Upper Dipole	SELECTABLE	
SFC4	STC Formation Character - Monopole P&S	SELECTABLE	
SFM2	STC Filter - Upper Dipole	B.3-1.5K	
SFM4	STC Filter - Monopole P&S	B3-20K	
SHLL	Label Slowness Lower Limit - Monopole P&S Shear	120	US/F
SHUL	Label Slowness Upper Limit - Monopole P&S Shear	200	US/F
SLL2	STC Slowness Lower Limit - Upper Dipole	300	US/F
SLL4	STC Slowness Lower Limit - Monopole P&S	120	US/F
SST2	STC Slowness Step - Upper Dipole	4	US/F
SST4	STC Slowness Step - Monopole P&S	2	US/F
SSW2	STC Source Waveform - Upper Dipole	WF_SAM2	
SSW4	STC Source Waveform - Monopole P&S	WF_SAM4	
STLL	Label Slowness Lower Limit - Monopole Stoneley	180	US/F
STUL	Label Slowness Upper Limit - Monopole Stoneley	780	US/F
SUL2	STC Slowness Upper Limit - Upper Dipole	1200	US/F
SUL4	STC Slowness Upper Limit - Monopole P&S	220	US/F
SWD2	STC Slowness Width - Upper Dipole	40	US/F
SWD4	STC Slowness Width - Monopole P&S	10	US/F
TBF2	STC Time for Baseline Fill - Upper Dipole	0	US
TBF4	STC Time for Baseline Fill - Monopole P&S	300	US
TLL2	STC Time Lower Limit - Upper Dipole	2300	US
TLL4	STC Time Lower Limit - Monopole P&S	580	US
TST2	STC Time Step - Upper Dipole	200	US
TST4	STC Time Step - Monopole P&S	50	US
TUL2	STC Time Upper Limit - Upper Dipole	20200	US
TUL4	STC Time Upper Limit - Monopole P&S	3480	US
TWD2	STC Time Width - Upper Dipole	2000	US
TWD4	STC Time Width - Monopole P&S	1000	US
TWI2	STC Integration Time Window - Upper Dipole	1600	US
TWI4	STC Integration Time Window - Monopole P&S	500	US
TWSX	Transmitter Waveform Select X	0	
UTXG	Upper Dipole Transmitter Geometry	162	IN
WFM4	Waveform Mode 4	W1	
BS	System and Miscellaneous		
BS	Bit Size	11.438	IN

Format: DSST_P_S_UPPER_VDL_COLOR

Vertical Scale: 1:200

Graphics File Created: 24-Aug-2002 01:44

OP System Version: 10C0-306

MCM

MEST-B 10C0-306
SGT-N 10C0-306DTA-A 10C0-306
DSST-B OP10-KP1

Output DLIS Files

DEFAULT	FMS_DSI_016LUP	FN:19	PRODUCER	24-Aug-2002 01:44
REDUCE	FMS_DSI_016LUP	FN:20	PRODUCER	24-Aug-2002 01:44

Output DLIS Files


DEFAULT	FMS_DSI_016LUP	FN:19	PRODUCER	24-Aug-2002 01:44	1068.6 M	953.0 M
REDUCE	FMS_DSI_016LUP	FN:20	PRODUCER	24-Aug-2002 01:44	1068.6 M	953.0 M

OP System Version: 10C0-306 MCM






MEST-B	10C0-306	DTA-A	10C0-306
SGT-N	10C0-306	DSST-B	OP10-KP1
DTC-H	10C0-306		


PIP SUMMARY

Time Mark Every 60 S





PASS #2









1000

1025





PASS #2

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
DSST-B	Dipole Shear Imager - B	
DDE1	Digitizing Delay 1	0 US
DDEX	Digitizing Delay X	0 US

DLCS	Label Compression Source - Dipole Shear	USE	US
DSHL	Label Slowness Lower Limit - Dipole Shear	300	US/F
DSHU	Label Slowness Upper Limit - Dipole Shear	1200	US/F
DSI1	Digitizer Sample Interval 1	40	US
DSIX	Digitizer Sample Interval X	10	US
DTCS	Compressional Delta-T Source for DTCO Channel	PS_COMP	
DWC1	Digitizer Word Count 1	512	
DWCX	Digitizer Word Count X	512	
LTXG	Lower Dipole Transmitter Geometry	156	IN
NWI1	Number Waveform Items 1	8	
RX1G	Receiver 1 Geometry	294	IN
RX2G	Receiver 2 Geometry	300	IN
RX3G	Receiver 3 Geometry	306	IN
RX4G	Receiver 4 Geometry	312	IN
RX5G	Receiver 5 Geometry	318	IN
RX6G	Receiver 6 Geometry	324	IN
RX7G	Receiver 7 Geometry	330	IN
RX8G	Receiver 8 Geometry	336	IN
SAM1	DSST Sonic Acquisition Mode 1 - Lower Dipole Mode	EVEN	
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	OFF	
SAS1	STC Sonic Array Status - Lower Dipole	255	
SBO1	STC Search Band Offset - Lower Dipole	3000	US
SBW1	STC Search Bandwidth - Lower Dipole	8000	US
SFC1	STC Formation Character - Lower Dipole	SELECTABLE	
SFM1	STC Filter - Lower Dipole	B1-3K	
SLI1	STC Slowness Lower Limit - Lower Dipole	300	US/F
SST1	STC Slowness Step - Lower Dipole	4	US/F
SSW1	STC Source Waveform - Lower Dipole	WF_SAM1	
SUL1	STC Slowness Upper Limit - Lower Dipole	1200	US/F
SWD1	STC Slowness Width - Lower Dipole	40	US/F
TBF1	STC Time for Baseline Fill - Lower Dipole	0	US
TLL1	STC Time Lower Limit - Lower Dipole	2450	US
TST1	STC Time Step - Lower Dipole	200	US
TUL1	STC Time Upper Limit - Lower Dipole	20440	US
TWD1	STC Time Width - Lower Dipole	2000	US
TWI1	STC Integration Time Window - Lower Dipole	1600	US
TWSX	Transmitter Waveform Select X	0	
WFM1	Waveform Mode 1	W1	

Format: DSST_LOWER_DIPOLE_VDL_COLOR Vertical Scale: 1:200 Graphics File Created: 24-Aug-2002 01:44

OP System Version: 10C0-306

MCM

MEST-B	10C0-306	DTA-A	10C0-306
SGT-N	10C0-306	DSST-B	OP10-KP1
DTC-H	10C0-306		

Output DLIS Files

DEFAULT	FMS_DSI_016LUP	FN:19	PRODUCER	24-Aug-2002 01:44
REDUCE	FMS_DSI_016LUP	FN:20	PRODUCER	24-Aug-2002 01:44

Output DLIS Files

DEFAULT	FMS_DSI_015LUP	FN:17	PRODUCER	24-Aug-2002 00:59	1068.6 M	912.4 M
REDUCE	FMS_DSI_015LUP	FN:18	PRODUCER	24-Aug-2002 00:59	1068.6 M	912.4 M

OP System Version: 10C0-306


MCM




MEST-B	10C0-306	DTA-A	10C0-306
SGT-N	10C0-306	DSST-B	OP10-KP1
DTC-H	10C0-306		




PIP SUMMARY

Time Mark Every 60 S

Waveform Data Copy Indicator 1 - Lower Dipole (WC11)	PASS #1
0 (---) 10	
Tension (TENS)	Delta-T Shear - Lower Dipole (DT1)
10000 (LBF) 0	440 (US/F) 40
	Min Amplitude Max







SAM1 Waveform Gain (WFG1)
0 (---) 1000

Peak Coherence / RA - Lower Dipole (CHR1)
0 (---) 10

Delta-T Shear / RA - Lower Dipole (DT1R) (US/F)
75 1200

FR DSST-
1050
-FR GR

1025

Min Amplitude Max

Gamma Ray (GR) 0 (GAPI) 100	Delta-T Shear - Lower Dipole 440 (DT1R) 40 (US/F)	Rec.Array L.Dipole Slow Proj. CVDL 75 (SPR1) 1200 (US/F)
Tension (TENS) 10000 (LBF) 0	Delta-T Shear - Lower Dipole (DT1) 440 (US/F) 40	
Waveform Data Copy Indicator 1 - Lower Dipole (WC11) 0 (----) 10	PASS #1	

PIP SUMMARY

▶ Time Mark Every 60 S

Parameters

DLIS Name	Description	Value
DSST-B: Dipole Shear Imager - B		
DDE1	Digitizing Delay 1	0 US
DDEX	Digitizing Delay X	0 US
DLCS	Label Compressional Source - Dipole Shear	USE
DSHL	Label Slowness Lower Limit - Dipole Shear	300 US/F
DSHU	Label Slowness Upper Limit - Dipole Shear	1200 US/F
DSI1	Digitizer Sample Interval 1	40 US
DSIX	Digitizer Sample Interval X	10 US
DTCS	Compressional Delta-T Source for DTCS Channel	PS_COMP
DWC1	Digitizer Word Count 1	512
DWCX	Digitizer Word Count X	512
LTXG	Lower Dipole Transmitter Geometry	156 IN
NW11	Number Waveform Items 1	8
RX1G	Receiver 1 Geometry	294 IN
RX2G	Receiver 2 Geometry	300 IN
RX3G	Receiver 3 Geometry	306 IN
RX4G	Receiver 4 Geometry	312 IN
RX5G	Receiver 5 Geometry	318 IN
RX6G	Receiver 6 Geometry	324 IN
RX7G	Receiver 7 Geometry	330 IN
RX8G	Receiver 8 Geometry	336 IN
SAM1	DSST Sonic Acquisition Mode 1 - Lower Dipole Mode	LFD_EVEN
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	OFF
SAS1	STC Sonic Array Status - Lower Dipole	255
SBO1	STC Search Band Offset - Lower Dipole	3000 US
SBW1	STC Search Bandwidth - Lower Dipole	8000 US
SFC1	STC Formation Character - Lower Dipole	SELECTABLE
SFM1	STC Filter - Lower Dipole	B.3-1.5K
SLL1	STC Slowness Lower Limit - Lower Dipole	300 US/F
SST1	STC Slowness Step - Lower Dipole	4 US/F
SSW1	STC Source Waveform - Lower Dipole	WF_SAM1
SUL1	STC Slowness Upper Limit - Lower Dipole	1200 US/F
SWD1	STC Slowness Width - Lower Dipole	40 US/F
TBF1	STC Time for Baseline Fill - Lower Dipole	0 US
TLL1	STC Time Lower Limit - Lower Dipole	2450 US
TST1	STC Time Step - Lower Dipole	200 US
TUL1	STC Time Upper Limit - Lower Dipole	20440 US
TWD1	STC Time Width - Lower Dipole	2000 US
TWI1	STC Integration Time Window - Lower Dipole	1600 US
TWSX	Transmitter Waveform Select X	0
WFM1	Waveform Mode 1	W1

Format: DSST_LOWER_DIPOLE_VDL_COLOR Vertical Scale: 1:200 Graphics File Created: 24-Aug-2002 00:59

OP System Version: 10C0-306
MCM

MEST-B	10C0-306	DTA-A	10C0-306
SGT-N	10C0-306	DSST-B	OP10-KP1
DTC-H	10C0-306		

Output DLIS Files

DEFAULT	FMS_DSI_015LUP	FN:17	PRODUCER	24-Aug-2002 00:59
REDUCE	FMS_DSI_015LUP	FN:18	PRODUCER	24-Aug-2002 00:59


Output DLIS Files

OP System Version: 10C0-306
MCM







MEST-B	10C0-306	DTA-A	10C0-306
SGT-N	10C0-306	DSST-B	OP10-KP1
DTC-H	10C0-306		

PIP SUMMARY

Time Mark Every 60 S






PASS #1



-DRILL PIPE-


925






950


975






1000



1025



DTRP



FR DSST-
1050
-FR GR



Bit Size (BS)
(IN) 6 16

Delta-T Shear - Upper Dipole (DT2)
(US/F) 440 40

Delta-T Comp - P & S (DT4P)
(US/F) 440 40

Delta-T Shear - P & S (DT4S)
(US/F) 440 40

Gamma Ray (GR)
(GAPI) 0 100

Tension (TENS)
(LBF) 10000 0

Peak Coherence / RA - Upper Dipole
(CHR2) (---) 0 10

Peak Coherence / RA - P & S Comp
(CHRP) (---) 0 10

Peak Coherence / RA - P & S Shear
(CHRS)

Delta-T Comp / RA - P & S (DTRP)
(US/F) 40 240

Delta-T Shear / RA - P & S (DTRS)
(US/F) 40 240

Min Amplitude Max
Rec.Array P&S Slow Proj. CVDL (SPR4)
(US/F) 40 240

Delta-T Shear / RA - Upper Dipole
(DT2R) (US/F) 75 1200

Min Amplitude Max
Rec.Array U.Dipole Slow Proj. CVDL
(SPR2) (US/F) 75 1200

PASS #1

PIP SUMMARY

Time Mark Every 60 S

Parameters

DLIS Name	Description	Value	
BHS	SGT-N: Scintillation Gamma-Ray - N Borehole Status	OPEN	
BHS	DSST-B: Dipole Shear Imager - B Borehole Status	OPEN	
CASF	Label Casing Function - Monopole P&S	50	
COLL	Label Slowness Lower Limit - Monopole P&S Compressional	120	US/F
COUL	Label Slowness Upper Limit - Monopole P&S Compressional	200	US/F
DDE2	Digitizing Delay 2	0	US
DDE4	Digitizing Delay 4	0	US
DDEX	Digitizing Delay X	0	US
DLCS	Label Compressional Source - Dipole Shear	USE	
DSHL	Label Slowness Lower Limit - Dipole Shear	300	US/F
DSHU	Label Slowness Upper Limit - Dipole Shear	1200	US/F
DSI2	Digitizer Sample Interval 2	40	US
DSI4	Digitizer Sample Interval 4	10	US
DSIX	Digitizer Sample Interval X	10	US
DTCS	Compressional Delta-T Source for DTCO Channel	PS_COMP	
DTF	Delta-T Fluid	189	US/F
DWC2	Digitizer Word Count 2	512	
DWC4	Digitizer Word Count 4	512	
DWCX	Digitizer Word Count X	512	
FILG	Label Fill Gap Control - Monopole P&S	COMP_SHEAR	
LFC	Label Formation Character - Monopole P&S	COMP_FIRST	
MCS	Mean Casing Slowness	57	US/F
MTXG	Monopole Transmitter Geometry	186	IN
NWI2	Number Waveform Items 2	8	
NWI4	Number Waveform Items 4	8	
RSMN	Label Shear/Compressional Minimum Ratio - Monopole P&S	1.4	
RSMX	Label Shear/Compressional Maximum Ratio - Monopole P&S	2.12	
RX1G	Receiver 1 Geometry	294	IN
RX2G	Receiver 2 Geometry	300	IN
RX3G	Receiver 3 Geometry	306	IN
RX4G	Receiver 4 Geometry	312	IN
RX5G	Receiver 5 Geometry	318	IN
RX6G	Receiver 6 Geometry	324	IN
RX7G	Receiver 7 Geometry	330	IN
RX8G	Receiver 8 Geometry	336	IN
SAM2	DSST Sonic Acquisition Mode 2 - Upper Dipole Mode	ODD	
SAM4	DSST Sonic Acquisition Mode 4 - High Frequency Monopole Mode for P&S	LFD_EVEN	
SAMX	DSST Sonic Acquisition Mode X - Both Dipoles or Monopole Mode for Expert	OFF	
SAS2	STC Sonic Array Status - Upper Dipole	255	
SAS4	STC Sonic Array Status - Monopole P&S	255	
SBO2	STC Search Band Offset - Upper Dipole	3000	US
SBO4	STC Search Band Offset - Monopole P&S	500	US
SBR4	STC Baseline Removal - Monopole P&S	ON	
SBW2	STC Search Bandwidth - Upper Dipole	800	US
SBW4	STC Search Bandwidth - Monopole P&S	2000	US
SFC2	STC Formation Character - Upper Dipole	SELECTABLE	
SFC4	STC Formation Character - Monopole P&S	SELECTABLE	
SFM2	STC Filter - Upper Dipole	B1-3K	
SFM4	STC Filter - Monopole P&S	B3-12K	
SHLL	Label Slowness Lower Limit - Monopole P&S Shear	120	US/F
SHUL	Label Slowness Upper Limit - Monopole P&S Shear	200	US/F
SLL2	STC Slowness Lower Limit - Upper Dipole	300	US/F
SLL4	STC Slowness Lower Limit - Monopole P&S	120	US/F
SST2	STC Slowness Step - Upper Dipole	4	US/F
SST4	STC Slowness Step - Monopole P&S	2	US/F
SSW2	STC Source Waveform - Upper Dipole	WF_SAM2	
SSW4	STC Source Waveform - Monopole P&S	WF_SAM4	
STLL	Label Slowness Lower Limit - Monopole Stoneley	180	US/F
STUL	Label Slowness Upper Limit - Monopole Stoneley	780	US/F
SUL2	STC Slowness Upper Limit - Upper Dipole	1200	US/F
SUL4	STC Slowness Upper Limit - Monopole P&S	220	US/F
SWD2	STC Slowness Width - Upper Dipole	40	US/F
SWD4	STC Slowness Width - Monopole P&S	10	US/F
TBF2	STC Time for Baseline Fill - Upper Dipole	0	US
TBF4	STC Time for Baseline Fill - Monopole P&S	300	US

TLL2	STC Time Lower Limit - Upper Dipole	2300	US
TLL4	STC Time Lower Limit - Monopole P&S	580	US
TST2	STC Time Step - Upper Dipole	200	US
TST4	STC Time Step - Monopole P&S	50	US
TUL2	STC Time Upper Limit - Upper Dipole	20200	US
TUL4	STC Time Upper Limit - Monopole P&S	3480	US
TWD2	STC Time Width - Upper Dipole	2000	US
TWD4	STC Time Width - Monopole P&S	1000	US
TWI2	STC Integration Time Window - Upper Dipole	1600	US
TWI4	STC Integration Time Window - Monopole P&S	500	US
TWSX	Transmitter Waveform Select X	0	
UTXG	Upper Dipole Transmitter Geometry	162	IN
WFM4	Waveform Mode 4	W1	
BS	System and Miscellaneous Bit Size	11.438	IN

Format: DSST_P_S_UPPER_VDL_COLOR Vertical Scale: 1:200 Graphics File Created: 24-Aug-2002 00:59

OP System Version: 10C0-306			
MCM			
MEST-B	10C0-306	DTA-A	10C0-306
SGT-N	10C0-306	DSST-B	OP10-KP1
DTC-H	10C0-306		

Output DLIS Files				
DEFAULT	FMS_DSI_015LUP	FN:17	PRODUCER	24-Aug-2002 00:59
REDUCE	FMS_DSI_015LUP	FN:18	PRODUCER	24-Aug-2002 00:59

Calibration and Check Summary							
Measurement	Nominal	Master	Before	After	Change	Limit	Units
Micro Electrical Scanner - B (Slim) Wellsite Calibration - Caliper Calibration							
Before: Calibration out of date 27-Jul-2002 14:28							
Caliper 1 Zero Measurement	12.00	N/A	12.52	N/A	N/A	N/A	IN
Caliper 2 Zero Measurement	12.00	N/A	11.83	N/A	N/A	N/A	IN
Caliper 1 Plus Measurement	15.25	N/A	15.63	N/A	N/A	N/A	IN
Caliper 2 Plus Measurement	15.25	N/A	15.10	N/A	N/A	N/A	IN
Micro Electrical Scanner - B (Slim) Wellsite Calibration - CROUZET ACCELEROMETER PROM HAS BEEN READ CORRECTLY							
Before: 24-Aug-2002 0:17							
TEMPERATURE REFERENCE :	N/A	N/A	20	N/A	N/A	N/A	DEGC
YEAR OF CALIBRATION :	N/A	N/A	99	N/A	N/A	N/A	
MONTH OF CALIBRATION :	N/A	N/A	3	N/A	N/A	N/A	
SERIAL NUMBER :	N/A	N/A	743	N/A	N/A	N/A	
Micro Electrical Scanner - B (Slim) Wellsite Calibration - CROUZET MAGNETOMETER PROM HAS BEEN READ CORRECTLY							
Before: 24-Aug-2002 0:17							
TEMPERATURE REFERENCE :	N/A	N/A	25	N/A	N/A	N/A	DEGC
YEAR OF CALIBRATION :	N/A	N/A	91	N/A	N/A	N/A	
MONTH OF CALIBRATION :	N/A	N/A	5	N/A	N/A	N/A	
SERIAL NUMBER :	N/A	N/A	98	N/A	N/A	N/A	
Scintillation Gamma-Ray - N Wellsite Calibration - Detector Calibration							
Before: Calibration out of date 27-Jul-2002 14:08							
Gamma Ray (Jig - Bkg)	164.1	N/A	164.1	N/A	N/A	14.92	GAPI
Gamma Ray (Calibrated)	165.0	N/A	165.0	N/A	N/A	15.00	GAPI

Micro Electrical Scanner - B (Slim) / Equipment Identification		
Primary Equipment:		
MEST Sonde - B	MEDS - B	724
MEST Preamplifier Cartridge - AB	MEPC - AB	806
GPIT Cartridge - A	GPIC - A	719
MEST Acquisition Cartridge - A	MEAC - A	833
Auxiliary Equipment:		
MEST-B Preamplifier Cartridge Housing	MEPH - A	702
MEST Acquisition Cartridge Housing (Slim)	MEAH - B	701

Scintillation Gamma-Ray - N / Equipment Identification

Primary Equipment:

Scintillation Gamma Cartridge	SGC - TB	9585
Scintillation Gamma Detector	SGD - TAA	1

Auxiliary Equipment:

Scintillation Gamma Housing	SGH - K	245
Gamma Source Radioactive	GSR - U/Y	135

Scintillation Gamma-Ray - N Wellsite Calibration

Detector Calibration

Phase	Gamma Ray Background	GAPI	Value	Phase	Gamma Ray (Jig - Bkg)	GAPI	Value	Phase	Gamma Ray (Calibrated)	GAPI	Value
Before			4.854	Before			164.1	Before			165.0
	0 (Minimum)	30.00 (Nominal)	120.0 (Maximum)		149.2 (Minimum)	164.1 (Nominal)	179.0 (Maximum)		150.0 (Minimum)	165.0 (Nominal)	180.0 (Maximum)

Before: Calibration out of date 27-Jul-2002 14:08

Company: Lamont Doherty

Schlumberger

Well: ODP Leg 204, Site 1247B

Field: Hydrate Ridge

Ocean: Pacific

State: Oregon

Dipole Shear Sonic
P&S Compressional Monopole
Gamma Ray