ODP Leg 103 - Hole 638B

The following figure shows the main logs recorded in Hole 638B during ODP Leg 103. All the data displayed can be downloaded from the ODP logging database:

http://brg.ldeo.columbia.edu/data/odp/leg103/638B

The figure was generated automatically, including the the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:


http://brg.ldeo.columbia.edu/data/odp/leg103/638B/documents/103-638B_info-std.html

The logs displayed are the main data recorded by each of the tools deployed.

The resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.



ODP Leg 103 - Hole 638C

The following figure shows the main logs recorded in Hole 638C during ODP Leg 103. All the data displayed can be downloaded from the ODP logging database:

http://brg.ldeo.columbia.edu/data/odp/leg103/638C

The figure was generated automatically, including the the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:

http://brg.ldeo.columbia.edu/data/odp/leg103/638C/documents/103-638C_info-std.html

The logs displayed are the main data recorded by each of the tools deployed.

The gamma ray curves were aquired with each tool deployment and were used to match depth across all tools and passes.

The resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The labels for each curve are derived from the name of the file in the database used for the figure.

