ODP Leg 124 - Hole 768C

The following figures show the main logs recorded in Hole 768C during ODP Leg 124.
All the data displayed can be downloaded from the ODP logging database:
http://brg.ldeo.columbia.edu/data/odp/leg124/768C

The figures were generated automatically, including the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:
http://brg.ldeo.columbia.edu/data/odp/leg124/768C/documents/124-768C_info-std.html

Each measurement was recorded during several passes, acquired while lowering the tool string down the hole or while pulling it uphole.

The first figure displays the data over the longest pass for each type of measurement. In this figure, the resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The second figure combines all the data from all passes for each measurement. The resistivity curves in this figure are for the deepest depth of investigation available from the tool(s) used.

The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.

Lithofacies logging analysis in Hole 7840 - GMP Leg 140


Gamma ray
Density
Porosity
Resistivity
Compressional velocity
Depth
Lithology
Lithofacies
Sediment
Hydrothermal
Alteration
Vein
Fault
Breccia
Hydrothermal
Alteration
Vein
Fault
Breccia
Sediment

El Hagab-Lucania-1 Well: 1000 - 2000 Log: 1/40


Depth
Gamma Ray
Density
Neutron
Resistivity
Caliper
Sonic
Formation Tops
Ma'in
Hamlah
Wadi Sahab
Qalhat
Shuaiba
Kharaib
Nahr Umr
Shilaif
Natih
Fahud
Al Khlata
Al Ghubar
Al Ghubar Salt
Al Ghubar Salt Base
Al Ghubar Salt Top
Al Ghubar Salt Base
Al Ghubar Salt Top
Al Ghubar Salt Base
Al Ghubar Salt Top