

ODP Leg 174A - Hole 1072A

The following figure shows the main logs recorded in Hole 1072A during ODP Leg 174A. All the data displayed can be downloaded from the ODP logging database:

<http://brg.ideo.columbia.edu/data/odp/leg174A/1072A>

The figure was generated automatically, including the the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:

http://brg.ideo.columbia.edu/data/odp/leg174A/1072A/documents/174A-1072A_info-std.html


The logs displayed are the main data recorded by each of the tools deployed.

The resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.

Main logs in Hole 1072A - ODP Leg 174A



ODP Leg 174A - Hole 1072B

The following figure shows the main logs recorded in Hole 1072B during ODP Leg 174A. All the data displayed can be downloaded from the ODP logging database:

<http://brg.ideo.columbia.edu/data/odp/leg174A/1072B>

The figure was generated automatically, including the the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:


http://brg.ideo.columbia.edu/data/odp/leg174A/1072B/documents/174A-1072B_info-std.html

The logs displayed are the main data recorded by each of the tools deployed. The gamma ray curves were acquired with each tool deployment and were used to match depth across all tools and passes.

The resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The labels for each curve are derived from the name of the file in the database used for the figure.

Main logs in Hole 1072B - ODP Leg 17



ODP Leg 174A - Hole 1072C

The following figure shows the main LWD (Logging While Drilling) logs recorded in Hole 1072C during ODP Leg 174A.

All the data displayed can be downloaded from the ODP logging database:

<http://brg.ldeo.columbia.edu/data/odp/leg174A/1072C>



The figure was generated automatically, including the the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:

http://brg.ldeo.columbia.edu/data/odp/leg174A/1072C/documents/174A-1072C_info-std.html

The logs displayed are the main data recorded by each of the tools deployed.

The core data shown were collected from holes at the same site.

Logging While Drilling [LWD] data - Hole 1072C - ODP Leg 174A



ODP Leg 174A - Hole 1072D

The following figure shows the main LWD (Logging While Drilling) logs recorded in Hole 1072D during ODP Leg 174A.

All the data displayed can be downloaded from the ODP logging database:

<http://brg.ldeo.columbia.edu/data/odp/leg174A/1072D>

The figure was generated automatically, including the the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:

http://brg.ldeo.columbia.edu/data/odp/leg174A/1072D/documents/174A-1072D_info-std.html

The logs displayed are the main data recorded by each of the tools deployed.

The core data shown were collected from holes at the same site.

Logging While Drilling [LWD] data - Hole 1072D - ODP Leg 174A

