

ODP Leg 188 - Hole 1166A

The following figures show the main logs recorded in Hole 1166A during ODP Leg 188.

All the data displayed can be downloaded from the ODP logging database:

<http://brg.ldeo.columbia.edu/data/odp/leg188/1166A>

The figures were generated automatically, including the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:

http://brg.ldeo.columbia.edu/data/odp/leg188/1166A/documents/188-1166A_info-std.html


Each measurement was recorded during several passes, acquired while lowering the tool string down the hole or while pulling it uphole.

The first figure displays the data over the longest pass for each type of measurement. In this figure, the resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The second figure combines all the data from all passes for each measurement. The resistivity curves in this figure are for the deepest depth of investigation available from the tool(s) used.

The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.



Hole Size

LCAL (HLDS)

0

21

0

Inches

< Bit size >

Hole Size

C1,C2 (FMS)

0

16

0

Inches

< Bit size >

Gamma Ray

HNGS (main)

40

200

gAPI

Density

HLDS (main)

1.1

2.6

g/cm3

core data

Porosity

APS (main)

10

100

%

core data

from density

Resistivity

IDPH-deep (main)

1

10

ohm.m

SFLU-shallow (main)

IMPH-medium (main)

Compressional velocity

pass 2

1750

3250

m/s

Shear velocity

VS (pass 1)

400

1650

m/s

Static FMS

conductive

resistive

N

E

S

W

Dynamic FMS

conductive

resistive

NN

E

S

W

Depth (mbs)

0

10

20

30

40

50

60

70

80

90

100

110

120

130

140

150

160

170

180

190

200

210

220

230

240

250

260

270

280

290

300

310

320

330

340

350

360

370

380

