IODP Expedition 344 - Hole U1413C

The following figures show the main logs recorded in Hole U1413C during IODP Expedition 344. All the data displayed can be downloaded from the IODP logging database:

http://brg.ldeo.columbia.edu/data/iodp-usio/exp344/U1413C

The figures were generated automatically, including the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:

http://brg.ldeo.columbia.edu/data/iodp-usio/exp344/U1413C/documents/344-U1413C_info-std-wireline.html

Each measurement was recorded during several passes, acquired while lowering the tool string down the hole or while pulling it uphole.

The first figure displays the data over the longest pass for each type of measurement. In this figure, the resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.


The second figure combines all the data from all passes for each measurement. The resistivity curves in this figure are for the deepest depth of investigation available from the tool(s) used.

The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.

Longest logging passes in Hole U1413C - IODP Expedition 344

U1413A cores Recovery	(jsc	Hole Size	Hole Size	Gamma Ray	Resistivity	Static F	MS Dynami	c FMS	UBI radius	Static UBI
13A c overy	Depth (mbsf)	1	1	1		conductive	resistive conductive	resistive	ing	Static UBI aug min max (mbs) NN E S W N
U14 ⁻ Reco	Dept	LCAL (HLDS) 0 Inches	C1,C2 (FMS) 19 0 Inches	HNGS (ditup) 17 0 gAPI 70 0.	IDPH-deep (up) .5 ohm.m	N E S	W NN E S	W NN	E S W	NN E S W N
11H		bit size >	-	NGR U1413A NGR U1413C	SFLUshallow (up) IMPHmedium (up)					
12H	100									100
13H	110									110
14H	120									120
15H 16H										
17H	130									130
18H	140									140
19X										



All logging passes in Hole U1413C - IODP Expedition 344

cores	(jsdr	Hole Size	Hole Size	Gamma Ray	Resistivity	Static FMS	Dynam	ic FMS	UBI radius	Static UBI	Dept
U1413A cores Recovery	Depth (mbsf)	LCAL (HLDS)	C1,C2 (FMS)	HNGS (ditup)	IDPH-deep (up)		esistive conductive	resistive i		min max	Depth (mbsf)
⊃ Œ 11H	Ω	0 Inches 19 ($ \begin{array}{c cccc} 0 & \text{Inches} & 17 \\ \hline $	7 0 gAPI 70 0 NGR U1413A NGR U1413C HNGS (ditd) HNGS (fms1)	0.5 ohm.m 5 IDPHdeep (down)	N E S W			<u>ESWN</u>	N E S W N	ť
 12H	100			HNGS (fms2) HNGS (fmsd) HNGS (ubi1) HNGS (ubi2) HNGS (ubid)							100
13H	110										110
14H	120										120
15H 16H											
17H	130										130
18H	140										140
19X											

