ODP Leg 160 - Hole 965A

The following figure shows the main logs recorded in Hole 965A during ODP Leg 160. All the data displayed can be downloaded from the ODP logging database: http://brg.ldeo.columbia.edu/data/odp/leg160/965A

The figure was generated automatically, including the the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation: http://brg.ldeo.columbia.edu/data/odp/leg160/965A/documents/160-965A info-std.html

The logs displayed are the main data recorded by each of the tools deployed. The gamma ray curves were aquired with each tool deployment and were used to match depth across all tools and passes.

The resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The labels for each curve are derived from the name of the file in the database used for the figure.

Main logs in Hole 965A - ODP Leg 160

es /	lbsf)	Hole Size	Hole Size	Gamma Ray	Density	Porosity	Resistivity	Compressional velocity	Static	FMS	Dy	namic FMS	Dep	
965A cores Recovery	Depth (mbsf)								conductive	resistive	conductiv	e res	Depth (mbsf)	
965 <i>,</i> Rec	Dep	LCAL (HLDS) 0 Inches 19 0	C1,C2 (FMS) Inches 16	NGT [dit] 1.3 0 gAPI 50 1.3	HLDT [main] 3 g/cm3 2.4 10	CNTG [main]	IDPH-deep [main] 1 ohm.m 50 2	proc 2000 m/s 49	950 N E S	W N	N E	S W	lbsf)	
10X	80	< Bit size >	Bit size	NGT [fms1] NGT [fms2] NGT [hldt]	core data	Score data	SELU-shallow [main]						80	
11X	90												90	
12X	100												100	
13X	110												110	
14X	120												120	

