ODP Leg 193 - Hole 1189B

The following figures show the main logs recorded in Hole 1189B during ODP Leg 193. All the data displayed can be downloaded from the ODP logging database: http://brg.ldeo.columbia.edu/data/odp/leg193/1189B

The figures were generated automatically, including the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:

http://brg.ldeo.columbia.edu/data/odp/leg193/1189B/documents/193-1189B_info-std.html

Each measurement was recorded during several passes, acquired while lowering the tool string down the hole or while pulling it uphole.

The first figure displays the data over the longest pass for each type of measurement. In this figure, the resistivity curves show the measurements made by the DIT at several depths of investigation (shallow, deep,...) during the longest pass.

The second figure combines all the data from all passes for each measurement. The resistivity curves in this figure are for the deepest depth of investigation available from the tool(s) used.

The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.

Longest logging passes in Hole 1189B - ODP Leg 193

ores	ores /	lbsf)	Hole Size	Hole Size	Gamma Ray	Density	Porosity	Resistivity	Compressional	Shear	Temperature	Stat	tic FMS	Dynamic FMS		Dep
9A cd oven	9B cc	th (r			1	I		1	velocity	velocity	1	conductive	resistive	conductive	resistive	th (m
118(Rec	1189 Rec		LCAL (HLDS)	C1,C2 (FMS)	NGT [pass 1]	HLDS [main]	APS [main]	IDPH-deep [main]	pass 1 1950 m/s 5350 1	<u>VS [pass 1]</u> 1700 m/s 30	00 0 C	80 N E	S W N	NES	W N	ıbsf)
		30	< Bit size >	< Bit size >		core dat	core data	SFLU-shałłow [main] . IMPH-medium [main]								30
4R	1R	· ·														
5R		40														40
	2R	50 -									-					50
6R	3R															
7R	4R	60														60
8R	5R	70 -														70



All logging passes in Hole 1189B - ODP Leg 193

ores	ores /	lbsf)	Hole Size	Hole Size	Gamma Ray	Density	Porosity	Resistivity	Compressional	Shear	Temperature	Static	FMS	Dynami	c FMS	Dep
9A co overy)B cc overy	th (m							Velocity	velocity		conductive	resistive	conductive	resistive	th (m
1189 Reco	1189 Reco	Dept	LCAL (HLDS)	C1,C2 (FMS)	NGT [pass 1]	HLDS [main]	APS [main]	IDPH-deep [main]	pass 1	VS [pass 1]	htgcm					nbsf
			< Bit size >	< Bit size >	HNGS [mai HNGS [repea NGT [pass	in] core data at] HLDS [repeat]	core data APS [repeat]	IDPH-deep [repeat]	pass 2	VS1 [pass 2]	htgcditm htgcditm htgcfms1 htgcfms2		<u> </u>	<u>N L 3</u>	<u> </u>	
40		30 -						-		-	htgor					30
40	1R									7						
		40					• ~ ~									40
5R	2R															
6R		50 - {														50
	3R															
7R		60 -						-								60
	4R						•									
8R		70 -					•	-								70
	5R						and the second s	-								

