# ODP Leg 206 - Hole 1256C

The following figures show the main logs recorded in Hole 1256C during ODP Leg 206.
All the data displayed can be downloaded from the ODP logging database:
http://brg.ldeo.columbia.edu/data/odp/leg206/1256C

The figures were generated automatically, including the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:
http://brg.ldeo.columbia.edu/data/odp/leg206/1256C/documents/206-1256C_info-std.html

Each measurement was recorded during several passes, acquired while lowering the tool string down the hole or while pulling it uphole.


The first figure displays the data over the longest pass for each type of measurement. In this figure, the resistivity curves show the measurements made by the DLL at several depths of investigation (shallow, deep,...) during the longest pass.

The second figure combines all the data from all passes for each measurement. The resistivity curves in this figure are for the deepest depth of investigation available from the tool(s) used.


The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.

# Longest logging passes in Hole 1256C - ODP Leg 206



# All logging passes in Hole 1256C - ODP Leg 206



# ODP Leg 206 - Hole 1256D

The following figures show the main logs recorded in Hole 1256D during ODP Leg 206.
All the data displayed can be downloaded from the ODP logging database:
http://brg.ldeo.columbia.edu/data/odp/leg206/1256D

The figures were generated automatically, including the estimation of ranges used for the data, and regardless of their quality. To get a more complete assessment of the quality of the data and a description of the processing, check the processing documentation:
http://brg.ldeo.columbia.edu/data/odp/leg206/1256D/documents/206-1256D_info-std.html


Each measurement was recorded during several passes, acquired while lowering the tool string down the hole or while pulling it uphole.


The first figure displays the data over the longest pass for each type of measurement. In this figure, the resistivity curves show the measurements made by the DLL at several depths of investigation (shallow, deep,...) during the longest pass.

The second figure combines all the data from all passes for each measurement. The resistivity curves in this figure are for the deepest depth of investigation available from the tool(s) used.

The labels for each curve are derived from the name of the file in the database used for the figure.

The core data shown were collected from holes at the same site.


Longest logging passes in Hole 1256D - ODP Leg 206
Middle zones
Bottom zones
Hole 1256D
Recovery
Depth (mbsf)
Hole Size
LCAL (HLDS)
C1-C2 (FMS)
Gamma Ray
HNGS [main]
Density
HLDT [main]
Porosity
APS [main]
core data
from density
Resistivity
LLD deep [main]
LLS shallow [main]
Compressional velocity
dtcp [main]
Shear velocity
DTS [main]
Logging passes
Static FMS
conductive
resistive
Dynamic FMS
UBI radius
Static UBI amplitude
Depth (mbsf)


Hole Size
Gamma Ray
Density
Porosity
Resistivity
Compressional velocity
Shear velocity
Static FMS
Dynamic FMS
UBI radius
Static UBI amplitude
Depth (mbsf)
LCAL (HLDS)
C1-C2 (FMS)
HNGS [main]
HNGS [repeat]
SGT [main]
SGT [repeat]
HLDT [main]
HLDT [repeat]
APS [main]
APS [repeat]
LLD-deep [main]
LLD-deep [repeat]
DTC [main]
DTS [main]
N E S W